


For Samuel Divans
&
David Elmore

Sect 34 29 N 4 E



- Wetref trees
- B { Elm 18 N 88 W 19
- Wichory 12 East 41
- C { Black ash 24 N 79 1/2 W 17
- Elm 16 S 28 1/2 W 38
- D { Wash 24 N 19 W 63
- Beech 12 N 43 E 26
- E { Elm 30 East 1
- F { Beech 10 N 84 1/2 E 20
- Ironwood 6 S 82 W 11
- G { Black ash 20 S 76 1/2 W 38
- do 20 S 78 E 47
- H { Black ash 14 inches
- Corner tree
- I { Beech 12 S 86 E 7
- Lynn 24 N 40 W 14


Sect 3 28 N 4 E

Chairmen { Levi Bunting
Sam Green
James Matt } Swann

Surveyed Feb 25th & 26th 1845

Wm. Griffin C. S. M. E

Plot of Part of the N^o & q^r of Sect 30 T 8 R 5 E



Bearings up the River

- D to 1 N 5 3/4 W 2.50
- 1 - 2 N 60 1/2 W 2.25
- 2 - 3 N 43 1/2 W 1.90
- 3 - 4 N 72 W 8.50
- 4 - 5 N 31 1/2 W 0.50
- 5 - 6 N 82 W 2.00
- 6 - 7 S 42 W - 1.97
- 7 - 8 S 73 1/2 W 1.50
- 8 - 9 N 48 1/2 W 1.80
- 9 - 10 N 7 W 2.44
- 1 - E N 21 E 4.38

A - B East Boundary of Sect 28
State Road Bears N 5 W from B to D

Corners

Point	Description	Bearing	Links
A	Original Sect Corner, Stone to Stone where Buckeye witness stand		
B	Stone Witness Stand	S 68 1/2 W	50
C	Stone do	S 68 40 W	10
D	Stone do	N 11 1/2 E	50
E	Stone do	S 54 1/2 E	25
F	Stone -		
G	Stone do	S 5 E	25

Chasen } Thos. Litchford } By agreement
Hamilton Boatman }


Surveyed Feb 27th & 28 1845

Wm. Griffin C.S.M.C.

Plot of 30 acres in the
S. E. q^r of Sect 18 T1 R10 NMs
For Henry Woolery

Survey

Magnetic North



St	Course	Dist
1	N 9° E	29.75
2	S 52° W	7.80
3	N 89 1/2° W	6.41
4	S 9 1/4° E	8.90
5	S 15 1/4° W	5.92
6	S 9 1/4° E	11.31
7	East	10.59


N 16° E 25.00

S. E. corner of Sect

Surveyed March 1845

Wm. Griffin C. S. M. C.

Part of South $\frac{1}{2}$ of Sect 30 T2 R9 Mb3



Notes of Staley's lot

- 1 N 65 W 2.00
- 2 N 80 W 30.82
- 3 S 1 W 6.89
- 4 N 88 $\frac{3}{4}$ E 32.43

From 3 to 8 N 80 W 1.31
 8 to 9 North 33.03

Witness trees

at q of W. Oak stump }
 Maple } 48 S 28 E 13
 18 S 28 W 40

at B2 }
 Red Elm } 18 N 45 E 24
 W Oak } 28 N 47 W 37

Chaimmen Robert Morrison & John Morrison
 by agreement
 surveyed March 1845

Wm Griffin & J. M. C

Plat of the S.W. q of Sec 32 T8R56 11
for Peter Shellbarger
original of corner of Q

Magnetic North

original of
Stone
Cone

N 85.05° E 41.26

Stone

N 71.56° W 40.67

40.50

40.50

Stone


N 86.07° E 81.00

Chainmen { V Martin } sworn
 { John Hill }

Surveyed April 14th 1845

Wm Giffen C.S.M.C.

Plot of SW q^r of Sect 24 T.9 R.4 E
for Devault Crowell




Chaimmen { Jacob Fager
George Minnick
Emanuel Brown } all Off in

at the S.W. corner of the sect all the witness trees
and marks gone. Planted a stone in presence of
Emanuel Brown; Jacob Fager, Rudolph H. Bollinger
and Devault Crowell from the best evidence I could
get which was not much

Surveyed April 15th & 16th 1845

Wm Giffin C.S.M.C

13
 Plat of 20 Acres in the S.W. Corner of the N.E. q^r
 of Sect 24 T9 R4 E For Jacob Fager



Witness Trees	Diam	Course	Dist
at A {	Black Walnut	N 7 1/2 W	24
	Hickory	S 65 E	15
B {	Beech	N 1 1/2 E	19
	Sugar	S 50 1/2 E	26
C {	Red Oak	N 50 1/2 E	7 3/4
	W Oak	S 45 W	5
D {	Sugar	N 57 1/4 E	50 1/2
	do	S 3 1/2 W	51

Chaimmen { Emanuel Brown } Aff'd
 { Devalt Cravel }

Surveyed April 16th 1845


Wm Giffen C. S. M. C.

14
14
VOL. 2

To ascertain and Plant corners for Wm Elliott
David Elliott & the Heirs of John Clark Decd

Surveyed April 22nd 1845


Wm Giffin C.S.M.C



The corner at A on the River - The Witness tree gone Described
in David Elliotts Deed From Thomas A Robison & in a deed
of John Clark from Joseph Beedle as follows (to wit) an Ironwood
8 inches Diameter S 92° W 8 links - Planted a stone on the line by
the testimony of Joseph Beedle, and 15 links from the
bank (Dist on the plat to the edge of the bank) and took
New Witness trees as follows (to wit) Blue Ash 22^{inches Di} S 35° W 10 links
Buckeye 10 inches Diameter N 83° W 22 links, Pigeon Oak 22 inches
Diameter N 21° W 39 links

Wm Giffin C.S.M.C

Plot of Part of Sect 3 T4 R6 E



Beginning at the 84 Mill Stone on the Miami Canal.
The course is-

- 1 S 29 1/2 E 23.59 Down Canal
- 2 S 19 1/2 E 13.04 To the South Boundary of the Section
- 3 N 85 E 3.20 With P Boundary to the River (Witney) } Backberry 20 S 21 1/2 W 18
Boyswood 12 N 60 1/2 W 59
- 4 N 5 1/2 W 6.32
- 5 N 9 1/2 E 3.53
- 6 N 7 1/2 E 3.78
- 7 N 30 1/2 E 3.64
- 8 N 4 E 3.96
- 9 N 41 0 1/2 W 2.86
- 10 N 6 1/2 W 4.24
- 11 N 50 1/2 W 1.75
- 12 N 43 1/2 W 5.29
- 13 N 29 W 5.90
- 14 N 80 1/2 W 2.36
- 15 S 62 W 3.38
- 16 S 76 W 4.27

Ch men { per Recs } by agreement
{ Tho's Muter }


Surveyed April 24th 1845

Wm Giffin C. S. M. E.

Up the River

Plat of Sect 34 T4 R6 E

Magnetic North



of Dan Begin on the line 6, 2, 5, at 2, 25, 4, 5 chains from the N Boundary

Melly Course Dist

- 1 N85,52 E 20.00
- 2 S87 1/2 E 4.61
- 3 S4 1/4 E 11.38
- 4 S86,17 W 24,60
- 5 N4 1/4 W 12,18

Area 30 Acres

McGrew Course Dist

- 1 S3,45 E 25.73
- 2 S85.48 W 25.00
- 3 N4 1/4 W 0,25
- 4 N85,27 E 11.73
- 5 N4 1/4 W 25.45
- 6 N85,2 E 13.46

Area 34,65 Acres

It Course Dist

- 2 to 5 S4 1/4 E 4,07
- 5 to 4 S85,45 W 11,73
- 4 to 1 N4 1/4 W 4,03
- 1 to 2 N85,27 E 41.73

Area 4,975 Acres


Beginning at the N.E. Corner of the Sect

Chaimmen { Elias Skinner
 Wm. Behrman

Surveyed April 29th & 30 1845

Wm. Griffin C.S. & L.C.

116-6



Plot of one acre on the Bank of the Miami River
 East of Frenches Mill, Pequot. Begin at A at Stone so
 as to make an Elm tree in a right tree in the
 line A-D and make the line A-D at a right
 angle with the River line A-B

Chamman { P Biggen } Swam
 { Saml Redman }

Stones were set at all the above corners

Surveyed May 6th 1845


Wm Giffin C.S.M.C.

18

Part of Sect 17. T. 5. R. 6. E

Oak Park 20
Corner

Beck 1887 1732 W 74
do 10582 1827



Oak Park 36 N 3 W 24
Stone
Beck 12568 6 49


Chaimmen { Isaac Roll } by agreement
 { Jacob Fox }

Surveyed May 17th 1845


Wm. Griffin C. S. M. C.

Plat of Sect 25 T.8. R.5. E.

18.93
 125.45
 44.88
 86.57
 36.0



Plat Sect 3. T. 1. R. 11 M. 5



- Corners &c
- at 1 { Stone } Beech 22 N 23 1/2 E 53 1/2
 - do 10 S 80 1/2 E 64 1/2
 - 2 { Stone
 - 3 { Stone
 - 4 { Stone
 - 5 { Stone
 - 6 { Stone
 - 7 { Stone } Beech 24 S 81 W 23 1/2
 - do 20 N 35 1/2 W 50
 - 8 { Stone } in Wheat field
 - 9 { Stone } Mulberry 15 N 89 3/4 W 62


Plat of Parts of Sections 28, 29,
 34, and 35 Town 2 R 10 M 3
 A Stone at the corner of the 1/
 Sections for Reason Butts

Chain { John Shaffer } sworn
 men { M. M. Batson }


Surveyed

June 5, 6, 9, & 10, 1845

Wm. Giffin C.S.M.C.



sect 18 of 8 R 5 E



Chambers Stone at B { Witness } Buckeye 18 N 22 1/2 W 27
 Elm 22 N 85 E 70 links


Joseph Besor }
 A. S. Clark } Avon

Surveyed Sept 16, 17, & 18th 1845

Wm. Giffin C.S.M. & Co

The West 1/2 of the above sect Divided June 1847
 Wm. Giffin C.S.M. & Co

Part of Sect 28 T1 R11 MM
The Estate of Saml. Rifle Dec.



Corners & Witness Trees

		Dist	Course	Dist
1	Stone			
2	Stone			
3	Stone			
4	Stake	5	S 62 1/2 E	5
		12	N 3 1/2 E	19
5	Stake	18	S 30 W	12
		12	N 72 1/4 E	23
6	SW Corner	root of 3 trees 8 inches in the root corner		
Courses up the River Beginning at the S.W. corner				
a.b.	N 14 W	2,72	Ch	
b.c.	N 11 1/2 W	7,27		
c.d.	N 4 1/2 W	6,95		
d.e.	North	2,29		
e.f.	N 5 1/4 W	4,03		
Courses of interior lines				
b.1	S 88 1/2 E	7,26	Ch	
c.2	S 12 1/2 E	1,58		
c.3	S 12 1/2 E	7,09		
c.5	S 6,30 W	10,44		

A 55,00 Acres Meadows Downer
B 40,00 Acres Sold to Wm Russell


Witnesses {
Wm Estrew
Wm Defrees
Benj Russell
Joseph Shook
John Blackwell } Sworn

Survey Oct 11th, 13th, 14th 1845
Wm Giffin C.S.M.C.

Part of Sect 10 T1 R11

MM's Stone

Stone NE corner of Sect



Plot of 100 acres out of the NE corner of
 Fractional Sect 10 T1 R10 MM's
 Surveyed Oct 21st & 25th 1845


Chairmen { James Mc Collins }
 { John Haney } Sworn

Wm Griffin C. S. M. C.

Plot of Parts of Sect 10 & 11 T1 R10 M3
 Surveyed by Geo. J. & J. Mnoap Oct
 25th to 28th 1845

Chaimen { James Mc Collins } sworn
 { John Harney }

Wm Jeffree
 C. S. M. C.



Area 124.13 Acres

Courses Down the River Lot No. 1. Begin at 1
 1 to 2 S 95°W 5.35 Chains
 2 to 3 S 54½°W 9.00
 3 to 4 S 50°W 2.27
 4 to 5 S 61°W 11.48
 5 to 6 S 37°W 4.09

No. 2
 Area
 22.61
 Acres


Lot No. 2 is in Sect 10
 T1 R10 M3

Courses on Lot No. 2 Begin at 1
 1 N 27½°E 1.20 Chains
 2 N 74°E 3.61
 3 N 25°E 4.51
 4 N 91½°E 2.74
 5 N 20°E 3.59
 6 N 2½°E 4.37
 7 N 12½°W 2.98

Plot of part of Sect 4, T. 2. R. 10 N. W. 3

2200 ft
The corner of the


Magnetic declination



Surveyed Nov. 25th 1815

Chain men { Amos Glinn } Swan

Wm. Giffin C.S.M.C.



Witness


- A { Sugar 14 S 41 E 13
do 18 S 84 W 29 1/2
- B { Oak 14 S 27 E 21
Maple 12 N 81 E 6 - Rock around the Root
- C { North spine Root of a Beech 2 1/2 inches Diam Corner

Chain men { John C Jacobs }
 { George Fisher } Swam

Surveyed March 9th & 10th 1846

Wm Griffin
C. S. M. Co.

Plat of Sect 3 T1 R 12 MKS



County

Witness


- A { SW Ash 30 S 55 E 51
Dichory 24 N 59 W 48 1/2
- C { Bigean Oak 48 N 12 1/2 W 53
Beech 10 South - - 2
- D { North spur of a large Red oak stump corner
From which a Beech 18 In D Bears S 71 N 25 Links
- E { Beech 14 S 44 E 74
Do 12 S 17 W 52
- F { Ash 24 N 3 E 50
Beech 12 S 5 2/2 E 89 1/2
- G { Blk Ash 14 S 19 W 44
Lynn 24 N 37 3/4 W 39

Magnetic

Chainmen { John Mott } Sworn
 { Luther Wilds }

Surveyed March 17 & 18th 1846


Wm Giffin C. S. M. C.



Surveyed for Charles Morris March 30th
and 31st 1846

Chain men { Daniel F. Ellis } Swam
 { Isaac Mendenhall }

Wm. Giffen C.S.M.C.




Surveyed for Henry Shae
April 2nd & 3rd 1846

Chairmen } James Sault, Meam
 } John Moore

Wm. Gilpin C. S. M. C.

Plats of 80 Acres off the N^W Side of the L^E q^r
of Sect 18, T. 7. R. 5. E




Cherry 1/5 West 11
Original q^r corner

Surveyed April 3rd 1846

Chairmen { Henry Shae }
 { James Long } Swann

Wm. Griffin C. S. M. C.

Plat of part of the N.W q of Sect 18 T7 R5 E



At A The N.E. Corner of Schmans Barn Bears
S 55 W 6 3/4 links - 2 The original q. corner on
the North Boundary of Sect

Surveyed for Peter Heister
and John Schman
April 3rd 1846
Schman { Peter Heister
 { John Schman }

Wm Giffin C. S. M. C.

Chain } Sarah Martin } Survey
 men } James Lynnie }
 Name } Dth Mnaaf } Survey
 Man } }

For Dth Mnaaf and B
 House April 11th 1840

on Sects 29, 35

Surveyed April 8, 9, 10th 1846

Wm Giffin C.S.M.C.




Fig 1 For W. Saunders is on an enlarged scale (The line P.Z. Between James
 Edye & Abram Stabler

Course	Dist
A to 1	N 88 1/2 E 40.05
1 to 2	N 86 55 E 7.50
2 to 3	N 88 1/2 W 40.04
3 to A	S 86 55 W 7.50

Course	Dist
A to 1	N 86 55 E 8.20
1 to 2	S 86 1/4 W 7.88
2 to 3	S 25 W 9.62
3 to A	N 86 55 E 11.57

Course	Dist
1 to 2	S 38 W 9.13
2 to 3	S 89 E 6.12
3 to 4	N 21 W 4.34
4 to 1	N 18 E 3.42

Course	Dist
1	N 86 55 E 4.00
2	N 88 1/2 W 1.50
3	S 86 55 W 4.00
4	S 88 1/2 E 1.50

Course	Dist
1 to 2	S 86 1/4 W 4.80
2 to 3	S 18 W 3.12
3 to 4	S 21 E 5.19
4 to 3	N 86 55 E 0.26
3 to 1	N 24 E 9.62


Course	Dist
A to 1	S 86 55 E 11.77
1 to 2	S 86 55 W 23.88
2 to 3	N 86 55 E 11.77
3 to A	N 86 55 E 23.88

Area 0.66 Acres

Area .

Area 28.12 Acres

Plat of Section 4 & part of Sect 5 T1 R10 M3
Area of Sect 4, $633\frac{84}{100}$ acres
The Pencil Plat for Jas Hart & Jas Dye.




Chainmen { Samuel Patton } Sworn
 { Wm B Waller }

Surveyed April 27th 1846

Wm Giffin C.S.M. &

Plot of 80 Acres off
the East Side of the N E q^r
of Sect 33, T. 8. R. 5 East.




Witness Trees

	Dist	Course	Chain
at N.E. corner			
oak	21	S 26° E	36
elm	35	N 83 1/2° W	16
at N.W. C.			
oak	35	S 38° E	18

Chain } Saml Pish
men } Nicholas Face

Surveyed April 24th 1846
Wm Giffin C. S. M. C.

Plot of Part of Sect 4, T. 1, R. 10, N.W. 1/4
For Pinaops to S. L. Sheets




Witness { Saml Patton }
 { Wm B Waller } Surveyor

Surveyed April 28th 1846
Wm Giffen C. S. M. C.

Plot of 39.24 acres out of the S.E. corner of
the N.E. q^r of Sect 36. T.2. N.9. W.4

For Daniel Babb



The line from the River is only
1/2 as long as it ought to be, to be
in proportion with the rest of the plot

The S.E. corner of the q^r ascertained
by intersecting the sect line by the
old Pre-emption line. Stones set ^{at} all
the above corners in presence of
J. S. Wilcox, D. Babb, Elias Lefevre &
Nathan Litterer

Chain men { Elias Lefevre } sworn
sect corner { Nathan Litterer }


Surveyed May 1st 1846

Wm. Gifford C. S. M. C.

✓

L.S. Sheets to Wm Statler

Part of sects 34, 35, T. 2. R. 10. M. 4.



Chaimmen { Wm Statler }
 { R. Barry } by agreement


Surveyed May 4th 1846

Wm Giffin C. S. M. C.

1580
1540
203
120

Plot of Sect 8. T. 8. R. 5. E.

Stones were set at all the corners




Chairmen R. S. Clark, Jas Templeton Hough
Marrows, by agreement, not sworn

Surveyed May 12th 13th 14th 1846

Wm. Giffen C. S. M. E.

Note the West of corner was a stone set supposed
to be set at the original of corner on the line

Sect 34 T2 R 10 M45




Chain } Wm Steward }
men } J F Green } Swan

Surveyed June 1st & 2nd 1846

Wm Giffin C.S.M. & C

Plot of 50 Acres in Sect 25 T1. R 12 M23




Chain } Wm Reynolds
 vice } J. J. Wiley

Surveyed June 12th 1846

Wm Griffin C.S.M.C.

Plot of the S.W. q. of Sect 15 T8 R5 E



Chain men { John M. Mc Knight } Sworn
 { Richard Richards }


Surveyed July 28th 1846

Wm. Giffin
 C. S. M. C.

Plats of the $\frac{1}{2}$ of sect 1 T7 R5 E 2-49

Original q_u corner

sect corner



Poplar 28 N 132 W 6
O. Oak 20 S 40 W 16

Original q_u corner

sect corner

Chain { Joseph Vanhorne Swann
men { D. S. Mitchell

Surveyed Augt 12th 1876


A { One Oak 42 Inches Diameter
corner Tree

Wm Giffin & S. M. C

B { Hickory 30 1/2 E 31

50

S.W. q^r of Sect 17. T. 7. R. 5. E.




Chairmen { C. Lang } aff.
 { D. Hulsinger }

Surveyed Dec 17th & 18th 1846

Wm. Giffin C.S.M.C.

Part of sect 23. T.2. R.9. M.5


The Estate of D. H. Morris
De.



Surveyed August 1846

Wm. Giffin C. S. M. C.


N E qr of Sect 28 T8. R.5. E



Surveyed March 26th 1846
 Wm. Griffin C. S. M. C.

$N\frac{1}{2}$ of S.W. 9^{th} , Sect 12. T. 7. R. 5. E

Magnetic North




N 45 1/2 W

Surveyed April 16th 1847

Wm. Griffin C. S. M. E.


S. E. q^r of Sect 14. T. 9. R. 4. E.



Surveyed June 1st 1847

Wm. Griffin C. S. M. E.

Sect 13, T. 7. R. 5 E



Witness Trees

	Di	Course	Dist
A {	Beech	12 S 36 1/2 W	12 1/2
	Ash	36 N 45 1/2 E	40
B {	Bun Oak	24 S 61 E	8
	Blk Ash	22 S 28 W	3 1/2
C {	Beech	22 S 63 W	30
	Do	12 East	22

Chained by } A Morris
 John M'Cool }
 Heber Hinman }


Surveyed June 1st 5th 7th & 8th 1847

Wm Giffen Co. S. H. C.

sect 31

sect line

sect 25



John O Wiley
area 101 ³⁷/₁₀₀ acres

N 80 W 17.36
J. Wiley
area 61 ⁷⁰³/₁₀₀ acres
S 60 1/2 W 18.09

Damen 30 acres off John O Wiley
and 15 acres off Prof

Prof
area 84 ³¹/₁₀₀ acres

Home
1 1/2 2 3/8 2 1/4
2 7/8 3 1/4 2 1/8
1 1/2 1 1/8

Farm of the late
John Wiley Esq. Deed
for sections 25 & 31
T. 1. R. 12. M. 1


Surveyed by
men { Mr Reynolds }
 { M. C. Bane } Swann

Surveyed June 24th 25th & 26th
1847

Wm Giffin. C. S. M. C.

Prof
30 acres

Sect 31 T2 R12 M15



Witness at Beach 20, S 4.° W 3 1/4
 A } Do 14 N 4 E 9


Chain } George Gavin }
 men } George Motter } Swam

Surveyed Augt 20th & 21st 1847
 Wm Giffen C. S. M. C.


Part of Sect 17. T. 1. R. 10. M. 5

Survey August 24th 1847

Wm. Giffin C.S.M.C




Part of Sect 30. T. 2. R. 10. M. 5



Surveyors } Mordcai McDonald } Sworn
 } Samuel Sills }

Surveyed August 25th 1847

Wm. Giffin C.S.M.C




Survey August 27th 1847

Wm. Griffin C.S.M.C.

N.W. q. of Sect 11. T. 4. R. 5. E.

Magnetic North



12.65
 14.58
 14.65
 4.59
 22.45
 34.28
 9.37
 19.25
 156.2


Surveyed Sept 7 & 8th 1847

Chain men { Robert McReynolds }
 { L. W. Giffin }

Wm Giffin. C. S. M. C.

Sept 15, J. S. R. S. E.

65



Chambers { Saul Jackson } Swan
 { Valentine Amaine }


Surveyed Sept 15th 1847

Wm. Giffin C. S. M. Co

Part of Sect 18. T. 6. R. 6. E

Surveyed Sept 16th 1847

Witness at A, S. E. Corner of Harrison
Pogans House N 47 1/2° W 50 links



Part of Sect 18. T. 6. R. 6. E

Magnetic North

N 85.40° E 8.82

N 69° E 8.37

Witness at A S. E. Corner of Harrison Pogans
House N 47 1/4° W 59 links


Surveyed Sept 16th 1847

Wm. Giffen C. S. M. C.

Part of Sect 2. T. 8. R. 5. E.

Section 232

AS 1-11-94



A SW. Corner of sect; old witness gone. Retraced the the old lines & established a corner & took witness as follows


Sycamore 8 N 47 $\frac{1}{2}$ ° E 17 links
 Cottonwood 12 S 36 $\frac{1}{2}$ ° W 38 Do

Chain } H. M. Green
 men } E. Hulse

Surveyed Nov 4th 1847 & by same means admitted to be recorded in the proper place

Wm Giffen C. S. M. E.

Part of Sect. 23. T. 2. R. 9. N.W. 4



Whole Area 20.09 Acres

Surveyed Sep 28th 1847

Wm. Jeffries C. S. W. Co.




70

Sect 7, T. 1. R. 11. N.W.S

1.0000 ***
0.0000 ***
0.0000 ***

Sugar 16 N 72 E 1/2



NE 1/4
CLOSURE ERROR / IN 4075

1.0000	***
0.0000	***
0.0000	***
1.0000	***
0.0000	***
0.0000	***
1.0000	***
3.0000	***
101.0000	***
2678.2000	***
2.	***
-2677.872085	***
-46.742431	***
69.4600	***
4.0000	***
270.1400	***
2647.5500	***
3.	***
-2667.029370	***
-2694.310476	***
0.4600	***
1.0000	***
0.4600	***
2700.7200	***
4.	***
33.368247	***
-2658.173685	***
69.1600	***
2.0000	***
90.4400	***
2655.8400	***
5.	***
-0.603137	***
-2.551137	***
10582.4000	***
7134104.530	***
163.7785	***
360.0000	***
0.0000	***
6.	***
-0.603137	***
-2.551137	***

The North Boundary line of this section is run & established from a Plat of Survey by Robt Young, in 1824, see Old Field's Book


Chaimmen { Daniel Brown } Sworn
{ Asa Lennan }

Surveyed Sept 30th 1847

Wm Giffin C-S

Part of Sect 31. T. 1. R. 12. M. 1.

The Estate of Wm J. Wiley Deed



Courses & Distances Down the River

- 1 S 20 1/2 E, 6.06 chs
- 2 S 20 E, 4.47 chs
- 3 S 36 1/4 E 1.90
- 4 S 45 1/2 E 11.36
- 5 S 35 1/2 E 3.12
- 6 S 12 1/2 E 4.92
- 7 S 29 1/2 E 4.58

Piqua

Chain, Crosses & Sings all of
men { John Gillespie } sworn

Surveyed Oct 11th 12th & 15th 1827


Wm. Griffin C. S. M. C.


Plot of Sect 10, T. 9. R. 4. E

Chainmen { Emanuel Hoover & John Zingst
 Jacob Bashaw, & Solomon Pefferman all
 sworn & affirmed

Surveyed Oct 18th ~~18~~ 19th 1847

Wm Giffin C. S. M. E.





A, Original of corner sect 4. T. 7. R. 5. E

Witness
 at H { N 85° 25' W 40 } Stones set
 { N 3° 40' W 36 }

at I { N 5° 40' E 44 } Stones set
 { N 5° 40' W 44 }

at K { N 41° 50' W 31 } Stones set
 { N 41° 50' E 31 }


at L { Beech 18 N 89° E 20 }

at M { Beech 18 S 71½° W 3 }

Chain of George Will, Sen
 men { George Will - Sen } aff'd

Surveyed, Oct 26th & 27th 1847.

Wm Jeffin C. S. M. C.



NW corner of sect

142.8 chs Magnetic North

N 85.415° E 20 links

Surveyed Oct 28th 1817

Wm Giffin C.S.M.E

A

Livingston Township

Part of sect 23 T.8. R.5 E

N 85.415° E

N 85.415° E 16.84

N 85.415° E 20 links

25.92 chs

30 acres

N 85.415° E 15.64

N 85.415° E 26.62 chs

Witness at A


Blk Ash 5. T.D. S. 75° E 16 links

From M^r Grew to M Caldwell

Surveyed Jan 5th 1848

Wm Giffin C.S.M.E.

Sept 23, T1 & 11 MKs



Witness at A { Stone N 89.15° W 50 links
 B { Stone S 89.15° W 50 links

Chaimmen { Daniel Jordan }
 { Elias Wolf } Off


Surveyed Feb 15th & 16th 1848

Wm Giffin C. S. M. C.

76

Sept. 18. T. 1. R. 11. N.W. 3

Magnesian North



Stones were set at all the corners except the S.W. a Beech stump 24 Inches Diameter


Surveyed Feb 17, 18, 18, 1848

Chain of Andrew Patterson }
 men } Harvey Furrow } Swan

per Giffin C. S. M. Co

Magnetic North

Part of the S.W. qr of Sect 12. T. 1. R. 11. W. 4




Chain men, John Mc Knight and
Jonathan Williams

Surveyed Feb 26th 1848

Wm Giffin C.M.C.

Part of the N E q^r of Sect 22, T 4 R 6 E

N.W. Corner of q^r
23, 18'




Surveyed Feb 28th 1848

Chainmen } Miles Braun
 } Benj Pierson

For John Clark

Wm Giffin C. S. M. E.

Part of the S E q of Sect 34, T 2 R 10 N 4 E




Surveyed Feb 29th 1848 For James Shroop

Chainmen } Samuel Swauger
 } A. B. Julien

Wm Giffin C. S. M. E.

L. 33. T. 2. R. 10. M. 4

Aug 18 Inches corner
Tree, Established by
Retaining the old lines
by the old man beech trees



Surveyed March 1st 1848


Chain } & Swauger
men } H. B. Lulien }

For Jacob Thwapo Day

Wm Giffin C. S. M. C.

82


40 Acres off the W side of the N.W. quarter,
T.7. R. 5. E.



Surveyed March 18/18

Wm. Griffin C. S. M. E.

Baker To Cramer
Part of Sect 31 T2 R10



Surveyed March 28th 1848


Chainmen { A. Berome }
 { D. Penny }

Wm. Giffin C.S.M.C.

Magazine North

Part of Sect 17. T. 2. R. 9 Mrs Part of SW q

for Charles Morris



Surveyed March 29th 1848

Wm. Giffen C. S. M. E.


86

Part of the S. W. qr of Sect 31
T. 2. R. 10 N.M.S

Part of the S. E. qr of Sect 31
T. 2. R. 10 N.M.S

For Ramsey


For Cramer



Chainmen } W. Kerame
 } T. C. Dye

Surveyed March 30th 1848


Wm. Griffin C. S. M. C.




James To Cable
 Surveyed April 5th 1848

Wm Gifford C. S. M. C.

88





1/2 188 1/4 E. 1.85 ch

W. E. gr of Sect 10 T. 2. R. 9. N. 15

Surveyed April 6th 18, 48


Wm. Griffin C. S. M. Co.



90 S. Egr Sect 10. T. 8. R. 5 E

For
P. Prager

N. E. corner of sec. 10



Surveyed April 7th 1848

By { T. C. Dye } Survey
men { M. Kindle }

Wm Gilpin C. S. M. Co

92

N.E. q. Sect 34. T.10. R. 4.E

For Jimirock

Original of
Stone
corner

N 85° 33' E 41.28 chs

Stone
Magnetic North

Area

191 ⁴⁰/₁₀₀ Acres

N 75° 20' W 45.70 chs

N 42° 45' W 44.65 chs
40-45

Stone


N 84° 20' E 43.99 chains

Stone

Surveyed April 19th 1848

Chain } James Murray Aff'd
men } Henry Hoar

Wm. Griffin. C. S. M. C.



A. This corner is $N 72\frac{1}{2} W 5$ links
 from a stone set, which stone
 is N. E. corner to a lot of land
 Deeded by Hugh Scott's wife
 to Hugh Scott Jr by Deed
 Dated April 27th 1843.
 Recorded in Miami Co^t Records
 Book 11 Pages 384, & 388.

Surveyed May 16th 1848

Wm Giffin C. S. M. E

94

Part of the W. qr
of Sect 3. T. 8. R. 5. E

For
John Butler

Surveyed May 22nd
1848


Wm. Giffin C.S.M.C.

N 42° W 39.85 chains

Area 50 Acres

N 42° W 39.85 chains

Magnetic North




Sect 21. T. 2. R. 10. W. 4


Chain of Nelson Gearhardy
and Ervin Bigley } Swann

Surveyed May 25th
1848

Wm. Giffin C.S.M.C.



Sept 9, 12 - P. 10 - MMB



Chain men } E. J. Heffner }
 } B. Carver } Mason

Surveyed May 26th 1848


Wm. Giffin C. S. M. C.

137
 3786



Stone 189° E 18.75 chs Stone Part of Sect 17, T. 2, R. 9, N. 1/2

Magnetic North



A S.W. Corner of the sect

Stone Montgomery Stone County line

Chainmen { S. L. Allen } Scream
{ S. L. Allen }

Surveyed June 12th 1848

Wm. Giffin C. S. M. & C.

Center of Stone West Boundary

~~188° 36' N 79.82 chains~~
188° 36' E 79.82 chs


Stone Center of East Boundary of Sect 27, T. 2, R. 10, N. 1/2

Surveyed June 13th 1848

Wm. Giffin C. S. M. & C.

98 Part of Sect 23 T. 4. R. 6. E

Begin at A the Junction of the West side of First St With the South side of Broadway St Tippecanoe




Surveyed July 5th 1848

Wm. Giffin C. S. M. E.

Part of Sect 19 T. 6. R. 6. E

Chain men { Mrs Hamilton } by consent
 { Mr. X. Kerr }


A yr corner; the East 1/2 of the line is plotted on a scale of 1/2 the west



Surveyed August 5th 1848

Wm. Giffin C. S. M. E.

Magnetic North



Chain men { John Ramsey } By agreement
{ Isaac Studibaker }

Surveyed June 6th 1848

Wm Giffin C.S.M.C.

The above MisPlaced, should have been recorded before

100

B

N.W. q^r of Sect 6. T. 7. R. 5. E.

For R. Mohler & others

Replaced
with iron
monument
" MAR 68
MHT

S.W. Sect
Stone
Corner

N 83° 54' E 38,73 chs
32,56 chs

Stone

Stone

24,57 chs

Area
80,00 Acres

R. Mohler

Case
Area
15,36
Acres

N 72° 08' W 24,65

24,67 chs

32,56

N 85° 15' E 38,86 chs

Stone

6,30

N 42° 08' N

15,43

Area 60,00 Acres
C. Tobias

15,43

N 40° 18' W 40,18

N 85° 45' E 38,94 chs

Chained by R. Mohler & son } by agreement

Surveyed August 7th 18/18

Wm. Giffin C. S. N. E.

40,00 chs

Stone S.W. Corner
of Sect

Sect 12, T. 8. R. 4. E

101

Darke County Line

Magnolia South

Beck 12 1/2 Inches Di Corner

N 72° W 40.85 chs

40.43 1/2

40.13 1/2

N 85° 51' E 80.87 chs


Stone

Chain of R. Mahler } by consent
men of Craft }

Surveyed August 8th 1848

Wm. Giffin C. S. M. C.

East Boundary of Sect 6. T. 7. R. 5. E



The small Parallelogram is one acre out of the N.E. Corner of the S.E. q^r of Sect 6. T. 7. R. 5. E.


It is Plotted Doublewidth in proportion to the length it is 98 links wide
The bearings of the end lines N 85° 45' E 0.98 chains.

Surveyed
August 9th 1848
Wm Giffen C. S. H. E.

Part of Sect. 24. T. 1. R. 11 N.P.S

LND 2-103

3




Planted two Stones at the N.E. corner
of the section as witnesses.
One S 12° W 45 links the other
N 12° E 45 links. Also at the
N.E. corner of the Triangle a
Stone set & Stone Witness
South 25 links

Surveyed Sept 2nd 1848

Wm. Griffin C.S.M.C.

Stone at N.E. corner of Sect

104 Part of Sect 19 T. 8. R. 5. E.



Note

The Elm Water, above I believe to be the tree marked when the above land was originally surveyed


Chain	J. Presor	} all affine
men	J. Kelley	
	J. D. Wootley	
	J. Hardman	

Surveyed Sept 1st & 8th 1848

Wm. Griffin C. S. M. C.

Part of the South $\frac{1}{2}$ of Sect 17. T 2. R 9. M 15

For
Charles Morris, Sen



Witness at A { a Stone N 24° E 37 link
Do S 39° W 34


Chaimmen { Christian Blicherstaff }
 { A. G. Chambers }

Surveyed Oct 3rd 1848

Wm. Giffin & S. M. Co.

South $\frac{1}{2}$ of the N.W. 9^c of Sect 21 T. 2. R. 9 N.W. 107

N.W. Corner of Sect
Stones



Stone $S 88^{\circ} 55' E$ 40.32 chains Stone
 Stone 16.90
 Stone $S 88^{\circ} 50' E$ 40.34 ch 1 Stone
 Stone 33.6 D French Area 13.59 Acres Stone
 Stone $S 88^{\circ} 50' E$ 40.35 ch Stone


$N 0^{\circ} 46' E$ 80.64 ch
 40.32

Chairmen { William Senseman }
 { Alexander Fergus } Sworn & Aff

Surveyed Oct 4th to 5th 1818

William Giffin C. S. M. C.

S.W. Corner of
Stone
Sect



- A Tenant House
- B Barn
- C Corn Crib
- D Brick Mansion

#	Notes of Dancer	Co.	Acres
1	S 12 1/4 E		11.50
2	N 79 E		2.00
3	S 13 E		5.36
4	S 80 1/2 W		2.50
5	S 11 E		2.66
6	S 78 1/2 W		10.30
7	S 9 E		8.25
8	N 75 E		18.00
9	N 17 W		6.56

The lots on the south side
 are all 4 by 5 chains and
 contain 2 acres each. The
 Alley is 10 feet wide

Chainmen { Mitchell Elliott,
 J. M. Cwing } sworn

10 N 81 E 20.00 to the E

Boundary of the Sect Thence with
 D Boundary to the N.E. corner of Sect
 Thence to the Place of Beginning
 Survey Oct 11th 1868

Wm. Giffin C. S. M. C.

Magnetic South

$189^{\circ} 26' 6''$ 40,35 chs

Area

$163 \frac{96}{100}$ Acres

$N 72^{\circ} E$ 40,55 chs

$N 70^{\circ} E$ 40,72 chs

$189^{\circ} 18' 0''$ 40,35 chs

Chain } Samuel Maxwell }
men } Peter Maxwell }

Surveyed Oct 24th 1848

Wm Giffin C. S. M. C.

112

Part of S.E. q of Sect 27. T. R. 6. E.

Magnetic North

Chain { John Saunders } by agreement
men { John Forest }

Surveyed Oct 30th 1848

Wm Giffin
C.S.M.E.

Center of Stone
Sect N 85° 35' E 16.50 chs

N 92° W 27.27 1/2 chs

N 92° W 27.27 1/2 chs

Area
45 Acres

N 85° 35' E 16.50 chs

Part of the N.W. q of Sect 31. T.5. R.6.E 113

Chain of Hiram Green } by consent
men (Dolly Cottrell)

Surveyed Oct 31st 1848

Wm. Giffin C. S. M. C.

Magnetic North

N 86° E 153.38

N 74° W 29.70 chs

area
31 ⁴⁵/₁₀₀ acres

Dower of
Widow
Westfall

N 44° W 172.0
gutter line

Tray to Milton

Road from

Part of the N.E. q of
of Sect 31. T.5. R.6.E.

Chain of
men

Surveyed Oct 31st
1848

Wm. Giffin C. S. M. C.

Magnetic North

N 85° E 215.0

Area
2 Acres


N 74° W 80.0 chs

N 74° W 80.0 chs

N 85° E 215

114

N.W. q^r of Sect. 6. T. 2. R. 11. M. 5



Chain } Mr Carter } By consent
men } John Carter }

Surveyed Nov 9th 1848

Wm. Griffin C. S. M. C.

Part of Lot 5 T. 5. R. 6 E
for Michael Bowers

1155



Chain men { Jacob Yohe } sworn
 { Wm Baggot }

Surveyed Nov 11th 1848

Wm Jiffin C.S.M.C

3

Part of A. C. jr of det 29. T. 8. R. 5. E. for Sarah M. Long

27.6
2.76
1.17
40

Stone

8.28	2.76	2.76	2.76	2.76	2.76	2.76	2.76	2.76	2.76	1.42	2.76	481.80
546.48	182.16	182.16	182.16	182.16	182.16	182.16	182.16	182.16	182.16	93.72	182.16	182.16
8.28	2.76	2.76	2.76	2.76	2.76	2.76	2.76	2.76	2.76	1.42	2.76	182.16

470 M 7.95 48

478.50

Chain Lout Locke }
men George Haines }

Surveyed
Nov 16th & 17th 1828


Wm Jiffin C. S. M. C.

2645.96


Part of the S.W. qr of Sect 18. T. 8. R. 5. E

Surveyed Nov 17th 1848

Wm. Griffin C. S. M. C.




Part of Sect 6. T. 5. R. 6. E.



Chain } G. A. Murrey }
 men } L. Huston } by consent
 Surveyed Dec^r 11 1848
 Wm. Giffin C. S. M. E.

S. E. q^r of Sect 14. T. 8. R. 5. E.

Magnetometer




Chaimmen { G. Vaneman } by agreement
{ David John }

Surveyed Dec^r 26th 1848

Wm. Giffin C.S.M.C.

57




Chains N. S. Yates
 men } U. F. Armstrong } Sworn

Stones planted at all the corners except the N. W. corner of Sect, a Pond there preventing.


The S. W. Corner of this section a Disputed Corner Found a stone set; called John W. Walcott Esq who being duly sworn Testifies that he set said Stone by the original witness tree while the tree was lying on the ground & he believe it to be near the correct place Peter Shanks Testified to the same, he being chainman when Walcott's survey was made

Surveyed March 29th 1849
 Wm. Griffin C. L. & C.

Section 23, T. 2. R. 11. MW's



Port of fractional Sect 7. T. 6. R. 6. E and ^{part} Sect 12. T. 8. R. 5. E




A N. E. Corner of Sect 7
B N. W. Corner

Surveyed April 5th 1849

Wm. Giffin. C. S. & C.


Part of the N.E. q^r of Sec 27, T. 9. R. 4. E.



chainmen
Jacob Prainick & John Grubbe

Surveyed April 7th 1849

Wm Giffin C.S.M.C.



Part of S.E. q^r of Sect 14, T. 2. R. 9. N.W.S.
The Estate of Tho Dixon Decd


A. Intersection of the centre of Main
crop street, Brent. with the South
side of Walnut Street

Chainmen { Pointon Hottelmyer }
men { Malachia Twining } Swam

Surveyed April 21st 1849

Wm Giffin C.S.M.C.

Part of the N.W. q of Sect 6. T. 1. R. 11. M.B.




Chain } Elijah Patterson } men
 men } John Dickson }

Surveyed May 5th 1869

Wm. Giffin C.M.C.

Part of the N¹/₂ of Sect 9, T. 2. R. 11 M. 3



The Above Division line Ran by Agreement between Hamman & Brawley & put where the old line was as near as may be

Chain, Geo. Hamman } sworn
 men Israel Hamman }


Surveyed June 18th 1819

Wm Giffin C. S. M. C.

The red figures on this plat were put on by me & taken from a plat properly certified by the above Co. Sur. & now in possession of Thos Kemp.

H. O. Evans
 Mch. 9th 1880 Sur. M. C. O.

Section 33. T. 2. R. 11. N. 11. 1/2




This East Boundary from the Old field Book

Chain
men

Surveyed June 22nd 1849

Wm Giffen C.S.M.C.


W^{1/2} of lot 30. T. 8. R. 5. E.



Greenville
 Chain men { John Sullenger } sworn
 { R. Hopinall }

Surveyed June 22nd 1849
 Wm Giffin C. S. M. C.

Sec 36. Town 10. Range 4 E. Survey Nov 27 28.



Troy, Ohio, Nov. 28th & 29th 1849. I certify that the above plat is a true representation of a survey made for J. Meyer & D. Babylon, being part of Sec No 36, Town 10, Range 4. The survey & corners being made as follows. Beginning at the Dr Sec corner on the South line of the Sec. Thence North 3° 45' 11\"/>


Cor Marked.	No 1.	Stone.	No 2.	Sections Cor.	original	Trees standing
"	"	No 2	stake		Witness	2 Maples 10 in dia N 33 1/4 W 31 Links
"	"	No 3	stone	N W cor Sec	"	" Elm 18 " " N 23° E 15 "
"	"	"	4	stake	Dr Sec cor	Witness Hickory 10 " " N 77° E 20 "
"	"	"	"	stake	"	" 24 " " S 32° E 39 "
"	"	"	5	stake	Witness	" Beech 12 " " S 35 1/2 W 5 1/2 "
"	"	"	6	"	Centre Cor Sec	" " " 10 " " N 67 1/2 W 46 "
"	"	"	"	"	"	" Hickory 24 " " N 87° 35' E 38 "
"	"	"	"	"	"	do 20 " " S 16 1/2 W 26 "

John Barth } chaimoner
 Andrew Waste } sworn

John B Fish

Surveyor Miami County

Survey of the South Line of Sec No 17, Town 8, Range 5 E.



I certify that on the 30th day of November 1849, I made the following Survey of the South line of Sec No 17, Town No 8, Range No 5, E for A Perry & others - Beginning at the S W cor of Sec at the south stone, one of the witness trees called for in the original field notes standing, and showing that said stone was correct. Thence N 82° 58' E 40.34 chs to a stone planted for 2d Section cor on South line. Thence with same bearing - 40.19 chs to a stone being the S, E cor of Sec. The original witness trees standing -

W. G. Wiley Marker Secorn.


John B. Fish

Surveyor Miami County,

No 6

Survey of Sec No 13, Town 2, Range 10 W.

Survey of N.E. 2^d of Sec No 9, Town 4 Range 6 E




Wyo Ohio, March 26th 1850.

I certify that the above is a true plat of the survey of the N.E. 2^d of Sec No 9 Town 4 Range 6 East, beginning at the 2^d Sec cor on the North line, a Stone standing
 1 Thence S 32° E 40.31 chs. to the middle cor of Sec. a Stone witness by a small Black Walnut & Swamp ash
 2 Thence N 86 1/2° E 12.48 chs to a stake S. E. cor Woodruff land, witness a Hickory, 12 in North 2 1/2 lines
 3 Thence same bearing 28.01 chs to " " in the center of Boy & Dayton Turnpike 4 Thence N 30. W. 39.87 chs
 to the stake in center of Turnpike - being the N.E. cor of Sec - 5 Thence S 87° 35' W 28.39 chs to N.E. cor
 J. Woodruff land - 6 Thence same bearing 12.43 chs to N.W. cor of 2^d.

Henry Shellberger } chairman
 Wm Earhart } sworn

John B Fish
 Surveyor Miami County

Survey of Sec No. 33. Town 4. Range 6 East.



Droy May 11th & 17th 1850.


I certify the above to be a true plat of the survey of the North half of Sec No 33. Town 4. Range 6 East. These lines bearing the distances marked on them are the lines run and embodied in the Survey - Cor marked No 1. Stone in the Droy & Dayton Survey about 2 feet East of the center.

- Cor marked No 2 " " " " " " in the center.
- " " " 3 " " " " " " N. E. cor Sec -
- " " " 4 " " Witness a Hickory 11 1/2 in dia S 30 1/2° W 40 links
- " " " 5 " " Dr. Section Cor North line a Burr oak 24 in dia S 54 1/2° W 15 links
- " " " 6 " " N. W. cor Sec -
- " " " 7 " " Dr. Sec cor West line a Linn 12 in dia S 1 1/2° W 50 links
- " " " 8 " " The center of Road S. W. cor Perry's 25 acres -
- " " " 9 " " " " " " " " " " " " " "
- " " " 10 " " a Hickory 16 in dia S 26° W 15 1/2 links } The same tree
- " " " 11 " " " " " " S 12 1/2° W 18 links
- " " " 12 " " Burr Oaks 18 in dia S 1° W 22 links

John Bowman }
John Wells }
Chairman }
Sewers }

John B. Fisk
Surveyor Miami County.

Survey of Part of Sec 7, Town 5, Range 6 East.



I certify the above plat to be a correct plat of the Survey of part of the South half of Sec No 7, Town 5, Range 6 East. The survey being made as follows, Beginning at a Stone the South West Cor of Section; Thence follows, Beginning at a Stone the South West Cor of Section; Thence follows, Beginning at a Stone the South West Cor of Section; Thence N 86 1/2° E 21.34 N 41° W. 40.26 chs to a Stone in the cross Roads; Thence same bearing chs to a Stone the N.E. Cor of Newports land; Thence same bearing chs to a Stone the N.E. Cor of Section; Thence N 86° 20' E 30.00 chs to a Stone set for J. Peck's N.E. cor. Thence S 41° 08' E 39.94 chs to a Stone, Witness a Birch 30 in dia S 67 1/4° E 32 Links; a Beech 12 in dia S 67° W 3 1/2 links; Thence S 86° W 50.34 chs to the South E. Cor. of Newport Land.


John A Peck and Joseph N Peck chairmen.

John B Fish

Surveyor Miami County

This Section was subdivided by an agreement between the owners of the Section and the plat of the same may be found in Recorder's office, "Agreement between J. Orr & others"

Plat of the south part of Sec 10. town. 4 Range 6 East



July 15th 16th + 17th 1850.

I certify the above to be a correct plat of the survey of the tract of land belonging to Thomas Fellows, and the following description showing the bearings and distances of the lines and witnesses of each corner.

Beginning at a stone in Myatherell's road near the Barn, marked No. 1. Thence N. 10 1/2° E. 9.16 chs. to stone No. 2. Thence N 8 1/2° E. 4.63 chs to stone No. 3. Thence S 1 1/2° E. 1.25 chs to stone No. 4. Thence N 87° 49' E 17.32 chs to stone No. 5. Thence N. 3° 20' W 31.10 chs to stone No. 6. Thence N. 26° W 8.00 chs to stone No. 7. Thence S 86° W 7.50 chs to stone No. 8. Thence S 3° E. 2.73 chs to stone No. 9. Thence, S 86° W 45.95 chs to stone No. 17. Thence S. 3° E. 21.86 chs to stone No. 14. Thence N. 86° E. 11.13 chs to stone No. 15. Thence S 3° E. 3.50 chs. to stone No. 16. Thence N 86° E 23.85 chs to stone. (Beginning Point)

Witness to cor. No 12. W. Oak 8 in dia N. 7° W. 15 links.
do 8 " " N 65° W 9 "

Witness to cor No 13 Hickory 18 " " S 57° E 13 "
W Oak 36 " " N 63 1/2° W 2 1/2 "

Witness to cor No 14 Sugar 5 " " East 2 3/2 " "
do 8 " " S 82° W 9 1/2 "

Witness to cor " 15 Hickory 24 " " S 32 1/2° E 31 "


Witness to cor " 16 Elm 10 " " N 8° E. 13 "

Jonathan Arnett }
Thomas G. Riley. } chainmen

John B Fish

Surveyor Miami County.

Plat of S.W. 27: Sec 21, Town 1, Range 12 Mrs -




Surveyed, June 12th & 13th 1850.

I certify the above to be a true copy of the survey of the South west Quarter of Sec No 21, Town 1, Range 12 Mrs, made by me as follows, beginning at the N.W cor of Sec. a stone standing Thence S 0° 57' 11\"/>

Francis Smith }
 J. B. Randolph } chairman sworn-


John B. Dick
 Surveyor of Miami Co.

Plat of part of the S.E. 2^d of Sec No 27, Town 1, Range 12 Mrs.



I certify that the above is a correct plat of the Survey of part of the South East Quarter of Sec No 27, T. 1, R. 12 Mrs, the description of which Survey is as follows, Beginning at a stone the S. E. Cor of Sec, Thence N 88:46' W 125 poles to a Stone, witness a Sugar 16 in dia S 28 1/2° E 17 1/2 links distant: a cherry 18 in, dia, S 82 1/4° W 19 1/2 links distant; Thence N 0:57' E 160 poles to a Stone witness a Beech 26 in, dia, S 32 1/4° W 37 links: a Beech 24 in dia S 58° E 22 links; Thence S 88:46' E 125 poles to 2^d Sec Cor Stone; Thence S 0:57' W 160 poles to the place of beginning; Witness for R. Williams S. E. cor a Sugar 5 in dia S 28 1/4° W 15 links: a Dogwood 6 in dia N 50° E 7 links - David Millhouse & John Rees Chaimme sworn. Surveyed June 14th 1850. J. B. Fish Surveyor Miami County -

Plat of part of the N 1/2 of N.W. 2^d of Sec 19, T. 5, R. 5 East



A to B N 4° W 15.09 chs
 B to C S 85:45' W 22.10 "
 C to D S 10° E 19.00 "
 D to A N 74 1/2° E 20.54 "

at D, Walnut, 4 in. Dia N 75 1/2° E 17 1/2 links dist.

Surveyed Sept. 24th 1850.

James Hunter

Surveyor.

Grant Swallow }
 James Shackelford } Chaimme
 Fee \$2.00

Rec'd payment James Hunter


Approved Sept. 28th 1850.

Rec'd Fee 25[¢] Paid

John B Fish

Surveyor M.C.

Plat of the S.E. Qr. Sec 28 T 5. R 6 East.




I certify the above plat to be a correct record of the survey of the South East Quarter of Sec No 28 Town 5 Range Six, East. The distances & bearings being given on the lines. The stones at the corners were found as recorded by Mr Wolcott, and taken as the true corners.

Surveyed December 26th 1850

Wm Row, }
John Domesher } chairman
 } sworn

John B Fish
Surveyor Miami Co,


Plat of Section 12. Town 2. Range 10. Mrs.
For Jesse and David Meeks.



I certify that the above Plat of Sec. 12, T. 2, R. 10 is a correct representation of a survey made for David and Jesse Meeks by me ~~on~~ the partly about the 20th of May and partly about the 20th of September 1851. Charles Gibbs Dep. Sur. M.C.


} Chainmen
} Sworn

See next page but one




Plat of S. Half of Sec. 10, T. 2, R. 9. Mrs.

Survey made for Jas. Cable, John Jacobs & Herring



Plat of Sec. 9, T. 2, R. 9. Mrs.

Survey made for John Jacobs, Herring, Snell, Davis, Buzwell & Filbrun.




A. Witness trees. Grey Ash 12 L. N. 76° 15' E. 13 1/2 L. Black Walnut 16 L. S. 18° 5' W. 33 L.

B. " " White Elm 24 " S. 48' W. 2 " Grey Ash 6 " S. 89° E. 4 "

} Chainman
} Sworn

I certify that the above plats and descriptions are a correct record of surveys made by me for the persons above named. Charles Gibbs Dep. Sur. M.C.


Plat of Sec. 6. T. 2., R. 10, M.Rs.
 Survey made for Mr. Seffel



A. Wit. Trees Beech 17 $\frac{1}{2}$ S. 13° 10 $\frac{1}{2}$ S. }
 " " " 14 N. 37° 45' W. 87 S. }
 William Drake } Chainmen
 Eli Meek } Sworn -


I certify the above plat and description to be a correct Record of a Survey made by me - partly about the 20th of May and partly about the 30th of Sep. 1851. Charles Gibbs, Dep. Sur. M. G.

Plat of a Survey of 8 Acres in Sec. T. 5; R. 6; E. Mer.
 Survey made for J. W. Crouse Aug. 4th 1851



A. Place of beginning; a Stake at the N. W. Cor. of a 5 Acre tract belonging to Wm M Knight: thence N. 85° 10' E. 16.08 Chs. to the Center of the Miami Canal; thence along the Center of the 5th Canal N. 9° 30' W. 5.04 Chs. thence S. 85° 10' W. to the Center of the Miami & Montgomery Pike Road; thence S. 4° 45' E. 5.04 Chs. along the Center of 5th Pike to the place of beginning.
 Wm M Knight & Charles Gibbs Dep. Sur. M. G.
 Chainmen Sworn


Plat of Sec. 7; T. 2; R. 11; M. R.'s
 Survey made for Thackery, Schenk, E. Meeks, Furrow & Flinn.



} Chainmen
 } Sworn

I certify that the above plat and description is a correct Record of a survey of Sec. 7. T. 2. R. 11 M. R.'s. made by me about the 23rd of May, 1857.
 Charles Gibbs Dep. Sur. M. Co.

N.W. Qr. S. part of
 Plat of a survey in Sec. 24. T. 1. R. 11; M. R.'s
 Survey made for Phillip Kennedy Sep. 23rd 1857




A. Place of beginning. Stake in the centre of the Piqua & Urbana Pike at the S.E. cor of a sixty acre tract owned by Phillip Kennedy; thence N. 1° 40' E. 19.50 chs. to the centre of the Sec line State Road; thence N. 89° W. along the centre of S^d Road 8.12 chs.; thence S. 1° 40' W. to the centre of the Pike; thence N. 72° 45' E. 8.66 chs to the place of beginning. Containing 17 acres.
 Geo. Edge & Michael Curtis, Chainmen. Sworn

I certify that the above plat and description of my survey is correct.
 Charles Gibbs Dep. Sur. M. Co.

Plat of S. Half of Sec. 34; T. 10; R. 4; E.M.

Survey made for Yerty, Furnas & Swank.




John M. Cable }
 John Bozerman } Chainmen on the South Line. Sworn
 Daniel Peter. Chainman in place of Bozerman on the other lines. Sworn

I certify that the above plat and description is a correct Record of a survey made by me about the 27th day of May 1851.
 Charles Gibbs Dep. Sur. M. B.

Plat of a survey in S. Part. of the N.W. Qr. of Sec. 24; T. 1; R. 11; M.R.s

Survey made for Geo. Edge Sep. 23rd 1851




A. Place of beginning. a stake on the Section Line in the Centre of the Piqua & Urbana Pike -
 Thence S. 0° 30' W. 13.64 Chs. to the Centre of the R.R. track.
 " S. 89° E. 3.79 " along " " " " " "
 " N. 0° 15' E. 14.27 " to stake in " " S. Pike
 " S. 80° 40' W. 3.79 " along the " " " " to the
 Place of beginning. Containing 5 ²⁶²/₁₀₀₀ Acres.
 Michael Curtis & John Shellberger, Chainmen
 Sworn.

I certify that the above plat & description of my Survey is correct.
 Charles Gibbs Dep. Sur. M. B.

Plat of Sec. 24; T. 2; R. 9; M.R.'s.

Survey made for Burras, Demmitt, Hull & Teneyck.




- A. Swamp Oak 16 Db. N. 58° 45' W. 36 1/2 Links
- " " 16. " N. 35° 30' E. 19 1/2 "
- B. Hackberry 10 " S. 42° 30' W. 42 "
- White Walnut 12 " N. 45° 45' W. 102 "
- C. Black Walnut 12 " N. 43° 15' W. 220 "
- " " 20 " N. 84° 25' W. 438 "
- D. Burr Oak 22 " N. 60° 10' W. 110 "
- E. " " 22 " N. 6° E. 54 "
- F. Sugar 20 " S. 76° W. 13 "
- G. Jack Oak 30 " N. 74° 15' E. 56 "
- White Oak 20 " S. 83° 30' W. 50 "

Abraham Reynolds } Ch^mman
 Matthias Blump } Sworn
 Morrison }

I certify that the above plat and description of a survey made by me Oct 2nd 3rd & 4th 1851 is correct - Charles Gibbs, Dep. Sur. M.R.

Plat of Part of N. Half of Sec. 30; T. 2; R. 9; M.R.'s.


Survey made for John Meeks - Oct. 14th & 15th 1837



Ira Morris } Chairman
 Andy Shaly } Sworn

N.E. Qr. Sec. 9; T. 1; R. 12 & W.P. N.W. Qr. Sec. 3; T. 1. R. 12.

M.R.'s. Survey made for Henry Heath, Jesse Heath, Simeon P. Line & Alpheus Line.



Witnesses at Corners


- A. Stone Set by orig^l wit. trees. the stump of one tree standing. Stone ~~S. 45° E. 91 1/3 L.~~
- B. Orig^l Sec. Cor. Stone set. roots of one tree yet remaining. New Trees Elm 20 L. S. 21° W. 53 1/4 L. " 26. " S. 66° W. 139 "
- C. Black Walnut 1/2 J.D. S. 62° W. 7 8 1/2 Links
- D. Beech 22 L. S. 15° W. 24 1/2 L. Beech 10 J.D. N. 11° 30' W. 64 Links
- E. Stone planted by orig^l wit. Trees of Wm Giffin
- F. Beech 6 L. N. 15° E. 30 L. Buckeye 5 J.D. N. 26° 15' W. 87 1/3 L. Dr. Sec. Cor.
- G. Stone - Cen. of Sec. Beech 12 J.D. N. 55° 30' E. 119 L. Beech. 16 J.D. S. 55° W. 44
- H. Beech 12 L.D. N. 88° 30' E. 38 1/3 L. Beech. 6 J.D. S. 59° 15' E. 108
- I. Stone S. 58° 20' E. 24 1/2 Links
- J. Beech 10 J.L. N. ~~54° 45' W.~~ 30 1/2 L. Elm 14 L. N. 83° 15' W. 54 L. Stone set
- K. Beech 7 1/2 L. N. 68° 30' W. 60 L. Beech 14 J.D. S. 24° 20' W. 50 L. Stone set
- L. Beech. 4. J.D. S. 304° W. 2 1/2 L. Hickory 12 J.D. N. 68° 15' W. 47 L. Stone Set

Simeon P. Line } Chairman on the lines BC. } H. Heath } Chairman by agreement on
 Alpheus Line } and TD. Sworn } S.P. Line } the rest of the survey.

I certify that the above plat & description is a correct record of my
 Survey^d Oct 22nd + 23rd 1851. G. Gibbs Dep. Sur. M. C.

Plat of the S.W. Cor. of the N.E. Qr. of Sec. 21; T. 1; R. 12; M.R.s.

Survey made for Mr. J. Tabler Oct. 23rd 1857




- A. Cherry 15 l.d. S. 42° 30' E. 3 1/2 Links
 - B. Buckeye 12 " N. 40° E. 10 "
 - " Grey Ash 16 " S. 40° W. 30 "
- David Millhouse } Chairmen
Wm Randolph } Swoon.

I hereby certify that the above Plat & Description of a survey made by me on the 23rd of Oct. 1857 is correct. Charles Gibbs, Dep. Sur. M. 6.

Sec. 32 or 33 T9-R-4

Survey made for Randolph and Rittenhouse Oct. 28th 1857




A. Beginning at a stake on the East side of Spring Branch about two Miles above the Dunn. Witness. Pin Oak 18 l.d. S. 80° 45' W. 3 1/2 Links. Sycamore 15 l.d. N. 57° 15' W. 2 3/2 Links. No witness marks on the trees. All the corners are about 10 feet E. of the Mill Race.

B. On the line between Randolph & Rittenhouse near the Saw Mill. Randolph & Rittenhouse, Chairmen by their own agreement, I certify the above plat & description to be correct. Charles Gibbs Dep. Sur. M. 6.

Plat of Sec. 27; T. 8; R. 5; E. Mer.

Survey made for the persons owning the Sections



- New Wit. Trees.
- A. Wit. Beech, 11 in. di. N. 56° 50' E. 9 1/2 links
 - " Hickory, 27 " " S. 4° E. 4 1/2 "
 - B. Water Ash, 10 " " N. 14° 25' W. 9 "
 - " " " 7 " " N. 63° 20' E. 16 "
 - C. Burr Oak, 10 " " N. 73° 15' E. 37 "
 - " " " 8 " " S. 4° 15' E. 26 "
 - D. Red Oak, 34 " " N. 2° 15' E. 25 "
 - " Elm 24 " " S. 13° 35' W. 38 "
 - E. Wit. Ash 8 in. di. S. 62° 00' W. 8 links
 - " Beech 6 " " N. 3° 30' E. 4 1/2 "
 - F. Hickory 6 " " N. 19° 00' W. 6 1/2 "
 - " " 8 " " S. 16° 00' E. 16 "
 - G. Elm 15 " " N. 30° 25' E. 15 3/4 "
 - " " 40 " " S. 55° 00' W. 9 3/4 "
 - H. Beech 10 " " N. 28° 10' W. 40 1/2 "
 - " " 18 " " N. 52° 35' E. 36 "

1) Stones Set in the Centre of the Cowington & Piqua Road.
 2) I. is 2 Chs. 60 links East of the 2nd Sec. Stone.

The N.E. Sec. Cor. was determined by tracing the N. and E. boundary lines of the Section according to the line trees described in the original field notes; all of which line or sight trees or the stumps were found. The corner is involved in some degree of uncertainty owing to the fact that three different sets of Wit. trees are described in the original Field Notes, located from 4 to 8 poles apart. It is the opinion of Wm. Giffin formerly County Surveyor, M.C. who was present, as it is mine also in view of all the circumstances that the cor. we established is within a few links of, if not in the exact spot first located. The lines were difficult to trace in consequence of a windfall having swept through several years ago, prostrating trees in all directions & in great numbers & a thick undergrowth of young sycamores & other saplings having sprung up in the place. The stone was set in presence of Wm. Giffin, Peter Hoefler, Dan Adams, J. D. Adams, Sars. J. Adams & others. Clarke Adams, Dan Adams & J. D. Adams, Chairman, sworn Peter Hoefler " Affirmed

I hereby certify the foregoing plat & description of my survey of Nov. 7th 8th 11th 12th & 13th 1851 is correct. Charles Gibbs Sur. M.C.

Plan of Sec. 27 T. 8 R. 4 E. Meridian


Surveyed for the owners

Original N.W. Sec. Cor. Stone one witness tree found

Stone Orig. Sec. corner area witness tree found & the roots of the other

This corner had no field notes & planted a stone in center of line

Had no field notes of this corner, left it where found & stone planted




- A a stone witness Beech 14 in diam. S. 44 1/2° W. 29 links
- B a stone witness Beech - - - N. 45° W. 19 links
- C a W. Oak 6 in. in diam. S. 49 1/2° W. 48 links
- D an ash 10 in diam. N. 42 3/4° W. 27 links
- E
- F
- G
- H Elm 30 in. diam. N. 1 1/2° E. 35 links
- I Ash 22 in diam. N. 17° W. 41 links
- K Beech 12 in diam. S. 76° E. 43 links
- L Elm, 14 in. diam. N. 28 1/2° E. 26 links

Surveyed Aug 30 & 31 & Sept 1st 1855

Chainmen { Philip Shearer } affirmed Benj. Field Surveyor M. C.
 { John McConnel } affirmed

Plot of Sec 34 T. 8 R. 1 E. Mer.
 Surveyed for the owners




- A witness Elm 26 in S 85° E. 26 links
- B witness Buck 16 in N 56° E. 3 links
- C witness Elm 30 in N 25° E. 27 1/2 links

Surveyed Aug. 27, 28, 29 & 30th 1855

Shannon { Philip Shannon }
 { John W. Connell } affirmed

Benj. Field, Surveyor-Mt. C.

173. Plat of a part of the N. part of the S. E. Quar.
 of Sec 3 T. 6 R. 5 E. Minn.
 Survey made for Moses Pearson




From A to B is the E. boundary of the Sec, it was traced by the original sight trees which were found, or the remains of them at a, c, & d.; b is the Quar. Sec corner, it was ascertained by dividing the E. boundary of the Sec equal.

At A the original witness trees were found & at B the remains of one of the original witness trees was found
 At b witness Hickory tree 10 in. diam bears N 41 1/2 W 15 links dist.
 Grey Ash 6 in. diam bears S. 72 E. dist 16 links
 At c a stone witness, a beech tree 15 in diam. bears S. 23 dist. 14 1/2 links; on Ash tree 10 in diam. bears S. 25 W dist. 41 links

Surveyed Oct 31st 1855
 Chairman { Moses Pearson } by consent
 { James Hamers }
 Benj. Field Jun. M. C.

Map of Sec. 25 T. 2 N. 11 W. Rs.
 Surveyed for the owners

2-173



The original witness trees were found at the N. W. corner, at the N. E. corner of the Sec & at the half Sec corner on the West boundary; at the S. W. corner, the S. E. corner of the Sec & the half Sec corner on the N. boundary stones were found planted by a previous survey, supposed to be correct.


The Quar. Sec corner on the N. boundary was found to be a few links N. of a direct line from the N. W. to the N. E. corners of the Sec, also the Quarter Sec corner on the W. boundary was found to be some 2 rods or more W. of a direct line from the S. W. to the N. W. corners of the Sec.

Planted stones at the corners marked 1, 2, 3 & 4
 At A planted a stone witness Ash tree 36 in diam.
 bears S. 82° E. 12 links dist.

Surveyed Sept 24th & 25th 1855

Benny Field Sur. Mo. Co.

Map of a part of Sec. 6 T. 4 N. R. 6 E. Surveyed for the owners.




P

The original witness trees were found at the S. W. corner & at the Quarter Sec corners on the E. & S. boundary of the Sec. The witness trees could not be found at the N. W. & N. E. corners of the Sec. but stones were found planted which were supposed to be the correct corners.

At A a stone witness bar Oak 22 in diam bears S. 36 1/2° E. distant 111 links; a sugar tree 10 in diam bears S. 71° E. dist 43 links. At B a stone witness Beech tree 20 in diam bears N. 55 1/2° W. dist. 61 links, a Hickory stump 22 in diam. bears S. 7° E. dist. 42 links


Surveyed & b. on 26th & 27th 1855

Chainmen } - Hus } by consent of Benji Field Sur. N. C.
- Swales }



Plot of a part of Sec 17 T. 6 N. 5. E
 Surveyed for the owners

42.36



- Corners numbered 1 a stone original Sec corner
- " " 2 withup B. Walnut 3 in diam. bears S 91 1/2 W dist. 61 links
 - " " 3 original Sec corner withup stump found standing
 - " " 4 withup Beech 14 in diam. bears N 30 1/2 W dist. 12 links
 Sugar 12 " " " S 30 E " 34 1/2 "
 - " " 5 " Water Ash 5 " " " S 20 1/2 W " 11 "
 - " " " " 8 " " " S 63 1/2 W " 22 1/2 "
 - " " 6 " Burr Oak 7 " " " S 59 1/2 E " 44 "
 - " " " " 5 " " " S 41 1/2 W " 44 "
 - " " 7 " Ash 8 " " " S 27 1/2 W " 35 "
 - " " " " 10 " " " S 68 1/2 W " 29 "
 - " " 8 " Blue Ash 5 " " " S 78 1/2 W " 40 "
 - " " " " 24 " " " S 33 1/2 W " 64 "
 - " " 9 original Sec corner
 - " " 10 a stone in the spring branch
 - " " 11 an old beech stump
 - " " 12 withup B. Walnut 10 in diam. bears S 55 1/2 W dist. 117 links
 - " " 13 " Gr. Ash 20 " " " S 36 1/2 W " 27 "
 - " " " B. Walnut 10 " " " S 51 1/2 W " 55 "
 - " " 14 " B. Walnut 3 " " " S 34 1/2 E " 75 "
 - " " " Sugar 24 " " " S 41 1/2 W " 95 "
- Center was run with base

Corner marked 15 sec. witness

" " 16 " witness B. Walnut 12 in. diam. bears N 66 1/2 W dist 26 links

" " 17 " " Hickory 8 " " " N 66 1/2 E " 46 "


B. Walnut 6 " " " N 12 1/2 W " 30 "

Surveyed Jan. 28 & 29th 1856

Benj. Field Surveyor Atty. Gen.

Chairmen { Benj. Pearson } affirmed
 { H. Campbell }

Sec 4, T. 8, R. 5, E



see sect lower trees found
original of Cor trees found


Chairmen } B. B. McClary }
Saml. Nicholson } Swam

Surveyed Dec 1853

W. Geffin C. S. M. C.

178

Sect 5. T. 8. R. 7. E.



Stones Set at all the corners

Chainmen { B. B. McClary }
 { S. Nicholson } Sworn

Surveyed Dec 5th & 6th 1853

W. Giffin C. S. M. E.

Sec. 15 T. 5 R. 4 E.

Surveyed for the owners




Corner marked no. 1 with a *Dryomora* tree 10 in diam. bears N 82° W. dist. 6 1/2 links

		Beech	10	"	"	S 1° W.	38 1/2	"
"	2	W. Elm	4	"	"	S 83 3/4° E.	10	"
"		Beech	18	"	"	N 33 1/2° W.	46 1/2	"
"	3	Hickory	10	"	"	N 73° E.	15	"
"		Syc.	8	"	"	S 63° W.	33	"
"	4	Hickory	20	"	"	N 73 1/2° E.	19	"
"		W. Ash	8	"	"	N 64 1/2° W.	20	"
"	5	Ironwood	6	"	"	S 59° E.	12 1/2	"
"		Beech	10	"	"	N 54 1/2° W.	15	"
"	6	Beech	8	"	"	N 54 3/4° E.	27	"
"		Water Beech	5	"	"	S 53 1/2° W.	8	"
"	7	Beech	8	"	"	N 50 1/2° W.	59	"
"		Beech	12	"	"	S 1° E.	31 1/2	"
"	8	Beech	10	"	"	N 12° W.	22	"
"		Beech	10	"	"	N 67 1/2° E.	28	"
"	9	W. Ash	10	"	"	N 9 3/4° W.	22 1/2	"
"		Red. Oak	48	"	"	S 50 1/2° E.	9	"
"	10	Hickory	28	"	"	N 31 1/2° W.	26	"
"		Beech	7	"	"	N 34 1/2° E.	59	"
"	11	No witness						

Surveyed Feb 6th 7th 1856

Johnston { James Johnson } affirmed
 { Frederick Johnson }
 Berry: Field Surveyor No. 6.

Plot of a part of the N. E. Quarter of Sec 20 T. 4 R. 5 E.
& a part of the N. W. Quarter of Sec 21 T. 4 R. 5 E.




Surveyed Sept 27th 1856

Chaimney }
(J. H. Dexter }
Addings } by consent

Benj. Field Sur. M. C.

Part of a part of the S. W. Corner a part
of the S. E. Corner of Sec 21 T. 6 R. 3 E.



Original corner


A	Hickory	20	in. diam.	S. 25 1/2° E.	dist 32	circles
	Beech	12	" "	S. 61° E.	" 18	" "
B	Hickory	30	" "	S. 79° E.	" 5	" "
C	" Sugar	24	" "	S. 16 3/4° E.	" 20	" "
	Lynn	20	" "	S. 52 1/2° E.	" 21	" "
D	" Burr Oak	20	" "	S. 5 1/2° E.	" 24	" "
	" Burr Oak	12	" "	S. 54 1/2° E.	" 16	" "
E	" Mulberry	6	" "	S. 56° E.	" 34	" "
F	" Elm	16	" "	S. 58 1/2° E.	" 26	" "
G	Hackberry	24	" "	corner		
H	Burr Oak	24	" "	corner		

Surveyed Nov 24th 1852

Jacob Heybright Jr }
Hiram Bone } chairman

Benny Field Secy. 11. 6.

Plat of the the N. W. 2. of Sec 4 & a part of the N. E. 2. of Sec 10 R. 9 M. 3. Surveyed April 1857 J. 2. - 18.3




From	to	Angle	Distance
From cor. no. 1	to no. 2	S 88 1/2° E.	3.36 chs.
"	"	S 32 1/4° E.	2.35 chs.
"	"	S 59° E.	2.81 chs.
"	"	S 42 1/2° E.	1.80 chs.
"	"	S 63 1/2° E.	1.89 chs.
"	"	S 86° E.	3.50 chs.
"	"	S 40 1/2° E.	5.32 chs.
"	"	S 77 1/4° E.	2.87 chs.
"	"	N 40 1/2° E.	1.80 chs.
"	"	N 64° E.	2.22 chs.
"	"	S 80 1/2° E.	6.08 chs.
"	"	S 35 1/2° E.	1.90 chs.
"	"	S 40° W.	1.57 chs.
"	"	S 27 1/4° E.	1.08 chs.
"	"	S 78 3/4° E.	3.85 chs.
"	"	N 55 1/4° E.	2.00 chs.
"	"	S 66 1/4° E.	2.65 chs.
"	"	S 12° W.	1.00 chs.
"	"	S 85° W.	3.00 chs.
"	"	S 5° E.	1.75 chs.
"	"	S 86 3/4° W.	6.14 chs.
"	"	S 2° 13' W.	13.18 chs.
"	"	N 89 3/4° W.	6.59 chs.
"	"	S 1 1/2° W.	10.30 chs.
"	"	N 87° 52' W.	13.19 chs.
"	"	N 2° E.	24.86 chs.
"	"	S 82 3/4° E.	9.17 chs.
"	"	N 5° E.	5.46 chs.
"	"	S 80 1/2° W.	11.59 chs.
"	"	S 59 3/4° E.	4.07 chs.
"	"	S 59° E.	1.07 chs.
"	"	N 85 1/4° E.	1.56 chs.

184	From	0	to	30	S 75° E.	1.00 chs.
"	"	30	to	30	S 73½° E.	2.17 chs.
"	"	30	"	28	S 48½° E.	4.25 chs.
"	"	28	"	28	S 79½° E.	8.70 chs.
"	"	28	"	51	N 80½° E.	18.97 chs.
"	"	6	"	51	S 1½° W.	3.83 chs.
"	"	51	"	50	N 71½° W.	1.27 chs.
"	"	50	"	49	N 48° W.	4.50 chs.
"	"	49	"	48	N 69¾° W.	3.46 chs.
"	"	48	"	47	S 62° W.	1.09 chs.
"	"	47	"	46	N 55° W.	1.40 chs.
"	"	46	"	1	N 1½° E.	4.67 chs.
"	"	33	"	52	S 1½° W.	8.90 chs.
"	"	52	"	53	N 74½° W.	2.50 chs.
"	"	53	"	54	N 69½° W.	2.57 chs.
"	"	54	"	55	N 90° 34' E.	9.18 chs.
"	"	38	"	37	S 2° 13' 71"	8.14 chs.
"	"	37	"	44	S 52½° W.	1.93 chs.
"	"	44	"	48	S 4° W.	1.93 chs.
"	"	48	"	42	S 52° W.	.77 chs.
"	"	42	"	42	S 87½° W.	1.62 chs.
"	"	42	"	40	N 63½° W.	.52 chs.
"	"	40	"	39	N 2° 13' E.	11.50 chs.
"	"	39	"	38	S 88½° E.	4.50 chs.
"	"	25	"	34	N 87° 52' W.	7.84 chs.
"	"	34	"	52	N 1½° E.	25.62 chs.
"	"	24	"	45	S 87° 52' E.	4.46 chs.
"	"	45	"	22	N 2° 13' E.	10.40 chs.
"	"	45	"	35	S 87° 52' E.	12.50 chs.
"	"	35	"	36	N 2° 13' E.	21.75 chs.
"	"	36	"	9	S 83¾° W.	5.50 chs.
"	"	9	"	20	S 86½° W.	.87 chs.

At the S. W. corner of the Duar, the original cor. tree was found. The N. W. cor. was found by tracing the N. & W. boundaries of the Duar.

Plat of Sec. 34 T. 10 R. 4 E. M. Surveyed for the owners April 1857

185-



Cor.	at	witness	Tree	Bearing	Distance
Cor. at A	a stone	witness	Elm 8 in diam	S. 10 3/4° W.	dis. 10 link
"	"	B	Elm 12 "	"	"
"	"	C	Beech 22 "	S 33 3/4° E.	" 18 "
"	"	D	Hickory 24 "	N. 3 1/8° W.	" 16 "
"	"	"	W. Ash 6 "	N 29 1/2° W.	" 15 "
"	"	"	Elm 6 "	S 56 3/4° E.	" 27 "
"	"	"	W. Oak 24 "	S. 38° W.	" 36 "
"	"	"	B. Hickory 24 "	N 11 1/2° E.	" 16 "


At the S. W. cor. one of the original witness trees was found, but at the S. E. cor. the N. E. corner & the N. W. cor. ^{with} the original witness trees nor their remains were found, but I found stones planted at each, At the 1/4 Sec. cor. on the W. boundary of Sec I found a stone planted & one of the original witness trees. At the 1/4 Sec. cor. on the N. boundary I found no stone planted neither could I find the original witness trees nor their remains I therefore established a cor. in the middle of the said N. boundary

Done.

Berri. ^{Hy.} Field. Surv. M. G.

786

A plot of the S. W. Quors & a part of the N. W. Quors of Sec 20 T. 8 N. 5 E. M. surveyed April 1857




Cors at	A	witness	Beech 20 in. diam.	bears	N. 29 3/4° E. dist 34 c.
"	"	"	Elm 20 in.	"	N. 78 1/2° W. " 15 "
"	"	B	Burr Oak 28 "	"	N. 49° W. " 5 "
"	"	C	Buckeye 12 "	"	S. 58 1/2° W. " 50 "
"	"	D	Black Walnut 16 "	"	S. 64 1/2° W. " 37 "

Chainmen { J. Hensinger Benny Field sur. M. C.

12 115.80
- 9.10

A plat of a part of Sec 32 T. 6 R. 6 E. No. 187.
 Surveyed for David Elliott June 3rd 1857.




A original Sec cor. S. E. cor. witness Lym tree 18 in.
 diam. bears S. 35° E. dist. 55 links

B witness Ash tree 24 in. diam. bears N. 70° W.
 dist. 18 links


Benj. Field Sur. M. Co.

Chambers { — Barr — } by consent
 { — Hoover — }

Plat of a part of the N. E. Quar of Sec.
2 T. 2 R. 10 M. S.
Surveyed for Geo. Mitchell



Station A witness W. Oak line 2 1/2 in. diam. bears S. 81 1/2° W. dist. 29 links
 See next page for further explanation



Sec. 26 T. 4 R. 6 E. M.

Sec. 20 T. 4 R. 6 E. M.

Sec. 24 T. 4 R. 6 E. M.

Sec. 25 T. 4 R. 6 E. M.

Plot of Sec. 24 & a part of Sec. 23, 25, 26 E. M. 189
 Surveyed June. 1857 for the heirs of John Clark deceased

W. Clark 104 1/2 acres
 Clark 150 1/2 acres
 Clark 90 1/2 acres
 Clark 68 1/2 acres

Meanders of the West bank of the Great Miami river,
the Bayou &c. Beginning at station A, thence as follows


Station	Course	Distance		Sta.	Course	Distance	
		chs.	links			chs.	links
1	S. 54½ E.	4	42	35	S 56 W.	7	03
2	S. 44½ E.	4	93	36	S. 36 W.	4	47
3	S. 37½ E.	4	19	37	S 42¾ W.	4	42
4	N. 76 E.	2	62	38	S. 4 E.	4	89
5	S. 81½ E.	3	82	39	S. 16 E.	3	15
6	N. 85¼ E.	3	23	40	S. 73½ E.	5	54
7	N. 76½ E.	6	61	41	N. 86 E.	5	45
8	N. 76 E.	1	75	42	S 83¾ E.	2	70
9	N. 77¾ E.	2	42	43	S 55½ E.	3	02
10	N. 83¾ E.	2	75	44	S. 3:9¼ E.	4	67
11	N. 65 E.	6	30	45	S 9¾ W.	8	69
12	N. 37 E.	1	57	46	S 6½ W.	6	65
13	N. 51¾ E.	2	92	47	S. 12 W.	4	50
14	N. 52½ E.	4	08	48	S. 7¼ W.	4	80
15	N. 47½ E.	6	06	49	S 16 W.	5	84
16	S. 26 E.	5	89	Commence at B.			
17	S 8¼ W.	6	32	50	S. 7¼ W.	5	00
18	S. 26 W.	2	36	51	N. 39 W.	4	69
19	S. 20¼ W.	3	08	52	N. 74½ W.	2	56
20	S 3¼ E.	2	41	53	N. 64¼ W.	1	29
21	S 23 W.	1	79	54	N. 49½ W.	2	38
22	S. 47¾ E.	4	98	55	N. 59½ W.	4	31
23	S 67 E.	4	65	56	N. 57 W.	9	50
24	S 70 W.	1	11	57	S 40½ W.	3	75
25	N. 89¼ E.	—	—	58	N. 35¾ W.	10	10
26	S. 76 E.	4	61	59	N. 24¼ W.	1	36
27	N. 88 E.	2	32	Commence at C			
28	S. 83½ E.	8	61	61	N. 45½ E.	—	38
29	S 66¾ E.	3	50	62	N. 71¾ E.	2	11
30	N. 70½ E.	6	12	63	N. 57 E.	1	10
31	S 89¾ E.	3	91	64	N. 42¼ E.	—	50
32	S. 71 E.	3	08	65	N. 27¾ E.	1	64
33	S. 35½ E.	5	25	66	N. 1½ W.	2	44
34	S 10 W.	3	47	67	N. 31½ E.	1	15

All the other lines are marked on the plat
Stones were planted all the important corners

Berj. Field Sur. M. G.


T A 3 A 3

191
Stat of a part of the N. E. Quar. of Sec. 22 T. 4 R. 6
E. 16. Surveyed June 1857 for the heirs of John Clark deceased



Benj. Field Sur. M. C.

Plat. & field notes of Sec. 19 T. 2 R. 10 M. R.S.
Surveyed for the owners Nov. 1857




A.	a stone witness a Black Walnut tree 10 in. diam. bears S. 50° W. dist 41 Links
B.	Sugar " 22 " " " S. 38 3/4 E. " 99 "
C.	Mulberry " 10 " " " N. 19 1/2 E. " 109 "
D.	W. Oak " 22 " " " S. 53 1/2 E. " 5 "
E.	Coffee " 16 " " " S. 42 1/2 W " 32 "
F.	Hickory " 12 " " " N. 32 1/2 W " 26 "
G.	B. Walnut " 14 " " " N. 67° W " 9 "
H.	W. Hickory " 12 " " " S. 35 1/2 E. " 28 "
I.	Sugar " 24 " " " S. 4° E " 9 1/2 "
J.	do. " 24 " " " N. 75° E " 38 1/2 "
K.	Sugar " 24 " " " N. 63 1/2 E " 86 "
L.	Elm " 3 " " " N. 44 1/2 E " 9 "
M.	Ash " 8 " " " S. 61 1/2 E " 78 1/2 "
N.	Burr Oak " 20 " " " N. 2 1/2 W " 96 "
O.	Sugar " 22 " " " N. 62 3/4 W " 51 1/2 "
P.	Ash " 10 " " " S. 11 1/2 W " 42 "
Q.	Black Oak " 12 " " " N. 46 3/4 W " 58 "
R.	Elm " 10 " " " N. 39 1/2 E " 20 "
S.	Maple " 22 " " " S. 3 1/2 E " 45 "
T.	R. Oak " 26 " " " N. 70 3/4 E " 57 1/2 "
U.	Sugar " 20 " " " S. 10 1/4 W " 13 1/2 "

Chairmen { Jacob Keppier } sworn
 { John Bousman }
 Benj. Field Sur. M. C.

194

194

Plat & Field notes of the S. half & a part of the N. E. Quar of Sec. 26 T. 2 R. 10 M. Rs. Sur. Nov. 1857 for Wm & L. Bousman.




A.	Witness	a	Buckey tree	12 in. diam.	bears S. 45° W. dist. 48 links
B	"	"	W. Oak	" 56 "	" " S. 65° W. " 22 "
C	"	"	W. Oak	" 56 "	" " corner tree
D	"	"	Stone	"	" S. 39° 48' E. " 14 "
E.	"	"	W. Walnut	" 16 "	" S 53° W " 25 "
	"	"	Stone	"	" N 39° 48' W " 32 "
F	"	"	B. Walnut	" 12 "	" N. 14° E. " 51 1/2 "
G	"	"	Elm	" 8 "	" S 80° E. " 6 "
	"	"	Sugar	" 10 "	" N. 16 1/2° W. " 27 "
H	"	"	Cherry	" 10 "	" N 2 1/2° W " 30 "
J	"	"	Hickory	" 14 "	" S 42 3/4° W. " 11 "
K	"	"	Hackberry	" 12 "	" S 47 3/4° W. " 24 "
	"	"	Locust	" 14 "	" N. 83° E. " 46 "

Benj. Field Sur. M. C.

Chainmen { A. D. Miller } By consent
 { Baker }

PLAT AND FIELD NOTES OF THE WEST PART OF THE N. E.
 QUAR. OF SEC. 32 T. 5 R. 6 E. M. SUR. DEC. 14th 1857 FOR
 W. I. THOMAS



- A a stake witness a Hickory tree 14 in. diam. bears S 35 $\frac{1}{2}$ ' W dist. 52 links
- an Ash " 8 " " " S. 44° E. " 50 "
- B " " " a Sugar " 12 " " " S 53° W " 27 "
- do. " 10 " " " S 29 $\frac{1}{2}$ ' E. " 11 $\frac{1}{2}$ "
- C a stone S. W. cor. of the Quar.
- D " " N. W " " " "

Witness { } sworn


BENJ. FIELD SUR. M. C.

196 Plat 4 field notes of Sec. 35 T. 10 R. 4 E. M. Surveyed for the owners Dec. 23 34 1858.



- A. a stone: Original Sec. cor.
- B. " " Witness Hickory tree 22 in. diam: bears S. 5° W. dist. 32 1/2 links
- C. " " Original Quar Sec. corner.
- D. " " Witness W. Oak tree 22 in diam. bears S 54 1/2° W. dist. 65 "
- E. " " Original Sec. cor.
- F. " " " Quar Sec. New witness trees as follows -
 Hickory tree 22 in diam. bears. S. 20 1/2° E. dist. 39 "
 Sugar " 10 " " " N. 9 1/2° E. " 55 "
 " " " " " N. 37° W. " 11 "
 Beech " 12 " " " S. 3° W. " 18 "
- G. " " Witness Hickory " 10 " " " N. 37° W. " 11 "
- H. " " Original Sec. cor.
- I. " " " " " S. 55° E. 60 "
- J. " " Witness W. Oak tree 10 " " " N. 44 1/2° W. 43 1/2 "
- K. " " R. Oak " 22 " " " " " "

Plat 9 field notes of the N. E. 1/4 of Sec. 8 T. 7 R. 5 E. M. Sur. Oct. 4th & 5th 1858 for John Miller




- A. a stone witness a stone bears N. 46 1/2° E. dist. 32 links
- B. " " " " Beech tree 18 inches, S. 31 1/2° W. dist. 75 1/2 "
- " " " " do. " 10 " " S. 53 1/2° E. " 93 "
- C. " " " " stone bears S. 45° E. " 50 "

Chaimin { Fry } Affirmed
 { Ephraim Wiley }


Benj. Field Sur M.

Plat of Sec's 15 & 22, T. 8, R. 5 E.



This survey was made by Benj. Fields and myself, in order to fix the corner at 'A' between the above sections. The old witness trees for this corner were not to be found, but the corner was placed from the testimony of Jacob Hoigh and Elisha McLean, both old residents of these sections, and was well acquainted with the corner in dispute, when the witness trees were standing. The other corners are all old government corners, which were found in the ground. I was authorized by Ben Fields to make this record, which I now do as Surveyor of Miami territory. March 5th 1861 John E. Alexander S^r

Plot & field notes of Sec. 32 T. 4 N. 5 E. Ill. Surveyed March 3rd 4th & 5th 1869 for the owners



Witness { Jacob Wick } by Consent
 { Harrison Weaver }

Line Bet Secs (15 + 21) T. 2. R. 12 N. 1/2

N.E. Corner. Old Stone Corner

140.16 chs.

Chas. D. Lusk
Chas. Weston Rogers

Sec 21 T. 2. R. 12 N. 1/2

Sec 15 T. 2. R. 12 N. 1/2

stone

Old Witnesses
Could not be found.

1/4 cor established in
presence of Geo. Lusk
A. M. Rynhill
J. S. Reeder.

154.11 chs.

39.78 chs.


S.E. Corner

Old Stone Corner

Survey made to establish the 1/4 Section corner
at (B) between Sections 15 + 21 T. 2. R. 12 N. 1/2
I found a stone plank at (B) set
the 1/4 Section corner by Chas. Gibbs
who was then Surveyor of the Co. and
said stone recognized by J. E. Alexander
as Surveyor of said County in survey of
Sec (21) T(2) R(12) N(1/2) in Nov 1860.
and the said stone as the 1/4 Section corner
at (B), being set by (Chas Gibbs) and recognized
by J. E. Alexander, both Surveyors of the Co.
and corresponding nearly with the Survey
of (P. H. Wolcott) in 1836 Vol (1) Page (159)
Surveyors Records Th. Co. I established the stone set
at the 1/4 Section corner at (B) bet Secs 15 + 21
T. 2. R. 12 N. 1/2 (Witnessed the same by a Lime Stone
86 1/2 W 30 links and Lime Stone 86 1/2 E 30 links
I was authorized by A. R. Rickett Sur. Th. Co.
to make said survey.

J. H. Ruzer p. p. m. c.

Section 21, Town 2, Range 12, N.R.



This Survey was made in order to divide the N E quarter of the above section.

The corner represented on the plat by the letter "D" was found to be the old governments corner, and at this date the witness stumps are standing.

The corner in the center of the section is witnessed by A Burr Oak 16 in dia. S 17° W 25 links distant.
 + A Buck 12 " " S 58 1/2° E 62 " "

The N. W. corner of Mrs. Ruder's tract of land is witnessed by A Coffenut 4 in dia S 60° W E 6 links.

George W. Davison & Mrs. Hubble Chamman Nov. 12th 1860
 George W. Davison & Walter Stemberger " " 13th "

Surveyed Nov. 12th & 13th 1860

By John E. Alexander

This section was surveyed by J. M. S.
 John H. Walcutt in 1836 & Reached vol 1 Page 159
 of Surveyors records of Miami County.

Plot of Section 36, Town 7, Range 5, East.



Witnesses to Corners

- "B" Hickory 15 inches in dia N 6° W 29 links distant -
one of the old witnesses for the quarter section corner
 - "C" Elm 28 inches in dia S 65° W 30 links distant -
 - "D" Beech 21 " " " S 16° W 62 " "
 - "E" Elm 30 " " " S 60° E 51 " "
 - "F" Elm 18 " " " N 29 1/2° W 13 " "
 - "G" Elm 8 " " " S 13° W 7 " "
 - "H" B Oak 24 " " " S 10° E 20 " "
- one of the old witnesses for the section corner.

- "I" Hickory 20 inches dia N 39° W 24 links distant -
- Beech 24 " " " N 58 1/2° E 37 " "
- "J" Beech 12 " " " N 33 1/2° W 56 " "
- "K" Beech 12 " " " N 74° W 43 " "

The corner at "E" being gone, it was reestablished by running the North + East lines of the section, on which were found old right-trees. The N W corner was established by running the North + West lines, on which were found right-trees.

Robert Forant }
John Wilson }
L. B. Nisley }
Chas. H. Swann }
J. E. Alexander }
Surveyed Dec 27th & 28th 1860
S. M. C.

Fractional Part S.E. 27 Sec (31) T. (5) R. (6)

Surveyed for
J. W. Winget.

209

X Witness

Bearing 20° 52' 17" E 78 Smls
" 165° 57' 28" 92 S.

Stone S 86° 25' 77" 10.46 Stone N 76° Corner 27

S 31° 5' 41.00 chs

42.4

N 82° 7' 40.20 chs

Said Survey includes
The Two Acre Tract
decided previously
to be 2020 by said
J. W. Winget, situated
in the S.E. part of
Said 42.4.

Ch. J. D. Hartman
Witness

Surveyed March 5th 1866 Stone

S 54° 50' E
70.46 chs

Stone J. H. Russert Dept Sur. M. Co

A. G. Conover Sur. M. Co

Part of the S.W. 27 Sec (26) T. (5) R. (6) M.R.

Surveyed for J. W. Panhorst.

Stone

N 88° 12' 77" 22.10 chs

X Witness

Bearing 20° 52' 17" E 13 Smls
" " " 56° 7' 23. "

S 112° 77" 40.70 chs

90.84

S 112° 8' 44.70 chs

Ch. Amos Leiser
J. W. McKinley (Sworn)

Surveyed March 29/66

Stone


S 55° 5' E
22.10 chs

X Witness

Ch. Cherry 15.0 S 41° E 48 Smls
" " 18.0 S 26° 7' 56 "

J. H. Russert
Dept Sur
M. Co.

N.E. 1/4 Sec 35 T 9 R. 5 E




Chs. I. Martin & Wm. Clark from.

Surveyed Jan'y 14th 65

J.H. Runzer Dep. Sur.

Fractions of N.E. 1/4 Sec 12 T 8 R 5 E




Chs. J. Smart & J. Ryan from.

Surveyed June 27/65

J.H. Runzer Dep. Sur.


Part of SE 1/4 Sec 36, T. 9. R. 5 E.



C/ W.C. Dills
- Belerman

Surveyed Sept 1864
J.H. Rouzer Depy Sur

S.E. 1/4 Sec 25 T. 8. R. 5 E All of
 N.E. 1/4 Sec 26 " " All of
 Part of N.W. 1/4 Sec 36 T. 8 R. 5 E



Chow
 August Hicks
 D. Schnell
 Theo Drake
 J. H. Conroy
 W. F. Kieckhefer

Surveyed


Dec 15, 29 + 30th 1864

J. H. Rouzer
 Dep. Sur.

The Land marked X containing 40.29 A the old
 corner stones were standing measured distances + took
 bearings of same - at the other subdivisions located + set corners
 as above shown - J. H. R.

Lines and some of the subdivisions of sections 3, 2, 27, & 28. Surveyed March February 1870.
T2 R10

Original
Written
Township Lines



Surveyed Feb 1870
A. Q. Lyndall II
Variation 2° 5'
A. D. Sprout
Henry Carns
A. Stewart
A. Baym

213

218

The object of the survey ^{is} stated upon
the last page was to determine the line
between sections 33, 34, 27 & 28

I found all of the original witnesses destroyed
except those to the corner upon township line
between sections 33 & 34. I repaired to the N. E.
corner of sect 28, to a stone which from
the testimony of old citizens had stood
there for more than 40 years.


Thence measured South along the E. line of said
section and the E. line of sect 27, 159.02 to an
established stone upon the S. E. corner of sect 27.
I found by examining the original field notes that
the East line of sect 27, was 79.96 ch long and that
" " " " " " 28 " 78.66 " " Set a
corner stone in Turnpike at these respective distances.
Thence repaired to the S. E. corner of sect 33 to an es-
-tablished stone, and measured North along the
East sides of sections 33 & 34, 158.00 ch I found by
the original field notes, that the East line of
section 33, was 80.00 chs long and that the
East line of sect 34, was 178. chs long set a
stone at corner of sections 33, 34, 27 & 28 at these
respective distances. Thence from last mentioned
corner Ran S 88° E and struck the stone first es-
-tablished at the Toll house. Thence repaired to the
corner of sections 33, 34, 27 & 28 and Ran S 1° 15' W and
struck stone S. E. corner of sect 33. Thence repaired a-
-gain to the corner of sects. 33, 34, 27 & 28 Ran N 88° 4' W
and missed the corner stone between sections 33 & 34, 2 ft.

Surveyed February 1840

A. R. Byrnhill
Sur. M. C.

sect 20. T2 R. 10 M. R. March 1870

219




James
Chairman

Thomas Chaffer
Thomas Jackson


A. R. Byrskett
R. M. C.

220



sect 26 T7 R. 4 E. M. March 1870.

22



sworn
 Chairman } John Clement
 David P. Clemons

A. R. Byrket
 Suror. M. C.

(See page 223)

Survey of the East half of the S E qr of Sec 8

T 2 R 9 m R 5

Beginning at a stone which marks the S E cor
of said qr: thence $1^{\circ} 31' E$ to 40 chs,
thence as described above on PlatContaining $80 \frac{80}{100}$ A.Surveyed May 2nd 1857


Subdivided into four tracts

Containing each $20 \frac{80}{100}$ A.A Black (C
B Seaford (CJ. H. Rouzer
Co Sur m Co

(223)

E 1/2 S E qr, Sec 8, T, 2, R, 9 m R S


Bechel Township



See page 222

Recorded Dec 13th 1870

for George Green




DYES MILL POND.
 SEC. 34. T 5. R 6.

Section 31, Town 7, Range 5, East.

C N85°50'E 40.07 D

B N85°57½'E 40.00 G



Copied sent to J. Johnson

F. G bears N 4° 56' W 4.50 chains

A. South West cor of section Witness Beech 15 inches S 39° E 34
Sugar 22 .. N 2° 30' W 74

B centre corner on west line witness Buckeye 20 inches S 37° E 18 links
Sugar 20 .. S 88° W 56 links

C. N W corner of sect witness Stone set on River Bank

D centre corner on north side a stone set

E South East corner of section stone set on the Bank of the River

F centre of section stone set witness Buckeye 10 inches N 36° E 26½ links
Walnut 12 in S 25° W 32 links

G a stone set witness Buckeye 10 in N 32° E 21 links
Walnut 8 N 65° E 52½ links

Surveyed June 25, 1839 by J. Knapp Surveyor

J. Adams
Rep: C. Adams & Chain Carriers

Wm. Adams