


Range 4 Town 7 Section 36 East of the Meridian




I certify that the above is a correct survey of the above named section. The original measure being from upon the corner of the S. E. corner, a stone upon the south line near the south west corner being undisturbed as being upon the line was used to determine the south line, although being in fact the corner to the section. Laying immediately south in West-gomery co. the other corner were determined from measurements of the adjoining section, made from a survey made by J. R. 134, bearing of Meridian bearing date of - - 1832.

Surveyed Aug 22 1878 J. R. 134, with


J. R. 134, with
Edmund Kent
Chairman

Range 10 Town 2 Section 18 111 R.
 39° 37' 37" N 79° 57' 0" E 39.78 1/2 39.78 1/2



Beginning at the S.E. Corner at a stone set by
 Charles Gibbs Sur. M. C. Run box 2 Sur. M. C.
 Minn. Co. Thence with bearing and distance above
 given to N.E. Cor. wit standing thence to N.W. Cor.
 Cor. wit not found thence to S.W. Corner wit found
 and roots where other stone, but could not
 ascertain, certainly what kind of roots. Thence
 subdivided as above shown.
 I certify the above to be a cor-
 rect survey
 L. R. Byrdett Sur. M. C.

Nov 25 7 30 1870
 Isaac Brown }
 Henry Danderson } Surveyors




Beginning at a stone between
stations 19 & 20 on the
South Line at
B. Center of Road
E. Stone
H. " Granite from Wintress
Hwy. 24 miles
E. of Stone plantation by Hawks
Hwy. 24 " "

This survey was made for the purpose of dividing the lands rep-
-resented into equal parts: one two-
ten holding the two ends of the tract
the other the center, but - have we
equal quantities of Land
Yorkna Bay too } Swam
" } Abriitt } Chew.

Nov 17th 1870. A. R. Byrkes Esq. Mr. C

Range 5 Town 8 Section 24




Being 50 Acres of land out of the
 at 71/2 W. 8 N. 1/4 of Sec 24 T. 8. N. 5 E

For 200 Acres. Surveyed April 20th 1874

Ad. Acres 18
 Ad. Acres 1/2 by Ament.


By J. H. Hargrove Sur. W. Co.

Range 5 Town 7 Section 13. E. M.



The object of the above survey was to cut 10 acres out of the N.W. corner of the 6th half of the S.W. Dr. as shown above
 March 7th 1891
 Henry D. Hornite {
 John R. Wright {
 A. R. Byrket
 Sur. M. C.

Range 5 Town 8 Section 10.



Survey made to cut off 35 Acres from the East Side of 125-Acre tract of land. Situate in the 1/4 Sec 10 58 N 85 E.

The corners at A, B, & C as shown on above plat were established and set by agreement of the owners of adjoining lands. They being present when established and agreeing to same, Intermediate corners established by

Surveyed May 25th 1875


J. B. Schaefer }
 J. B. Schaefer } by consent.

J. B. Schaefer }

J. W. Ringer, }
 J. W. Ringer, }

Range 11 Town 15 Section 15

9




Survey made to Subdivide fractional part
of the S.E. 1/4, Sec 15 T. 15 N. R. 11 W.

Surveyed March 24th 1894.

by J. H. Ricker
G. Hagermann & Son, Marlatt & Co., Surveyors

Range 77. Town 1 Section 29

11




S 88 1/2° E 16.78 chs
S 24 1/2° E 7.24 chs
S 21 1/2° W 15.70 chs
S 16 1/2° W 21.90 chs

Being Survey of 20 9/10 A. out of at W. Corner
of Sec 29 T1. R. 11 N18
Beginning 1 1/2 W. Two Rods.
From the N. W. Corner of said Section.
Thence as shown in description

W. H. Jones
P. Painter

Surveyed May 11th 75
S. H. Carter
Sur. M. C.

Range 5 Town 7 Section 28



1. stone { stone S. 19° 30' E. 19 1/2' L.
 2. stone { " N. 89° W. 15 L.
 3. stone

4. stone { stone N. 78 1/2° E. 37 1/2' L.

5. stone established on summit of hill

6. stone { stone N. 35° E. 35 1/2' L.
 7. stone { stone N. 35° E. 35 1/2' L.
 8. stone { oak N. 12° 30' W. 60 L.

9. stone
 10. stone


1 certify the above to be correct.

H. O. Evans. Rev. Miami Co.

Aug. 16th 1877


H. G. Furman. chn } sworn.
 Jas. Weikert chn }
 Frank Julian. Flagin }

Range 11 Town 1st Section 20



I certify the above to be a correct
 plat of a survey of part of the N.E.
 of Sec. 20 - T. 11. Range 11. Made Apr. 19 1899.
 Chas. Rollins 3 Chas. Rollins
 Jas. Fellers 3 Jas. Fellers

Range 5 Town 7 Section 14




Witnesses

- a stone with stone S. 35° W. 20 l. Iron plate N. 35° W. 20 links
- b stone
- c stone with stone S. 80° 30' W. 20 l.
- d stone N. 35° W. 20 l. stone N. 35° W. 20 l. - Original were found.
- e stone
- f stone
- g stone
- h stone
- i stone
- j stone N. 45° 40' W. 20 l. Beach S. 70° E. 20 l.
- k stone with stone N. 35° W. 20 l. stone S. 35° E. 40 l.
- l stone
- m stone
- n stone
- o stone
- p stone
- q stone center of sec. with stone S. 35° 30' E. 20 l.
- r stone
- s stone with stone S. 35° 35' W. 20 links. Stone S. 35° W. 20 l. & Beach tree N. 35° W. 4 l.
- t stone
- u stone 7 1/2 l. s. of corner.
- v stone
- w stone
- x stone
- y stone with Ash tree N. 15° E. 40 l. Ash 6' N. 32° 40' W. 67 l.
- z Oak tree, corner tree.
- A stone
- B stone
- C stone
- D stone
- E stone 7 1/2 l. s. of corner
- F stone
- G stone
- H stone
- I stone
- J stone with stone S. 35° E. 20 l.
- K stone
- L stone
- M

At a, d, A & Z found old witnesses

Range 6 Town 4 Section 8 - T₂N E 4r.




! certainly the above to be a correct plot of
part of the N.E. 1/4, Sec. 1-T.4. R. 6. of T22N 20.0.

דאס איז פארשטאנען } דאס איז פארשטאנען }
 דאס איז פארשטאנען } דאס איז פארשטאנען }
 דאס איז פארשטאנען } דאס איז פארשטאנען }


H. V. Evans
Care. M. C.

Range 10 Town 2 Section 35




A. B. 20' N. 1/4 W. 39' 1/2' lines
 B. stone
 C. stone
 D. stone, Cotton wood, 48' N. 1/4 W. 1/2' lines
 E. stone
 F. stone
 G. stone

I certify the above to be a correct plat of a survey of 48 acres off of the west side of N. W. 1/4 sec. 35-2-10 H. O. Evans. Sur. M. C. Co. Chas. Rosser } chairman
 Geo. Truax } sworn
 Feb. 20th 1877.




Range 11 Town 1 Section 22




I certify the above to be a correct copy of a plat of a survey of Sec. 22 - T. 1. R. 11. M. 8. signed by Robt Young, Sur. Miami Co. Made May 20 & 22 1833. H. P. Evans, Sur. M. Co. D. July 16th 1877.

Range 5 Town 7 Section 11



Range 5 Town 6 Section 2



I certify the above to be a correct survey of 1st. of
the N.W. qr. of Sec. 2, T. 6, R. 5.

Levi Thuma }
Benj. Dummy } by consent


H. O. Evans.

Sur. M. Co.

Feb 27 1871


Range 10 Town 1 Section 11

35



I certify the above to be a correct plat of part of
 The N.E. 1/4 Sec. 11-T.1. R. 10 M.R. 8.
 H.J. Evans
 Sur. M. Co.


Range 6 Town 5 Section 2



1. Old stone marked - buried under the T.K.
2. { 81 mm 1 1/2" stone 50' 1/2" 27 links
3. { 150 20" S. 1° W. 48 1/2' links
4. { Red Oak 20" N 74° W 76 20 links
5. { Elm 5.20 1/4 W 27 links

The above survey was made before James Co. Surveyor, but I believe it to be correct, and may be of use to some one.

A. J. Cowan




I certify the above to be correct

Alex Macy }
Thomas Brown }
Chairman }
Secy. }

33

Range 5 Town 6 Section 36




I certify the above to be correct.

Alex. Macy }
Thomas Brown }


H. O. Evans, Sec. M. Co.

Mar. 12, 1898.

Range 10 Town 2 Section 2



I certify the above to be a correct plat of the S. 1/4 of Sec. 2
 T. 2. R. 10. M. R. 5. SUR. made Mch. 15, 1898
 Uria Bowers } chairman
 Elias Spowart } Surveyors
 H. O. Evans.
 Secy. M.C.




I certify the above to be correct.
 C. Voris
 May 15th 1878
 H. J. Coover
 Rev. M. Co -
 Munford 3 x correct.

Range


Howl

Section



1 Stone at 11° 20' West 15 links
 (Beech tree 104° 15' E 39")
 2 Stone S 11° W 15 links


Range 10 Town 2 Section 33.



I certify the above to be a correct plat of
a survey of part of the S.W. 1/4 of Sec. 33, T. 2. R. 10. N. 2. E.

H. O. Evans.
Henry Gardner } Chain
J. C. Moore } Surveyor
Apr. 29, 1871 Sun. M. Co.

Range 12 Town 3 Section 13



Witnesses
1. Stone S.W. 24 ft. 10 in.

2. Stone N.E. 30 ft. 10 in.

3. Stone N.E. 30 ft. 10 in.

4. Stone N.E. 30 ft. 10 in.

5. Stone N.E. 30 ft. 10 in.

6. Stone N.E. 30 ft. 10 in.

7. Stone N.E. 30 ft. 10 in.

8. Stone N.E. 30 ft. 10 in.

9. Stone N.E. 30 ft. 10 in.

10. Stone N.E. 30 ft. 10 in.


I certify the above to be a correct survey of
part of Sec. 13, T. 2. R. 12. M. Co. 2.

Wm. Lane & Chairman
Jno. Wert. & Sworn.

H. O. Evans. Sur-M.C.
May, 17th 1878


Range Flow Section

47



Range 10 Town 1 Section 5


49



I certify the above to be a correct plat of a survey of
part of the S.E. 1/4 of Sec. 5, T. 1, R. 10, Miami Co. O.
Oct. 7th 1878 H. O. Evans Sur M.C. O.

E. F. Sayers } Chairman
H. O. Evans } by consent.

Range 4 Town 8 Section 36




Witnesses to Corners.

1. S.W. cor. Chm. Church N.W. 1/4 Sec. 36 T. 8. R. 4.
2. Stone N 70° 30' E. 24 ft. timber.
3. Maple N 70° 30' E. 24 ft. timber.
4. Stone S 20° 30' E. 31 ft. timber.
5. Block N 70° 30' E. 24 ft. timber.

I certify the above to be a correct plat of the Sec. 36 T. 8. R. 4. Miami Co. as surveyed by me Dec. 5, 11/13, 1878.

Josias Coate } Chairman
 Elwood Mizes }
 Henry Mizes } by consent

H. O. Evans, Sur. M. Co.



Witness to Burners.
Sec Corner West I. line
Sec 23 T 8 R 4 E.

Witness to same
 Mary Ash 240. 84 1/2 W. 5.4 fms.
 Dux Elder. 1452. 84 1/4 E. 3.2 fms.

I certify the above is a correct Plat.
as taken from Survey made by me.
witness my hand & seal of office
this 23rd day of April 1884.


In Oct 22nd 23 & 24th 1878

Christine Knapp
Agency Inc. Danard

JH Kunster

Dep. Sec. H. C.

Range 10 Town 2 Section 23



Witnesses.

- Stone N. 2° 55' E. 105'
- Stone S. 7° W. 25 links
- Stone S 87° 50' E.
- Stone S 89° E 26 links
- Stone N. 71° W 52 links
- Stone N. 2° 30' E. 12 links
- Stone S. 2° 30' W 16 1/4 links
- Stone N. 87° 45' W 203 ft.
- Stone N. 2° 34' E 18 1/2 links


Total 649.5

Verifying the above to be a correct plat of Survey of Sec 23. S. 2. T. 10. N. R. 5. Miami Co. O. Survey made Feb 4 12th + 14th 1879.

Frank Julian } Sworn
Wm. Clawson }
J. H. Demese }
Wm. Graze }
Chairman

Range 4 TOWNSHIP 10

Section 34 N.E. Qr.



I certify the above to be a correct plat of the N.E. Qr. of Sec. 34, T. 10, R. 4, N. Miami Co. O.


The deeds to Uriah Valentine and A. Routson called respectively for the north and south half of the N.E. Qr. of said section. But both parties being present desired them constructed to mean an equal number of acres in each piece, i.e. the same way as in the north half as in the south half. instead of dividing by taking the middle point of the east and west sides. I made the survey according to their wish as shown by the plat.

I found a stone planted at the N. Q. post which though it was 6 links too far south and 2 links too far west I considered it to have been the stone recorded in Vol. 2 P. by Benj. Fields in 1867, testimony going to show it to have been there since that time, I therefore re-established it as north Q. post, & put N.W. stone .52° 30' W. 30 links. Stone were found at the N.E. S.E. & S.W. corners. and stone planted at all the other corners.

Heuben Routson } chain.
Isaac Hinesford } sworn.

H. O. Evans. Sur. M. Co. O.
Mar. 10 - 11 1879

Range 10 Town 2 Section 27




Witness to Corners.
 1. stone S. 45° W. 31.1 ch.
 " S. 30° W. 7 "
 2. stone N 29.5° E 89.1 ch.

The object of the above survey was to establish the east and south lines of the south half of Sec. 27. 2-10. The S.E. corner was got by retracing the notes on page 208. 102.1 from the east point to the S.E. corner, where I found the original corner stone. I put in a new nit stone - see notes on left. The corner (3) I got by retracing the same survey from the corner marked 4 in both surveys. I certify the above to be true and correct.

M. O. Evans
 Nov. 15, 1879 Sec. 27, T. 2, R. 10

Range 6 Town 4 Section 5




Witness to Corners:
 1. Oak Tree S. 1/4 Sec 1905
 2. Stone S. 1/4 Sec 1905
 3. Stone S. 1/4 Sec 1905
 4. Stone S. 1/4 Sec 1905
 5. Stone S. 1/4 Sec 1905
 6. Sugar Tree N. 1/4 Sec 1905

I certify the above to be a correct plat of a survey made from the deeds of Peter Fogle to Jno. R. Thompson showing the land belonging to said Thompson as described in said deeds. The above survey determines the north line of said Thompson land but the West line would have to be determined by a survey from previous deeds. The above survey made Apr. 3, 1879

Allen Westfall }
 M. Box. }
 Examiners

H. O. Evans }
 Secy. H. Co. D. }




Witness to Corners'

- 1.
2. Stone N. $79^{\circ} 45' E$ 29 Links.
3. Stone S. $33^{\circ} 35'$ 29 Links
4. Stone S. $3^{\circ} E$ 30 Links
- 5
6. Stone N. $58^{\circ} E$ 18 ft.
7. Stone S. $5^{\circ} 50' E$ 28 1/2 Links.
8. Elm 6" N. $34^{\circ} W$ 40 Links & Stone S. $23^{\circ} 4' W$
24 1/2 Links
9. Red Oak 10" S. $54^{\circ} W$ 23 Links
10. Sugar 20" N. $20^{\circ} W$ 41 1/2 Links

I certify the above to be a correct plat of Section 11, Town 6 Range 5 E. M. Co. 0. At the NW corner of Sec. 11 is an established and recognised corner stone. At the north or post, the north east corner, and the south east corner the original witnesses were found and stone planted. Not being able to find the orig. witnesses for the east or post I put that corner on a line and equidistant between the north east and south east corners of the section. No corners having ever been established at the south and west or post I put them equally distant between the section corners. The section was then divided according to the deeds and stone planted at all the corners as shown by the plat. The following notice was read to all the land owners and signed as follows. To Wit— Notice hereby given to the land owners in sec. 11, T. 6, R. 5, Miami Co. 0. That I will make a survey of said section for the purpose of establishing all or part of the land lines and corners in said section Thursday Apr. 10th 1891 Signed H. O. Evans, Sur. M. Co. 0. Apr. 4th 1891. Also, the undersigned land owners in said Sec. 11, hereby acknowledge service of the above notice and agree to the same, and agree to pay equally toward defraying the expenses of said survey. Signed, B. N. Langfirth, J. V. Miller by J. R. Admr., J. M. Durican, F. Schaefer, Martin Kendra, Serene Kendra, J. H. Wheelock, Harriet Wheelock, Henry Earhart, Isaac H. Gurd, F. H. Miller, J. H. Beck, Wm. Guinn, Harrison Honeyman—Marker— } Witness
Survey made Apr. 10th 1891 H. O. Evans
Sur. M. Co. 0.

Range 5 Town 6 Section 12



W. L. Carrers


- 1. Stone N 24° 10' E 16 links
- 2. Stone S 41° 10' W 20 links
- 3. Stone S 23° 10' E 39 links
- 4. Stone N 79° 40' E 29 links
- 5.
- 6.
- 7.
- 8. Stone S 41° 10' W 11 links
- 9. Stake on sec. line 600 ft. W. of corner.

I certify the above to be a correct total of Sec. 12, T. 6 R. 5. M. R. made by me Oct. 21, 1899. The stumps of the orig. white trees were found from which were established the S. E., S. W., & N. W. Sec. corners and the north line. The N. E. corner was established by a line produced from the 1/4 sec. line of the sec. north, through a white line tree much north of this corner as described in orig. notes.

Jackson Blewens & Atakore Blewens were chainmen (on line) on the east sec. line and on S. W. 1/4 sec. line in part, and W. W. Edge & I. K. Miller by consent on the rest of the lines. The West Sec. line was not measured this time but the measurement taken from the record on Vol. 4, p. 59 (this book)

A. O. Evans
S. M. Co. O.

Range 10 TOW 2 Section 29 N.W.Q.




I certify the above to be a correct plat of a Survey made by me Mch. 4th 1880, showing the Dorner of Mrs. Ann Haze as set off by Lewis K. Baugh et al. in 1876, see Vol. R. P. 15. Rec. Com. Pleas Court Miami Co. Some of the corners having become uncertain were agreed on by the parties interested and marked by stone as shown above.

H. O. Evans
Co. Sur. M. Co. O.
Mch. 8th 1880

Henry Campbell } Chairman
Jos. Kirk } Scribe

Original & Top of Section 20




Witnesses to Corners.

- A. Orig. Sec. Corn. now bearing trees taken as follows: W. Oak tree 24" diam. S. 42° 45' E. 89 ft. Poplar " 30" " N. 37° 34' W. 40 ft.
- B. Orig. Sec. Corn. now witnesses taken as follows: Beech tree 26" diam. S. 47° 10' E. 37 ft. Rock, N. 33° 12' E. 87 ft.
- C. Hickory 20" N. 19° E. 46 ft. Quarry Stone S. 32° E. 30' "
- D. Orig. Sec. Corn. witnesses a quarry stone S. 37° E. 30 ft. Berris, Fields
- Surveyed Aug. 6-7, 1889 for the owners. Sur. M. Co.

I certify the above to be a correct copy of a plat which I found in the possession of Mr. H. A. M. Clark, H. O. E. v. s. Co. Sur. M. Co. O. M. 8/8/1880

Range 6 Town 5 Section 20




New Witnesses to Corners
 A Stone ¹⁸⁵² ¹⁸⁵² 20 lines
 S. 20° E. 22 "
 B. Stone NW 30 W. 30 N. 22 W.

Certify the above to be a correct plat of a survey made by me Dec. 6, 1880 for the purpose of re-establishing the West line of the S.W. 1/4 of Sec. 20. I found one of the orig. witnesses and both of witnesses made in 1859 to the N.W. cor. "A" and at "B" I found both of the witnesses made in 1859 and put my witnesses as above.


W. F. Jefferson. } Chairman
 Frank. }
 H. O. Evans. }
 Dec. 8, 1880 }
 Sup. 777. Co. 2

Range 6 TOW 5 Section 20 N.W. Q.



I certify the above to be a correct survey of
 part of the N.W. 1/4 of Sec. 20, T. 5. R. 6. E. M. Miami Co. O.
 reference being made to surveys recorded in Vol. 2,
 page 18, & Vol. 2, page 121, Co. Sur. records Miami Co. O.
 Benj. Schilt } Chairman
 John Borters }
 A. O. Evans.
 Co. Sur. M. Co. O.
 Mch. 26 1880

Range 11 Town 1 Section 2




$N. 4^{\circ} 30' E.$

I certify the above to be a correct plat of the lot
set off for the board of education of Staunton T.P.
H. O. Evans.
H. Newberry } ch. May 5-1880
H. Newberry } ch. Co. Sur. M. Co. Co.

Range 10 Town 2 Section 33

63
Sugar Tree Corner



Wit. to Corners


1. Sugar Tree established in 1888 by Gray & Co. 20 N. 10 W. 1/4 Sec. 33, Twp. 2. R. 10 M. R. 3, as surveyed by and Aug 5-1880 for the purpose of establishing the east line and the east & west 1/2 Sec. line of said Sec. 33, in accordance with the survey & record made by Wm. Gifford & Co. Surv. Mch. 1-1888 & recorded in Vol. 2. Range 81 Rec. of Surv. of M. Co.
2. Stone S. 36 ft. x 4 ft. 1. Byrtlett & Co. Corner 57 N. 10 W. 1/4 Sec. 33, Twp. 2. R. 10 M. R. 3.
3. Stone S. 22 ft. x 37 ft. 1. Byrtlett & Co. Corner 57 N. 10 W. 1/4 Sec. 33, Twp. 2. R. 10 M. R. 3.
4. Byrtlett & Co. Corner 57 N. 10 W. 1/4 Sec. 33, Twp. 2. R. 10 M. R. 3.

I certify the above to be a correct plat of part of Sec. 33, Twp. 2. R. 10 M. R. 3, as surveyed by and Aug 5-1880 for the purpose of establishing the east line and the east & west 1/2 Sec. line of said Sec. 33, in accordance with the survey & record made by Wm. Gifford & Co. Surv. Mch. 1-1888 & recorded in Vol. 2. Range 81 Rec. of Surv. of M. Co.


H. O. Evans
Surv. M. Co.

Sabin Fisher & Co.
Millon Gabriel & Son

Range 10 - Town 1 Section 9



Range 6 Town 4 Section 18




- With corners.
1. Stone. Found the corner from present occupied line.
 2. Stone
 3. Stone
 4. Stone
 5. Stone - established this corner in a former survey from orig. Mt. trees.
 6. Stone. Mt. stone S. 77° E. 18 1/2 links
 7. "
 8. "
 9. " Mt. Hickory 20° 5.67 E. 27 1/2 links
a Pine Oak 24° 5.97 W. 108 ft.
 10. Stone. Mt. Red Oak 10° 5.18° E. 20 ft.
Hickory 10° 5.58° N. 34 ft.
 11. Stone Mt. No Oak. N. 23° W. 31 ft.
 12. On a line bet. Mt. E. S. E. Qrs. and equally dist. from S. E. Qrs. Set Stone (Mt. a tree). Oak. 5.89° 10° N. 23 ft. 5 Oak 36 ft. S. 1° W. 57 ft. 5 Old cor. Stone S. 22° 30° W. 87 links
 13. Stone Undisputed corner
 14. Stone set by tree in former survey. Mt. Stone N. 88° 40° E. 31 ft.
 15. Stone Mt. Stone S. 77° E. 18 1/2 links

I certify the above to be a correct plat of Sec. 18. T. 4. R. 6. E. 1/4 as surveyed by me June 13th 10th 1884

Wesley Thomas
Richard Chiles
Warren Hester
Chas. Hester - Treasurer

H. O. Evans
Co. Surveyor


Range 6 Town 5 Section 20



I certify the above to be a correct plat of a survey of part of Sec. 20 T. 5. R. 6. E. 11. The stone was set at the corner marked 'A' by the consent of R. Y. Sharps and F. J. Hottel, both being present and agreeing in the presence of Corry Whinn and myself to the line established by said stone.


H. O. Evans.
Co. Sur. M. C. O.

Range 10 Town / Section 5




I certify the above to be a correct plat of a
Survey made by me Oct. 15th 1881 for the purpose
of re-establishing the center line of the County
road on east line of Sec. 5 T. 1. R. 10. At request of
Supervisor of Tarrant Co. T.P.
Jno. T. Knapp. } H. C. Evans.
Crozier Barns } Chairmen
Sworn. Co. Sec. 172. Co. 0.

Range 6 Town 5 Section 28.




Range 6 Town 57 Section 24 Fac. Loc.



$$\begin{array}{r} 8.14 \\ 3 \\ 19.5 \\ 19.5 \end{array}$$

$$\begin{array}{r} 10.00 \\ 10.00 \\ 10.00 \end{array}$$

Range 10 Town 2 Section 33 S.W. Qr.



Witnesses to Corners.


1. Stone - with stone 5' 13" in 14 ft
2. Stake - with stone 11' 10" in 21 ft
3. Stone
4. with stone 17' 30" in 20 ft
5. Stone - with stone 11' 10" in 21 ft
6. Stone
7. with stone 11' 10" in 21 ft
8. Stone.

I certify the above to be a correct plot of the S.W. Qr. of Sec. 33-2-10 as surveyed by me Jan 17th 1892

R. S. Gearhart }
J. W. V. Davis } by Consent

H. O. Evans.
Co. Surveyor & Co. O.

Range 6 Town 5 Section 16 Trac.



21 Quarry Stone corner stones
22 Quarry Stone
23 Quarry Stone corner stones
24 Quarry Stone

25 Quarry Stone
26 Quarry Stone
27 Quarry Stone
28 Quarry Stone
29 Quarry Stone

30 Quarry Stone 38 lines west

"13" found stone which has been recognized as the corner and assumed it to be the correct corner. This corner is 109 ch. 22 of the line produced through 10, 11, 12 as shown on plat. The corner 14 was put on a straight line between corners 1413 and at the proportional distance shown in survey of J. T. Tullis in 1828 see following page. The corner 15 was placed by measuring 12.90 ch. east of corner oak stump which was made a witness (corner tree) in deed of Fizzley Telford to Hart 13.23 P.M. M.C. Rec of Deeds. said surveyors standing its distance east of a line of Sec being 11.04 chs. The other lines were fixed with reference to deeds of same to Wm. Siggle, J. M. Shackelford to E. L. Clark, Clark to Wm. W. Telford, J. M. Shackelford to Nathan Pike to Wm. Telford, J. M. Shackelford to H. Michael & others, and to bring my subsequent survey of M. Co. Ohio.

J. M. Schulz


W. B. Haws

A. C. Coover

Defak. Cadm. M. Co

Printed at the office of the Surveyor, 10th 1828
Surveyed by J. M. Schulz, Wm. Siggle, J. M. Telford & others

Range 10 Town 1 Section 6



Marker at A is an Ash Tree (stump found)
by J H Walcott. As also stone corners
at B + C + D. Which were established by
J H Walcott as Co. Sur. M. Co. and recorded
in Vol. 1. Sur. M. Co. - 0

Witness to Cor at C
as made by J H Walcott. Beech N 75° W 39 1/2 Lks
Stone at D in Barn Lot which is still standing


Subdivided said 1/4 Section and set
stones at E and F

Hereby certify the
above plat correct.
As taken from Survey
June 9th 1882.

J. S. Blund.
Elias Sayers.

By J H. Rauter
Sur. M. Co. - 0.

Range of Flow & Section 34



Survey and subdivision of the Sec. 34 Sec. 34, 1888
 Thomas at A.C. & D. were stones set and reacquainted corner
 corners at B. H. H. were stones set & 27

May Survey of Aug. 26th 1888

and clarify to be correct


J. H. Rinker

Sur. M. C.

U

Range 11 Town 2 Section 11

Stone 1870 N. 1870 S. 1870 E. 1870 W. 1870 N. 1870 S. 1870 E. 1870 W.



Witness to Survey

B. Sugar 100 1140 6. 352. 6.
" Sugar 100 1160 7. 204. 6.


Survey to establish a Sec corner in the North Line of Sec 11 T. 2 N. R. 11 W. Stone corners were established to the NW. of the S. corner of said Section by J. H. McComb's survey of 1839. Recorded in Vol. 1 Page 223 T. 2 N. R. 11 W.

Began at stone as above. Started at the NE. corner said Section. Thence ran West to a new stone at said Section. J. H. McComb's survey of 1839. Having at a previous survey. Set a stone at said Section corner. And my survey corroborating said stone as the 12 Sec corner on the North line of Sec 11 T. 2 N. R. 11 W. And made witnesses to said

J. H. McComb
J. H. McComb

April 22nd 1882 J. H. Rouben
Surf M. 3. 0.

Range 6 Row 5 Section 20




Witnesses to Corners.
 A. Stone set on top of
 an old stone 4 ft or more
 under the pole, from which
 a witness stone was found.
 S. 32 E. 30 links showing it
 to be the Q. post. set by
 Henry Fields in 1859. See
 page 65 this book. This
 stone is 15 ft. or 20 links
 west of the middle point
 of the south line of the
 section, where a stone
 was pointed by me at
 B. from which a stone
 was set N. 20 W. 21 ft.
 C. S. E. Corner of Sec. Stone
 Wit. Stone 33 ft. 10 ft. S. 30 E. 10 ft.
 D. Stone - ditto stone S. 30 E.
 20 ft.

Wit. to Corners.
 E. stone established on
 the line from its having
 been long recognized
 as a corner.
 F. Station corner, i.e. on
 near of the quarters,
 no stone set. Wit. a stone
 N. 60 E. 9 links
 G. a stone on the p. sec.
 line set by me from
 witnesses given in a
 deed to W. B. Melling
 from notes of Griffin G.
 Sur.
 H. Stone set by me in
 a former survey. The
 N. 1. Terry.

I certify the above to be a cor-
 rect plat from surveys made
 by me in Apr. 1883 and subse-
 quently for the purpose of estab-
 lishing the N. 5 1/2 Sec. line which
 is shown by the dotted red line
 and the stones at G. E. F. & G. H.
 which lies west of a straight line
 drawn from the middle point
 B. of the S. line of the sec. and
 the N. 1. Terry post. W. the following
 distances at H. 23 ch. at E. 100 ch. at
 F. 9 links at G. 9 links

J. O. Evans.
 Dep. C. S. Sur.
 Oct. 22 1883.

Range 6 Town 4 Section 7



A Original gr. Sec. Corner

B. { Red oak 6" S 87 1/2° W 14 L.

C. { Beech 11" N 85 1/2° E 26 L.

D. { Beech 8" S 79° W 10 L.

E. { " 19" S 4 1/2° W 26 L.

F. { Hickory 10" S 68° W 17 1/2 L.

G. { Beech 4" S 61° W 15 1/2 L.

H. { W. Oak 8" N 77° E 13 1/2 L.


Geo. Hanks
Surveyor

Hamilton Ken } Chairman
Enoch Pearson } Oct 7 1887

I certify the above to be a correct copy of
plat now in possession of Mr. Thomas Ken

H. C. Evans
Dept. Co. Sur. M. Co. A


Wch. 5. 1887.



I certify the above to be a correct plat
of part of Sec 7 - T4. R. 6. E. 211.
as surveyed by me Aug 28 & 29 and Mar 4 & 5 1884

A/C. Evans
Dep Co Sur, M. Co. Ohio


19". "Boulder" set from the witnesses in the survey by Nauds in 1807
20 A boulder stone. Set in a former survey
and one of original witnesses.



Survey and Subdivision of the
S.E. $\frac{1}{4}$ Sec 33 T 2 R 12 Thrs
Stakes were found at the
 $\frac{1}{4}$ Sec Corners. which were recognized
by the Land owners as being the
correct $\frac{1}{4}$ Sec Corners.
Stakes were planted
by me at the corners. which are dotted
§. Thus.

C. W. { J. S. Bloach. }
 { S. Weatherhead } Encl. I certify the above
 Plan correct as taken from
 Survey made by me
 J. H. Rowser Aug 29th 1884.
 Sur. Miami Co.

Range Town Section



A Orig 1/4 Sec. Corner
B { Rec'd Cal 1" S. 85 1/2° N. 141.
Beech 11" N 85 1/2° E 262.
C { Beech 8" N. 7° N. 102.
" 19 S. 2 1/2° N. 262.
HucKory 10" S. 83 1/2° N. 172.
D { Beech 4" S. 61° N. 152.
W. Cal 3 N. 7° E 132.

Hamilton Kerr. }
Enoch Pearson. } chairmen


(Signed) Jas. J. Harris.
S. J. Harris.
Oct. 7, 1837.

I certify the above to be a correct copy of a
plat now in possession of Furness Kerr, and is
here put on record for future reference
March 5, 1884.

W. C. Evans.
Dep. Sur. M. C. O.

Range 5 Town 7


Section 27



I certify the above to be a correct plat of the N.E. Qr. of Sec. 27, T.7, R.5. The object of the surveying being to fix the said Qr. and to divide it into two parts containing an equal number of acres, as shown above.

J.C. Lawrence, Chairman
 Lewis Whitmer, by consent
 W.H. Gattagore, marker
 J.W. Evans
 Dep. Co. Sur. M.C.O.

Range 6 Town 5 Section 33



Witnesses to Corners:
 1. An old corner stone set in former survey
 2. Tule set in the lake. Old corner probably covered up
 3. Greyhead Stone set for corner 37 1/2 ft. of 1/2 section.
 4. Quarried stone set on 1/2 section 21 ft. south of old corner line.
 5. Quarried stone set on 1/2 section.
 6. Quarried stone set.
 7. Quarried stone set.
 8. Quarried stone set.
 9. Old corner stone undisputed.
 10. Greyhead Stone set.
 11. Old Stone Recognized corner.
 12. Quarried Stone set 21 ft. south of sec.

I certify the above to be a correct plat of part of the S.W. 1/4 of Sec. 33, T. 5. N. 6. E. M. it being the land conveyed in deeds of Elias Marshall to Thos. Fairgair Feb. 9, 1821 (See Rec. Book 7 Page 214) and Fairgair Thomas to Thos. Fairgair July 10, 1821 (See B. P. 543) and Fairgair Thos. to Saml. Thomas, Feb. 27, 1824 (B. P. 929) and as afterwards owned and sub-divided by Thos. H. Pearson in deeds to Mary J. Pearson, et al. May 15, 1875 (See B. P. 358, 359 & 371) said subdivisions are more particularly described as shown on the above plat.


R. M. Gibson } Chairman
 W. Thomas } sworn
 A. Ganagan - marker

H. O. Evans

Dep. Co. Surveyor, M. Co. O.

March, 15, 1885.

Range 5. TOWNE 7. SECTION 14. E.M.



- Witnesses to Corners.
- Stone Center of Sec. 14 the -
- 5 24. 50 E 291
- 2. Stone
- 3. "
- 4. Stone Witness Oak tree 26'
- 5. N 88. 15' E 70 links
- 6. Stone
- 7. Stone
- 8. Stone

I certify the above to be a correct plat of part of S.W. Qr. of Sec 14 T. 7. R. 5. E. M. the object of the Survey being to establish the boundaries of a tract marked "A" containing 10 acres as shown above.


Henry Moyer } Chairman
Frank Varnoy } Sworn.

April 29 1885.

W. H. Fairbairn
D. C. Sw. M. S.

Range 10 Town

Section 3




Wit to Correct.


1. Note - Surveyed old Cor.
2. Post - agreed to by both
parties the my presence
as Coroner
8. 5/10/22 Set from deeds

I certify the above to be a correct plat
of part of Sec. 5, T. 1, R. 10, M. 10, the shaded
portion showing the lands described in the
deeds to Mr. Green. Surveyed by me, Dec. 22,
23 & 24 1885 at request of Mr. of Mr. Green's decd.

John Wiley }
Leorard H. Hara } ch.
E. F. Sayers } Coroner

H. O. Evans
Ch. Sur. M. Co. D.






I certify the above plat on pages 108 and 109 to be a correct plat of pts. of Sec. 31 and 32, T. 2 R. 10. M. R. 5, it being the land set of in a survey to, and conveyed in deed of M. A. and M. F. Dye to Maria J. D. Ramsey May 9, 1879, Recorded in Vol 62, P. 318 Records of Miami Co. O. The corner stone marked "a" & "b", marking the east line of said tract were set in the former survey, and recognised by me as the east line of sd. tract,

Surveyed by me Feb. 4th 12, 1886

E. Schaeffer } chainman
Jos. West } S. Horn


H. O. Evans,
Co. Sur. M. Co. O



I certify the above to be a correct plat of part of Sec.
18 T. 1. R. 11. M. R. 5. The width of the R.R. right of way
not being on record it is assumed to be 80 ft. in
this survey. Surveyed March 18, 1886.

H. O. Evans,
Co. Sur. M. Co. D.

Range 5 Town 7 Section 21.



Witnesses to corners

{ Wit stone N. 2° 12' W. 10 ft.
 " " S. 2° 12' E. 10 "


This stone was recognized because it has long been a corner to land and undisputed. It is in range with corners and but is 8 inches east of a line from

I certify the above to be a correct plat of part of Sec. 21-7-5. The survey was made by me April, 1886. The object of the survey was to establish the line to , it being the north line of the Sec. and from to , it being the line dividing the east and west half of the N.W. Qr. for the purpose of closing the road and giving line for parties to set their fences.

Sam'l Grove } chain carriers
 H. T. Long } sworn.

H. O. Evans,
 Co. Sur. M. Co. O.

Range 10 Town and Section 11.



Wit. to Corroers.

- 1st Balden S.E. cor. sec.
- 2nd quarry stone white oak 16 in
- 3rd quarry stone on corner of ditch
- 4th quarry stone at end of ditch
- 5th stake on the east-hand of the
- 6th stake on the west-hand of the
- 7th stake at hand of riprap
- 8th stake on the bank of river
- 9th stake on the bank of river
- 10th stake on the bank of river
- 11th quarry stone in center of road on a pine or etc

I Certify the above to be a correct plat of part of section Eleven, Town and Range ten N. R. 1. The survey was made by me April 30th 1886 same being the lands of Eli Smith.


Jacob. Crum, }
Eli. Smith, }
Deputy County Surveyor
M. Co. O.
Sworn.

770702000.
H. O. Evers.
May 13, 1886
Co. Surveyor M. Co. O.

Range Town

Section

115




116


Range

Town

Section



Range 5 Town 7 Section 24
S.E. Quarter



A to B. N. 23° 0' E. 56 links to point where new road center crosses line between Dills & Johnson.

B to C. N. 23° 0' E. 760 chs. to old

C to D. N. 20° 16' N. 8.77 " " " " "

D to E. S. 89° 15' N. 325 " " " " "

E to F. S. 2° 15' E. 1509 chs. to old center of new road, containing 3.96 acres

D to H. S. 85° 5' F. 579 chs. to north side of road for Dills & Johnson.

F to G. = H to I. = 38 links (width of Johnson road). Containing 7 rods, (38 links x 3.20 chs.) = $\frac{121}{100}$ acres.

G to J. I to C = 2.42 chs. - contents $\frac{77}{100}$ acres.

Contents of triangle JBC = 1.11 acres

A to X 1326 chs.


I certify the above to be a correct plat of a survey of land lying in S.E. quarter of S. 24, T. 7, R. 5, E., made by me July 22, 1886.

E. E. Henry Johnson, Surveyor
J. J. Dills

W. L. Wilgus.
Supt. in Survey

Range 5 Town 6 Section 18

N.E. Quarter
S. 88° E. 1/4 Sec. 18




I certify the above to be a correct plat of a survey of a part of the west half of the N.E. quarter of S. 18 T. 6 R. 5 E. made for Mrs. Michael Pearson, August 10 & 11, 1886.

Anson M. Tate } 1st day
John Thomas } (bearing)
Anson M. Tate } 2nd day
Michael Pearson }

H. N. Wilcox
Dep. Co. Surveyor.

Range 4 Town 7 Section 24



I certify the above to be a correct plat of a survey of the S. E. quarter of S. 24, T. 7, R. 4 C. made by me on the 4th & 5th of Nov., 1886.

G. Poling } Chairman.
S. Coate } sworn.

H. C. Moore, Dep. Co. Surveyor.

The line from A to B is in the center of a ditch.


Corner C. is witnessed as follows:

Beck 6' N. N. 42° W. 9 L.

" " S. 70° E. 11."

Range Town Section

121




Range


Town

Section

123



Range 10 Town 2 Section 32




With W. Carriers.

1. Stone - 5 corners of North orig. with trees standing.
2. Stone - With stone S. 2° 46' N. 22' E. Oak tree N. 19° W. 7' line it being one of the witnesses trees made by J. T. Tullis, Co. in 1827.
3. Stone - With stone N. 2° 46' N. 22' E. Oak tree N. 19° W. 7' line. This corner is set west of the corner of 2032 a distance of 2032 length of the half sec line is the distance from the plat of J. T. Tullis line is in Tullis' plat. The object being to re-establish the old corners.
4. A Jack or Black Oak tree, noticed on 4 sides, a corner tree - With a stone S. 87° E. 10 ft. & a stone N. 27° W. 10 ft.
5. Stone Set by Rougen, accepted as the corner.
6. Old corner stone.
7. Stone in E. of pit.
8. Stone.
9. Stone - old corner.
10. Stone.
11. Stone.

I certify the above to be a correct plat of part of Sec. 32, Town 2, R. 10, T. 2, S. 32, surveyed by me Nov. 29 & 30, 1886. The object of the above survey being to re-establish the east & west half sec. line and the line between C. H. LeFevre and C. R. C. Dye in accordance with the survey of J. T. Tullis in 1827 C. R. C. Dye and C. H. LeFevre were present both days, and Gerson Dye part of the first day. E. Schafer Dr. J. Ch. F. Rehment. } sworn

H. O. Evans. Co. Sur.

Range 4 Town 7 Section 34




with to surveyers.
and old corner stone
C. stone set by me.

I certify the above to be a correct plat of part
of sec. 34, T. 7. R. 4 E. M. surveyed by me Dec. 11. 1886
— Goodyear — }
— — — } by consent.

H. O. Evans. Co. Sec. M. Co.

Range 6 Town 5 Section 28 29

127




I certify the above to be a correct plat of part of Secs. 28 & 29 T. 5. R. 6. E. M. The tract "A" surveyed by me 1884, and the tract "B" surveyed Jan. 28, 1887. J. H. Stillwell & N. J. Peters were chained by consent in both cases.

H. O. Evans,
Co. Sur. M. Co. O.
Jan 22, 1887.

Range 11 / Town 15 / Section 15


124



I certify the above to be a correct plat of part of
 Sec. 15, T. 15 N., R. 11 E., S. 15 N. Surveyed by me Feb. 7
 1887. The object of the survey was to establish the
 lines of the lot of J. J. West as described in deed
 of J. J. C. Gebhart & J. J. West, Recorded in Vol. 60, page 233
 Rec. of Deeds M. Co. as shown on plat by lot marked 'A'.
 Also, to J. West to J. J. West Rec. in Vol. 49, p. 601 and
 shown by tract marked 'B'. Also, — Armstrong & West
 in Vol. 44, p. 413, shown by tract marked 'C'.
 Old corners were found at points marked 1, 3, 5, 6, 7, 8, 9, 10,
 which were verified by measurement, and from them
 the other corner stone were planted. at 2, 4, 7, 8.

Geo. Müller }
 Rockwell Bard, }
 H. O. Evans }
 Co. Sec. M. Co.

Range 6 Town 4 Section 33.



Description of Corners.

- 1 Square boulder
- 2 Quarried Stone
- 3 Square small top boulder
- 4 Quarry Stone
- 5 " "
- 6 " "
- 7 Boulder "
- 8 " "

Witness to corners.

6 { Burr Oak 5.30 W. 4 1/2 miles
 { Corner marked in 1850 & 17 1/2 ch. north.

I certify the above to be a correct plat of the N.W. 1/4 of Sec. 33
 Twp. 4. N. Range. 6. E. 33. Surveyed by me Feb 18, 25 & 28. 1887.
 The object of the survey being to establish the line between
 John Smith and Oliver Pearson as per agreement between
 said parties. See plat and report in case of Oliver
 Pearson vs. John Smith Mch. term 1887.


A. O. Edwards.

Augustus Weymire }
 Geo. H. Hook & }
 Harry Youngs. } Notary.

Co. Sec. 7th. Co. O.

132

Range 5 Town 7 Section 31




Witnesses to Corners

- 1 Quarried stone - with stone 2995.50 links.
- 2 Boulder stone
- 3 Quarried stone - with stone N. 89° E. 18 ft.
- 4 Boulder stone. Old corner
- 5 No stone was set here.
- 6 Boulder stone. old corner.
- 7 Quarried stone at foot of hill
- 8 Quarried stone
- 9 " "
- 10 " "
- 11 No stone set.
- 12 Boulder stone.
- 13 No stone.
- 14 Sycamore tree
- 15 Stone in edge of creek - with a
- 16 dark colored stone N. 21° 15' W
- 34 links


I certify the above to be a correct plat of the N.E. Q. of Sec. 31 Town 7 Ranges. Surveyed by me J. H. Evans

C. Sur. Miami Co. O.

Range 5 Town 7 Section 32



The above is a correct survey of pt. of NW 1/4 of Sec. 32. T. 7. R. 5. made by me Feb. 23, 23, 24, 1887
 A. D. Evans.
 Co. Sec. M. Co.



Carriers.

Stone - 8.44 post sec. 30

Stone


Stone, agreed on

Stone

The above stone were set by me Feb. 24 1887 for the purpose of marking the lines of the land abutting on said line. Carrier No. was agreed on by both land owners adjoining surveyed Feb. 22, 23 & 24 1887

H. O. Evans.
Co. Sur.

Range 4 - Town 7 Section 7



CORNERS.

- 1. Placed stone 110 lbs. east of the S.W. corner of section 36, T. 8, R. 4, E.
- 2. Placed stone 54 1/2 lbs. east of the S.W. corner of the S.E. 1/4 of sec. 36, T. 8, R. 4, E.
- 3. Placed stone (Walnut) in the S.E. 1/4 of sec. 36, T. 8, R. 4, E.
- 4. Placed stone.
- 5. Placed stone.
- 6. Placed stone.


I certify the above to be a correct plat of the North West 1/4 of sec. 1, Town 7, Range 4 E., as surveyed by me June 29th 1887. The object of the survey being to cut off 40 Acres from the south part of the above land.

John W. Dwyer Dep. Sur. for Sec. & Sworn.

L. G. Miles, } Chairman,
Chas. Applegate, } Sworn.

11, 1887
T. 8, R. 4, E.
S. 20 04' 6. O.

Range 4 TOW 7 Section 23.



1. Placed stone within stone 300' 6" on sec line 38 1/2 ch distant.
2. Found two stone 2 ft apart used the west one as it lined with the other stone on east side of section. Within 139' 6" 34 ft distant.
3. 445- Found stone 67.89, 10, 142 Placed stone.

The above is a correct record of a survey made by me Oct. 24, 25 & 26, 1887 for Christian Heister.

Frederic Heister chain. John W. Fowler Dep. Surveyor 23.7224.
Samuel Christian.

Approved: H. O. Evans Co. Secy.

140

Range 10 Town 2 Section 33 N.E. Q.


Line established by Gillis in 1808

201 Acres Ad. was run by A.R. Burkett

size of by
A.R. Burkett
for
the in stone
corner.

I certify the above to be correct
Surveyed Dec. 1, 1888
H. O. Evans. C. S.

Range 6 Town 5 Section 20



Witnesses to Corners

- 1 Quarry Stone
- 2 " "
- 3 Boulder " old corner
- 4 Quarry Stone in the ditch - ditto quarry
- 5 Stone 8 links east.
- 6 Stone in the pike
- 7 Planted from at a former survey
- 8 Quarry Stone in C. of Pike.


I certify the above to be a correct plat of part of N. 1) Qr. of Sec 20.

Town 5 Range 6. E. M. Survey made Mch. 13, 1888.


G. W. McFaray }
 Frank McDonald }
 H. O. Evans }
 Co. Sur. M. Co.

142

Range 6 Town 5 Section 19




I certify the above to be correct plot of
 the E. 1/2 of S. 1/2 of T. 5. R. 6. S. 19 of Sec.
 19. T. 5. R. 6. E. M.
 C. W. May }
 Frank W. Harold } ch H. O. Evans -
 Co. Survey M. Co.
 July 13. 1888.



Range 9 Town 21 Section 23


145



- Witnesses to Corners*
- 1 A Quarried Stone in place of old corner.
 - 2 " Boulder Stone.
 - 3 A Quarried Stone
 - 4 " " "
 - 5 " " "
 - 6 " " "
 - 7 " " "
 - 8 " " "
 - 9 Boulder Stone, an old corner.

I certify the above to be a correct plat of part of the S.E. Qr. of Sec. 23. T. 21 N. 2. R. 9 E. Survey made by me March 15. 1888.
 H. O. Evans.
 Co. Sur. M. Co. D.

Range 10 Town 2 Section 33



I certify the above to be a correct plat of the N.W. Qtr. of Sec. 33- T. 2. R. 10. M. R. S. Survey made by me. July 12, 1888. The object of the survey was to set off 80 acres to Mrs. R. Sheets.

Sam'l Hammett }
 Jno. V. Davis }
 H. O. Evans }
 C. Sen. M. Co.


Range 9 Town 2 Section 4



I certify the above to be a correct plat of the S.W. Qr. of Sec. 4, Twp. 2, R. 9. Surveyed by me April 17 1888. The object of the above survey was to divide the Qr. into two equal tracts; the S. W. Qr. of the Commissioners selected by I. N. Varner and Johnie Stockstill, heirs at law of Abraham Varner dec'd, to wit. John Brainerd and G. W. Brainerd, said to me, that they meant by the expression east & west half, to mean in equal tracts. There were present I. N. Varner and J. N. Stockstill.


G. W. Brainerd 3 ch.
Wm. Merrideth 3 ch.
H. O. Evans.
Ch. Secy. M. C.

Range Town Section



150

Range 4 Town 8 Section 13




At 1. 2. 3. 4. Placed stone.

I certify the above to be a correct plat of the portion
of the North West 20 of Sec 13, Surveyed by me
March 8 1888 John W. Bowler,
Dep. Sur. for above work.

Christian Klopfer } chain
Henry Klopfer } sworn


Range 10 Town 2 Section 21



I certify the above to be a correct survey of
part of Sec. 21, T. 2. N. 10. N. R. 5.


H. O. Evans.
Co. Sur. M. C. O.

Range 10 TOW 2 Section 15



I certify the above to be a correct survey
of pt. of Sec. 15, T. 2. N. 10. W. 10. R. 10. E.

H. O. Evans.
Co. Sur. M. Co.



A. Found large stone at S. E. corner in creek under bridge.

B. Found circle stone. Painted border within of 5 ft. diameter. 143 1/2 ft. 62 1/2 ft. 11 ft.

C. Found 2, corner stone large boulder in center of field.

D. Found boulder at section corner. W. corner of stone 143 1/2 ft. 3 ft. 52 1/2 ft.

At the 26 placed boulder corner the west line of a tract of land set off by Court and surveyed by James H. Blake Nov. 11, 1881.

F. (corner) (stone) 57 1/2 ft. 11 ft. 11 ft. (stone) (stone) 11 ft. 11 ft. 11 ft.

G. Placed boulder


H. Placed limestone.

I certify the above to be a correct plat of the South West 1/4 of section 13, Town 7, Range 4 E., as surveyed by me, Dec. 10/11, 1887.

John W. Fowler Dep. Surveyor.


John Wilfrits } chain,
John Hopping } sworn.

Range 5 Town 6 Section 15




Alt. 8 Wilson's White Throated
14 in. di. S. 14 3/4 E 10 lbs.

Approved.
H. O. EVANS
Co. Sur. MCo. D



100

Range 5 Town 7 Section 1



a Stone previously set by me.
 b Stone corner.
 c Stone corner.
 d Stone corner.
 e Stone corner.
 f Stone corner.

The object of the survey was to establish the north line of the south west 2d. of above section.
 I certify the above to be a correct plat as surveyed by me April 22^d 1889


Henry Meason, chairman.
 Gilbert Watters, sworn

John W. Dowler, Deputy Surveyor.

Approved H. O. Evans.
 Co. Sec. M. Co.

3 160


Range 5 Town 6 Section 11



This is the SE 1/4
of Sec. 11, T6, R5
A.S. 10/22/2015

I certify the above to be a correct plat of
the east half of Sec. 11, T. 6 - R. 5, as subdivided
by me June 19, 1880.

H.O. Evans.
Co. Sur. MCo



Witnesses to Corrigers.

" 05/0720 N. 79° 30' E. 59 1/2'.

" S. 41950 N. 23 1/2 W.

3" 5/16" 5.74" 50 W. 317.
Hackberry 14" 5.85" 30 E 552.


...

I certify the above to be a correct plat of pt. of
the east half of Sec. 26-T. 1 R. 12 Survey made
Oct. 29 & 30. 1889.

H.O. Evans.
Co. Secy - M.T. Co. (2).

C. Seco - JMT. Co. (2).


Range 5 Town 6 Section 33



Witnesses to Corners:
 1. Stone set on ~~an~~ old
 corner stone which had
 become covered by the
 grade of the road.
 2. Old corner stone un-
 derpainted.
 3. Quarried stone
 4. " "
 5. " " set on
 top of old stone buried
 under road grade

I certify the above to be a correct plat
 of part of the N. W. Qr. of Sec. 33, Town 6
 R. 5, E. N. 7, surveyed 24th Decr 6, 1889
 H. O. Evans
 Co. Surveyor M. Co.

Range 5 Town 8 Section 14



- a. found stone
- b. found stone
- c. found stone
- d. found stone

The object of the survey was to find the amount of land in the East Half of the North East 2^d of Sec. 14, Town 8, R. 56.


I certify the above to be a correct plat of the portion of Section 14, as surveyed by me. Nov. 23, 1889.

John M. Fowler Deputy Surveyor

Walker Davis } chain
Harley Mory } sum

Range 4 Town 9 Section 34

167



At a. b. c. d. e. & g. found stone.
At f. placed stone.

The object of the survey to find the south line of the North Half of the East Half of the South East 1/4 of Sec. 34, T. 9, R. 4, E.


I certify the above to be a correct plat of that portion of Section 34 as surveyed by me Nov. 26 1889
John W. Fowler Deputy Surveyor
Walter Thompson chain
Sherman Croft surveyor

I then went to the S.E. Corner of Section 20 and ran N. 86° 51' W. 40.34 ch. i.e. the distance given by Knoop for said line changed to the proportion of the new measure 7722 of the N. 85° 1/4 Sec. line. That is, 7969: 80.21 1/2 :: 40.08: 40.34. But this did not agree with the corner made by bringing the line from the N. 1/4 post. I then went to the South 97.700 of Sec. 19-2-9, and ran N. 2° 50' E. through the stone at the center of the section and at the north line of the sec. (19) carried 19.211 (12 in) east at the temporary corner first marked. I here fixed the corner as shown on the above plat, which is 7' 9" West of a stone said to have been set by A. J. Byrket Surveyor, and 24 links West of a stone set by J. A. Kerr Surveyor. This leaves the corner at "8" three inches West and the corner at "c" 2 ft. east of the last Sec. line located by me. Joseph Davis and Henry Heffner being present entered their oral protest against my establishing the corner & set by me as the South 97.700 post of Sec. 20-2-9 & 12.94 post of 19-2-9 - John Weaver being sworn says this he personally notified Joseph Davis and Ratt. Dinsmore that the Co. Surveyor would make the above survey on Friday Dec. 20. The weather is suitable and it is there on Sat. Dec. 21st. Martin L. Gartz, my own son, he personally notified Henry Heffner and John McConaughy as above. Persons present at the survey were John Weaver, Henry Heffner, Joseph Davis, Martin L. Gartz, Mr. Warner & others.

A. O. Evans

Co. Sur. M. L. C.

Range 9 TOWNSHIP 2 Section 19 N.E. Q.




Note - The above is a plat of the N.E. Q. of Sec. 19 - but by mistake was platting in wrong quarter - H. O. Evans.

- Witness to Corners.
- 1 A Quarried stone - With a stone set by Byrket is 7' 9" east.
 - 2 A gray head stone
 - 3 A stone - With a hickory N. 23° 40' E. 9 links.
 - 4 Stone - Old corner, Center of sec.
 - 5 Stone - Old corner
 - 6 Stone
 - 7 Stone - Old corner, N.E. Cor. of sec.
 - 8 Stone

I certify the above to be a correct plat of the N.E. Q. of Sec. 19. T. 2. R. 9 N.E. Q. Surveyed by me Dec. 27 1889. H. O. Evans. Jos. Morrison } ch. corners Harry Youngs } and flagman Chas. Bond } stone

172

Range 9 Town 2 Section 20




W. to Carriers.
"A" Quarried stone-wit.
a store 1-4" east.


I certify the above to be a correct plat of parts
of Sec. 20 T. 2. R. 9 N. R. 5. surveyed by me Decr 27,
1889. Jas. Morris. Harry Youngs and Chas.
Bond were chainmen and marker and were
present.

H. D. Evans.
Co. Sur. M. Co.

Range Town Section




Range 12 Town / Section 32



I certify the above to be a correct plat of part of
Trac Sec. 32. T. 1. R. 12. Surveyed by me Jan. 16. 90

H. O. Evans.
Dep. C. Sur.

Range 11. Town 2. Section 3.




1. Original stone
2. " "
3. Old stone
4. Stone with a stone in
5. Original stone in corner
6. Original stone in corner
7. Original stone in corner
8. " "
9. " "
10. " "
11. " "
12. " "
13. " "
14. " "
15. " "
16. " "
17. " "
18. " "
19. " "
20. " "
21. " "
22. " "
23. " "
24. " "
25. " "
26. " "
27. " "
28. " "
29. " "
30. " "
31. " "
32. " "
33. " "
34. " "
35. " "
36. " "
37. " "
38. " "
39. " "
40. " "
41. " "
42. " "
43. " "
44. " "
45. " "
46. " "
47. " "
48. " "
49. " "
50. " "
51. " "
52. " "
53. " "
54. " "
55. " "
56. " "
57. " "
58. " "
59. " "
60. " "
61. " "
62. " "
63. " "
64. " "
65. " "
66. " "
67. " "
68. " "
69. " "
70. " "
71. " "
72. " "
73. " "
74. " "
75. " "
76. " "
77. " "
78. " "
79. " "
80. " "
81. " "
82. " "
83. " "
84. " "
85. " "
86. " "
87. " "
88. " "
89. " "
90. " "
91. " "
92. " "
93. " "
94. " "
95. " "
96. " "
97. " "
98. " "
99. " "
100. " "

I certify the above to be a correct plat
of the rearrangement of part of the SW. Qr.
of Sec. 3, T. 2, R. 11, N. 11's as surveyed by
me March, 14, 1917. Parties present - were
J. M. Deaton, Geo. W. Deaton and others.

J. S. Moses } Chairman
J. S. Long } Survey

R. F. Walker
R. S. Sur, M. C. O.


Range 9 Town 2 Section 20



"a" Stone. wit. a stone 2 1/2' east and a stone 2 1/2' west.
 "b" old stone
 "c" original stone
 "d"
 "e"

Verify by a line to a corner stat. of a survey made by me Feb. 11th 1890.
 The object of the survey was to establish the point on south line of Sec 20. Town 2. Range 9. North.

Subdivision O.L. 7. Huntersville




The above O.L. 7. of Huntersville was subdivided
but I cannot find anything on record of it except
the deeds of the parties owning from which
I made the survey and established the corners.

Early in above survey to be correct.

R. F. Walker
M. Co. Sur.

And Wm. J. Channing
R. F. Walker
From

Range 10. Town 10. Section 10.



Fractional part of fractional Sec. 10, T. 10 N. R. 10 W.

Beginning on west bank of Creek on the North line of said Sec. 10, N. 89° 30' W. 35.15 chs from the N.E. Corner of said Section.


Thence N 89° 30' W 30.70 chs on said North line of Sec. 10, to what is now the East-bank of Bayou. Thence as shown on plat to place of beginning.

Surveyed March 20th 1872
J. N. Rousier

I certify the above to be a correct copy of a survey in the possession of J. N. West. R. F. Walker

Co. Sur. W. Co.
Oct 16, 1890.


Range 12 Town 1 Section 20.



- Stone
- 1. Corner Tree Original
- 2. Stone set by me
- 3. Stone set by me
- 4. " " " "
- 5. " " " "
- 6. " " " "
- 7. " Original corner Stone
- 8. Original " "
- 9. Original " "

I certify the above to be a correct survey and subdivision of the S.E. 1/4 of Sec 20, T. 12 N. R. 12 S. being the estate of J. Frost, according to the mutual consent of the heirs and stones at corners 2, 3, 4, 5 and 6 planted. present John and Mrs Frost.
 Harry Walker, Chairman
 R. F. Walker
 Sur W. Co. O.
 by consent

Range 5- Town 8 Section 4




At a. l.v.c. found old corner
 At d. found stone frozen out
 and read it.
 At e. found stone broken and
 set the new one in its place.
 New stone has a hole closed
 out new both ends.
 found remains of the stump
 of the original stake which
 bore and set a stone there
 with the letter S. 9. 7. 8. 5 on it
 from corner S. 47 1/2 9 lbs.
 At f. g. h. i. j. k. l. planted stone

I certify the above to be a correct plat of a
 survey made by me for the land owners of the north
 East 1/4 of section 4, T. 8, R. 5, E.

Surveyed Nov. 19, 1890
 J. W. Dowler
 Dep. Co. Sur.
 Harro Winick }
 William Carson }
 Champaign,
 Savoy.

Range 5 Town 6 Section 18



At a, b, c, d, e, f, planted stone.

The object of the survey was to locate 10A, in the North East corner of the Section and also the line d, f, and e.


I certify the above to be a correct plat of a survey made by me for the land owners of the tract shown above in North East Quarter Sec. 18, Town 6, R. 5E.

Surveyed April 9, 1891.

Jasper Pearson } chainmen
W. H. Carter } sworn

J. W. Dowler }
Dep. Sec. Surveyor.

Range 5 Town 7 Section 5



At 7 Found stone 40 ft west
of a stone on 30.33. 7.18.10.5.

At 2. A stone, one original within
Ranch 5.15.6. 3.5.11 ch.

At 3 Placed stone, within corner
5.50 W. 5.11 ch.

At 4 Found stone by 8 ft in
his survey of Aug 90, 1944

At 5 Placed stone on east bank
of River within white stone
3 ft diameter 33.34 W. 3.7.1 ch.
also Red Elm 11.2.1. N.E. 3.4.1 ch.

At 6, 7 & 8 Placed stone

At 9 Placed stone within S. 1/4 Sec. 11. 5.7 ch.

At 10, 11, 12, 13, 14 & 15 Placed stone.

At 16 Placed stone with 1/2 corner 11. 2.11 ch.


At 17 Placed stone 5.0 ch. west
of east section line.

I certify the above to be a correct plat of a survey
made April 14 and 15, 1891.

J. M. Dowler Dep. As. Surveyor.

Samuel Strong }
R. E. Deter }
By Assent } sworn.

Range 4 Town 4 Section 19



Stones of 12 x 3 were found being unimpaired
Stone of 4 is lost - damaged
Stones were set at corners
S. 6. 7. 8. 9. 10. 11. and 12


I certify the above to be a correct plat and survey of the subdivisions of the 1/4 Knip. Est. being the 1000 90 10 Dec 19 74 R. 6 E. M. according to books, and letters set as shown in Plat by consent of all interested parties, each being present.

R. L. Smith } Chairman
David Evans } Scribe

R. F. Walker
Maurice Edwards

Range 6 Town 4 Section 19 S.E. 1/4


191



Planted stones at 2000
 certify the above to be a correct
 plat of the Survey of the S.E. 1/4 of Sec 19
 T 4 R 6 E M. As surveyed by me May 1891.
 The object of the survey was to establish
 corners No. 2 and 3 of "Tract A"
 found by the deeds that the West line
 of "B" was 20.18 chs and that the West line
 of "A" was 20.00 chs, and the distance from
 "A" to "C" was only 20.04 making a lap at "C"
 of 14 chs. but by consent of Honeyman
 owner of "A" and of C. Pearson owner
 of "B" both being present the corner
 stone was placed at "C" in the center
 of the "lap". Those present and heads
 of the agreement were: Honeyman
 Olin, Pearson, Henry White, H.C. Brown
 David Evans.
 I and Erving Channing
 H.S. Brown J. Brown
 H.S. Smith
 E. J. Jackson
 Cordeur Mead

1192

Range 5- Town 8 Section 30 S.E. 2r.




At a. planted stone at
intersection.
At b-c. found stone.
At d-e planted stone.

Surveyed for Walker Estate Feb 24 & 25 1892
I certify the above to be a correct plat of a
survey made by me on above data.

J. W. Fowler Dep. Sec. Survey


James Hitchcock chairman
S. C. Gibson Sworn



At a, b, c & d found stone.
At e, f, g, placed stone.

Surveyed for Falkner Estate.
I certify the above to be a correct plat of
as survey made by me on Feb. 26 & 27 1892.
J. W. Fowler Dep. Co. Surveyor
James Fitchey chairman,
S. C. Lissner sworn.

Range 6 TOWNSHIP 5 Section 38




"For description see page 195"

Witnesses to Corners

- 1" Old corner stone set in corner survey
- 2" Old set in the Pk - Old corner probably covered up
- 3" Grey head stone set for corner 87.40 1/2 sec line
- 4" Quarried stone set 1/2 sec line 21.3. Old corner not on line
- 5" Quarried stone set on 1/2 sec line
- 6" Quarried stone set
- 7" Grey head stone set
- 8" Quarried stone set
- 9" " " " " " "
- 10" Old corner stone not disputed
- 11" Grey head stone set
- 12" Old stone recognized corner
- 13" Grey head stone set 28 links south of center of sec

Range 4 Town 10 Section 36



At 1 Placed stone
by remains of old mition.
At 2.3.4 Found stone
At 5.6.7.8 Placed stone.


The object of the survey was to divide the S.W. 20.
between G.D. Rhoads and L.D. Rhoads.
Surveyed May 27 & 28 1892

I certify the above plat to be a correct return
of the Survey

J.W. Dooler
Dip. Les. Surveyor
G.D. Rhoads }
L.D. Rhoads }
Sworn by consent.

Range 4 Town 9 Section 35-

197



At a, b, c & d found stone
At e & f planted stone
Half way between a & d planted
line stone.
Half way between b & c planted
line stone

The object of the survey was to subdivide the East half
of the Section East 20 of Sec 35.


I certify the above plat to be correct as surveyed
by me Sept 5-1892

J. W. Dowd, Dep. Sec. Surveyor

Barnhart Reichman } Chairman by consent
Jacob Reichman }
Henry Perryman }

198

Range 4 Town 9 Section 23



At 1, 2, 3 & 4 Placed Stone
At 5 & 6 found established
stone corners.

The object of the survey was to establish the
- Corners of the tract shown above as per deed.


I certify the above to be a correct return of a survey
made by me Sept. 12 1892

J. W. Dowles Depy C. Surveyor

Geo. H. Harkness }
Chas. Wambold } Chairman, Sworn

Range 5 Town 7 Section 12

S. 89° 20' W.




1 a. planted stone at intersection of half section lines
1 b. c. d planted stone.
1 is center of road as taken between fence without having abundance of wood

The object of the survey was to locate the East half of the North Western of section 12.
Found stones at the point marked on the plat as stone.

I certify the above to be a correct plat and return of a survey made by me June 19 1893
J. M. Myers

Lewis Westfall Chain Swoon

Range 5 Town 6 Section 23 26



Plat of
Samuel Curtis Estate
in Union Tp

Found original stones
at corners marked
"A" "B" "C" "D" "E" "F" "G" "H"
planted quarry stones
at all other corners.


The above plat shows the location
of corner stones set by me in Sec 23 26
T6 R5 By order of the Court.
Marion Co Commr Pleas Court Record No. 54.

H. J. Walker, Chairman
Geo. L. Lare, Surnorn

Robt Walker
Sur. M. Co. O.

Dec 29. 1891.

Range 5 Town 6 Section 26 and 26.



Quarried Stones set
at Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,
12, 13, and 14.

I certify the above survey and plat
and divisions to be correct.

Wm. R. Kinder
Geo. L. Kinder


R. D. Walker
Co. Sur.

This is to certify that I Wm. R. Kinder
a Civil Engineer, did on June 2nd, 1924, retrace
a portion of the above plat for the purpose of
replacing or checking a part of the points,
designated by letters, circumscribed by circles
which I have added to the above plat.
The following notations indicate the work done,
which I certify to be correct.
Replaced stone at A by measurements A-B
and A-E compared with C-D.
Checked stone at C by measurement C-D.
Set witness stones at E & F, 16 1/2 ft. south of
true points and 25 ft. 8 in. apart, by comparison of
lines and distances determined by A-B, C-D,
E-F, G-H and H-I.
Signed: Wm. R. Kinder C.E.

Approved- June 5, 1924
M. C. Garity
Co. Surveyor.

Survey plat No 54 Page 436 Lemmon Platte Co. Neb.

Range 11 Town 1 Section 24




Found corner stone at A and B

The above survey was made by me Nov. 15 - 1892. And I hereby certify that it is a correct plat and survey of said

Walker and Myall (Wagon)

R. P. Walker
C. Surveyor
Quincy Co.


Range 9 Town 2 Section 30 and 36



I certify the above plat to be correct as surveyed by me on the 23 day of February 1893. The object of the survey was to establish the exact number of acres.

R. G. Walker Co. Surveyor
R. G. Walker, Chairman
Geo. Lane, J. Moore

Range 6 Town 4 Section 33



Witness to corners

- 1 - Stone and original witness tree, sub. Red oak for Burr oak
- 2 - Quarried stone
- 3 - " square small top gray head
- 4 - quarried stone
- 5 - " "
- 6 - " " a Burr oak 30" 4 1/2 lbs. Stone corner marked 12 in. Fishes Sur. 1850 as 17 1/2 lbs. north
- 7 - Quarried stone Set in Fishes Sur. 1850 marked 12 on his plat of said sur.
- 8 - a boulder
- 9 - " "

I certify the above to be a correct plat of the N.W. 1/4 of Sec. 33 Town 4 Range 6 E.M. Surveyed by me Feb. 18, 25th 1888. The object of the survey was to ascertain the boundary line between Jno. Smith and Oliver Pearson as described by their respective deeds.


Augustus Weymire } ch.
Geo. W. Shook }
Harry Youngs } sworn

H. O. Evans
Co. Sur. M. Co. O.

Rec. by myself Apr. 4, 1893

R. F. Walker
Co. Sur. M. Co. O.


Range ⁵~~12~~ Town ⁷~~2~~ Section 5 and 6



I certify the above to be a correct plat of the
 N E 1/4 of Sec 6 & 8 part of the NW 1/4 of sec 5 Town 2
 Range 6. Surveyed by me on the 17 day
 of Oct 1893. The object of the
 survey was to ascertain the number of
 acres in each tract "A, B. & C"

R. J. Walker Co. Surveyor

Range 5 Town 6 Section 17




Found original stones at corner marked - 175
 Chert stones at all other except 175 which is marked by a stake
 Witness red oak 15 inches
 V.D.C

The object of the above survey was to lay off Tract marked "A" and "B" and I hereby certify the above plot to be correct as surveyed by me on the 10th day of November 1893

David Davis, by
 Wright Jordan, Attorney
 J. H. Walker, Deputy Co. Sec.

Range 12 Town 2 Section 20



Platted at 12:33 1/4


If the object of the above survey was to establish line H. B. and set off 20 acres on north side of the 80 acre piece; and I hereby certify the above plat to be correct as surveyed by me on the 23rd day of November 1893

C. J. Vance, Surveyor
Geo. Sawyer, Co. Surveyor

R. D. Walker
Co. Surveyor

203

Range 5 Town 7 Section 36 N.W. 9.




Found witness stump at 1-1-
and planted stone surrounded
with broken brick
Found stone at nr. 2-
Located 325 ft from survey
made by Glenader in 1860
and reestablished
planted stone at 5 using
proportion
planted stone No. 6

I certify the above to be a correct plot of the N.W.
1/4 of sec. 36 Town 7 Range 5. Surveyed by me
March 16 1898. The object of survey was
to establish the line "A.B." of "C.D."

R. F. Walker Co. Sur.
L. Murphy & Chummin
Myself

Clayton being present and consented to
correction

Range 6 Town 5 Section 30 S.W. 91.




Ground staked at 1, 2, 3
and 4
at stakes at 5 and 6, 4th
replaced by staves.

I certify the above to be a correct plot of
the S.W. 91. Town 5 range sec. 30, as surveyed
by me March 29 1893. A part of
survey was to lay off 20 acres in the S.W. 91
of said S.W. 91.

R. D. Walker, Secy.

Range 10 Town 1 Section 13 2 4




Planted Stone at - 1 -
according to needed plot.
Planted organic Stone
at - 4 -

Ground line above 1 to
2 to be 10 inches long
and planted in low dry
ground of pebbly surface
3 inches and for West,
4. Smith being present.

I certify the above to be a correct plot as surveyed by me April 14 1893.
The object of survey was to establish corner 1, 2, 3 & 4

H. J. Walker
H. G. Smith } Johnson
W. S. Walker } Court

Range 9 Town 2 Section 3




and stones 1, 2, 3 & 4
marked stones 5 & 6

it being the above lot a corner plot of
the NW 1/4, sec 3 town 2 range 9 as surveyed
by sep. 2 1893. The object of
survey was to lay off 40 acre tract.

R. D. Walker Co. Surveyor
Frederick J. Chamberlain
Chas. H. Gault

Range 9 Town 2 Section 16



Bound stone No 1

Stone No 2 pointed upper end
set by me by the front fence
and situated by the

Stone No 3 large upper end
set by me

Stone No 4 quarry stone
set by me.

I certify the above to be a correct plat as
surveyed by me Feb. 12 1894. The object
of survey was to lay off 80 acres in south
part of the south east quarter of section 16
Town 2 range 9

Geo. J. Cunningham, Chairman
John Snyder, Surveyor


Ed. Walker
Deputy Co. Sur.

Corner stone No 2 was set from the roots of an
old cottonwood tree and also by consent of property
owners, Lewis (Agnew) and John Snyder, Geo.
J. Cunningham and John Snyder being present.

Thomas Snyder testified to the standing
where roots were found, conforming with
description given by Walker.

Range 12 Town 2 Section 14

213




At 1.2.3 & 4 Found stone.
At 5 & 6 Placed stone.

The object of the survey was to cut off 60 Acres from the East side of the North West 2nd of Section 14, Town 2, R. 12, N. 12. I certify the above to be a correct plot as surveyed by me March 15, 1894

J. L. Berryhill } chain
Bruce Kiser } sworn.

J. W. Dowler }
Dep. Asst. Surveyor

Range 12 Town 14 Section 14




At a.b.c. sd found above
At 1.2.3.4.5.6 placed above

The above is a correct plat of the NW. angle 14
as surveyed by me Feb 5-56 1894

J.W. Fowler Dep. Co. Sur.

John Lyon chain by sworn
Wm Coffey agent




At 1.2.34 1/4 found stone.

At 5.67859 Planted stone

This above is a correct plat of the West $\frac{1}{2}$ of the
N. W. 2^d. of Sec. 15, T. 8, R. 4. as surveyed by me Sept 1. 1890
J. W. Fowler Dep. Sec. Surv.

S. B. Sisson }
John Hordeshill } chairman
sworn

Range 4 Town 8 Section 25




- At. 1. 2. 3. 4. found stone.
- At. 5 and 8 placed stone
- At. 6 Placed 4 inch tile for corner
- At. 7. An Ash tree 18 in diameter corner tree.

I certify the above to be a correct plat of the North West 25 of Sec. 25. Town 8. R. 4, as surveyed by me Oct. 9. 1894.

J. W. Dowler Dep. Co. Surveyor

Robert Coate } chainman by count
Benjamin C. Coate } affirmed
S. B. Lison




1. 2, 3 Found old corner
4. Old Mer Dittmer located old corner in file.
5. Found point by lining from station in Quarter 6's.
- * 6. Placed stone. Witness N. W. corner of House bears S 43° E. 85 1/2 l.
- 7 Placed stone at intersection from Quarter corner.
8. Found old corner
9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21
22. and 23. Placed stone.
20. Witness, Box Elder 20 in di,
S. 2 1/2° W. 23 ft.
19. Oak 40 in di N 34 1/2° E 158 ft -
(Stone N 55° W 40 ft.
8. Buckeye N side tree on sec. line
2 1/4 ft East of corner.

I certify the above to be a correct plat of the N.E. 2nd of Section
10, Town. 7 Range 4 as surveyed by me Sept 5. 6 & 7 1894
for the Laura Cemetery Association and others.
J. W. Dowler, Dep. Co. Surveyor

S. B. Sisson } chairmen
S. S. Smeary } sworn

Range 11 Town 2 Section 26 & 32




at 1, 2, 3, & 4 found stone
at 1. found the old half
section corner
at 5 & 6 placed stone.
at 7. Placed stone at intersec-
tion from the 4 quarter corner
stone all of which I found
in place.

The object of the survey was to establish the
line between Henry Knapp and Henry Frohler being
the line from 1. to 6. and from 6. to 5. on plat.
Henry Knapp and Henry Frohler assisted to place
corners and agreed to make this survey between them
final in my presents and that of the chain carriers
I certify the above plat to be correct as surveyed
by me June 18th 2^d 1894

J. W. Dowler Dep. Co. Surveyor

William S. Jones } chain carrier
Frank Mohr } constant sworn

Range 5 Twp 7 Section 9




1. Found Stone, and part of stump.
2. Found stone, and part of stump.
3. Found stone, within 2 ft. East of corner.
4. Found stone, within 2 ft. East of corner.
5. Found stone, within 2 ft. East of corner.
6. Found stone, within 2 ft. East of corner.
7. Found stone, within 2 ft. East of corner.
8. Found stone, within 2 ft. East of corner.
9. Found stone, within 2 ft. East of corner.
10. Found stone, within 2 ft. East of corner.
11. Found stone, within 2 ft. East of corner.
12. Found stone, within 2 ft. East of corner.
13. Found stone, within 2 ft. East of corner.

Identify the above plat to be correct as surveyed by me
Nov 27th 1894
J.W. Fowler, Dep. Co. Surveyor,
Miami Co.
Chas. Sisson, chg. in
Gen. Sotzing (carriage) sworn

222


Range 5 Town 7 Section 16



- At 1, 2, 3, 4, 5, 6, 7, 9, 8 Found stone
- At 1. Within stone N45°E. 30L.
- At 6. Hit Red oak stump 3 in. S82°E. 12L.
- At 7. Found old witness and aligned witness stone S84°E. 10ft.
- At 9. Found old stone down and reflected it witness stone N45°W. 45L.
- At 10, 11, 12, 13, 14, 15 Planted stone
- At 16. Planted stone witness stone N10°W. 10ft.
- At 17. Planted stone.

I certify the Above plat to be correct as
 Surveyed by me Dec. 3 1894
 J. W. Dowdle Dep. Asst. Surveyor
 Miami Co.

S. C. Sisson } chain
 Geo. Lotz } corner person



1.2.3.4.5. Found stone

-6.78.9 Placed stone

- 10 a first 2 ft north of shore
for sec 16.

F 11.12.13.14.15.16.17.18.19.20.

11.22.23.24 Placed stone

F25-826 Found stone.

I certify the above plat to be correct as surveyed by me on Dec. 4 1894


J. W. Fowler Dep. Sec. Surgeon
Miami, Fla.

Miami, Fla.

S. C. Lison (Chair) Sworn.
 Rev. Dotyng (Chair) Sworn.

D. V. Gussow / Chain / Swam.
 Lew. Lotzing / Chain / Swam.

Range 4 Town 9 Section 25-



1, 2, 3, 4 Found Stone
At 1. as above 2 1/2 ch north
At 3, 6, 7, 8, 9 Placed stone


I certify the above plat to be correct
as surveyed by me Dec. 21, 1894

J. W. Dyer

Deputy Co. Surveyor

L. B. Dyer, Chain carrier
Martin Brant, Affirmed

Range 5 Town 6 Section 2 S.E. 1/4




Bound stones at
12, 3rd 4
Bound stone no. 2
to be 2 1/4 links south
of half sec line

I certify the above to be a
correct plat as surveyed by me on Oct 3
1894; object of survey was to lay off
the 20 sec tract


J. J. Walker Supt. Co. Sec.

Tom Campbell } Chairman
Ed. Dumbra } By consent

6
 4
 15
 526




Range 5 Town 8 Section 12



At 1. 4. 5. found stone.
At 2. 3. 6. 7. 8. 9. Planted stone.

Survey of Marian Mc. Makin farm showing
Homestead and tract sold to George Brooks.
N¹/₂ Sec. 12 Town 8 Range 5;
I certify the above to be a correct plat of a survey
made by me March 22. 1895 for George Brooks.
J. W. Dowler Dep. Sec. Sur.
R. Miles } chain
E. D. Edwards } sworn

Range 5 Town 9 Section 32




At 1. 2. 3. 4 & 5 found stone.
At 6. 7. 8. 9. 10. 11 & 12 placed stone.

I certify the above to be a correct plat of a survey
made by me on May 21. 1895.

J. W. Fowler Dep. Co. Surveyor

J. W. Fowler } chain
J. C. Moley } by
J. C. Moley } amount } sworn

Range 5 - Town 6 Section 21




- At 1. Found stone 9 in. diam.
- At 2. Placed stone within line on line 58 ft North.
- At 3. 4. 5. 6. placed sand stone
- At 7. found stone
- At 8. found pipe
- At 9. found stone placed
- At 10. 13. found stone
- At 11. 12. 13. stone

Survey of out lots No 2. 3. 4. 5. & 6 in Benton's Addition
Milton The object of survey was to establish the
corners of said outlet
All the owners were notified and present.

I certify the above to be a correct plat of
survey of above out lots Made by me June 12, 1895
J. W. Fowler Depy Co. Surv No. 6.


George W. Hart } chain
Peter Johnson } cotestant } sworn

Range 10 TOWNE / Section 12



I certify the above to be a correct plot of a survey of parts of sections 12 & 13 T. 10 N. R. 10 W. M. 30. S. it being the land owned and now occupied by the heirs of Andrew Knopf, Miami Co. O. by consent. } Survey made Feb. 15 1878
Thomas Knopf }
Thomas Knopf }
Description of Dwelling
Job Knopf. It being parts of sections 12 & 13 T. 10 N. R. 10 W. M. 30. S. and bounded and described as follows: Beginning at a stone at S.E. corner of said sec. 12, thence with the south line of said sec. 12, thence N 72° 32' E 33.99 ch, thence S 82° 50' E 23.62 ch, thence S 2° 08' W 60.14 ch to place of beginning containing 125 Acres.
Elizabeth Saunders. It being part of sec. 12 T. 10 N. R. 10 W. M. 30. S. and bounded and described as follows: Beginning at a stone on north line of said sec. 12, 5 ch from N.E. corner, thence parallel with the east line S 82° 50' E 27.05 ch to a stone on the N.E. corner, thence parallel with the east line S 82° 50' E 27.05 ch to a stone on the east line of the lands of Elizabeth Saunders, thence with said east line N 72° 32' E 33.99 ch, thence S 82° 50' E 23.62 ch to a stone on the center of said sec. 12, thence with the center of said sec. 12, thence S 2° 08' W 60.14 ch to place of beginning containing 130 1/2 A. as described in a deed of John Clynne Esq. to Helen Knopf, and recorded in Book 50 Page 485 - Records M. 30. S.
Thomas Knopf. Being part of sec. 12 T. 10 N. R. 10 W. M. 30. S. bounded and described as follows: Beginning at a stone on north line of said sec. 12, 5 ch from N.E. corner, thence parallel with the east line S 82° 50' E 27.05 ch to a stone on the N.E. corner, thence parallel with the east line S 82° 50' E 27.05 ch to a stone on the east line of the lands of Elizabeth Saunders, thence with said east line N 72° 32' E 33.99 ch, thence S 82° 50' E 23.62 ch to a stone on the center of said sec. 12, thence with the center of said sec. 12, thence S 2° 08' W 60.14 ch to place of beginning containing 130 1/2 A. as described in a deed of John Clynne Esq. to Helen Knopf, and recorded in Book 50 Page 485 - Records M. 30. S.
The above is a true copy of a plat in possession of Thomas Saunders. Recorded by me Oct. 24. 1895 - J. W. Powell
J. W. Powell
M. 30. S.

Range 10 Town 1 Section 12



Stone center of section
Within stone 1/2 mi. 1/2
b.c. found stone
a. d. l. g. 44. Placed stone
l. a stone within 1/2 mi. 1/2
a stone in center of the
quarter sec line.


Survey was made to cut off 50.81 from Thomas
Knapp's land and to establish the center corner of Section
All interested parties were present or represented.

Verify the above plat to be a correct statement
of survey made by me March 25 and 26 1895 and
east line on 50.81 tract July 21 1896

Frank Huggard } chain
Alvin Wellbaum } sworn
S. B. Dismen } master
J. W. Dowler Depy C. Surveyor

Survey shown by red lines & figures made by T. C. Gushour, Oct. 1937
Object, Description, Martindale to Frank Winters.

Range 5 Town 8 Section 35



At 12.34 4 found stone,
" 5.64 7 placed stone.

The stone at No. 3 is at east
wall of culvert.


The 13A. here was surveyed according to a
plat recorded in Plat Book No. 1, Page 529 in
Records Office Miami Co. Ohio.

I certify the above plat to be correct as surveyed
by me Feb. 11 1896

H. S. McCracken chain
J. L. McCracken sworn

J. W. Fowler Dep. Co. Sur.

Range 4 Town 9 Section 34



a. found stumps of timber trees
 18 in. N 85 W 49 Ch.
 Hickory 12 in. East 41

b. found stumps of timber trees
 18 in. East 16.
 given by John Siffert in a
 survey of 1845.


I certify the above survey to be correct as made
 by me May 22nd and 24th 1880.

J. W. Doolen Deputy Sec. State.

Wm Thompson chain.
 Hoge Green sworn.

Range 4 Town 9 Section 34

243



Found stone at a. b. c. & d. e.

a. b. c. d. e. } Walnut 18 in 3 1/2 in 3 1/2 in 3 1/2 in 3 1/2 in

b. same stone as located by survey of 1870.


The object of the survey was to establish the line from a to b being the line between the North East and North West Sec. of Sec. 34. The survey was petitioned for by Mrs. Elizabeth Schut.

I certify the above to be a correct return of a survey to establish the line between the N.E. & N.W. quarters of Sec. 34 made by me April 9, 1896.

J. W. Dowler Dep. Co. Surveyor.

Jacob Gibbons } chain
Wm. H. Kingrey } by
coherent survey.

Range 5- Town 6 Section 32




At a, b, c, d, & found stone
At f, g, h, i, j, k, l, m, n,
o, p, q, r, s, t, and replanted
stone.

The object of the survey was to divide the North
half of the South East Quarter of the section. All interested
parties were notified and Jeremiah S. Hoke, John Estlin
and John E. Hershey agent for Minors Hershey, agreed in
presence of Chain Carrier and surveyor to divide the
North half of the quarter in proportion to the amounts
called for by their deeds, and authorized the surveyor
to so divide it. I certify the above to be a correct
plat and return of the survey made for the parties
named above as made by me on June 3rd 1896.

J. W. Fowler Depy. Co. Sur.
Warren Bohmer } chain.
West Kessler } affirmed.

Range 4 Town 8 Section 1




At a.b.c.d and e found stone
At f.g.h.i.j. planted stone
Note! - The stone at b.c.
& d were found by C.C.
Carpenter, Eng. for N.R.S.
Aged 129, in 1933, and fences
set back 20' each side of line.
(C.C.E. 1934)

The object of the survey was to establish the division
between the north and south halves of the north east
quarter of Sec. 1. All parties notified and the owners
all agreed to the survey and also to the parties acting
as chainmen. The above is a true plat
and return of a survey made by me June 5-1896.
J.W. Dowler Dep. C. Surv.

Jacor Spitzer chain sum
J.W. Dowler (Chain)

246

Range 5 Town 8 Section 11




At a, b. and c found stone
At d stake center section
At e, f and h. planted stone.
At g. an iron pipe driven
on north side of Beech tree.

The object of the survey to establish the lines
f.e. and g.h. all parties notified.
The above is a true plat of a survey
made June 16 1896 by me.
J.W. Dowles Dep. Co. Suro.

Clifford Upton } chain
Jacob Zimmerman } and
F.B. Rice } by
A.B. Rice } marks
J.F. Mitchell } sworn
by consent of all parties.

Range 6 Town 4 Section 34




Found stones at all corners
Witness to Stone No. 6 0.1 m
South, 3' in diameter, bears
Witness to Stone No. 8 oak
tree, 3' in diameter, bears
North 10° W. 17 ft.

The object of survey was to determine
the number of acres in tract
surveyed by me June 12, 1895-

B. F. Walker Co. Sur.

Warren Jolley } Chainman
Fred Borchert } by consent

Range 9 Town 2 Section 9 & 10




Object of survey was to lay off the different tracts of land

Surveyed by one Mch 27, 1895-

H. J. Walker Dep. Co. Sur.

Range 11, Town 1, Section 21, July 27




Found all stones that are marked
Measurements east of RR.
Taken from "Evans" survey
Recorded on page 15- Vol 3

Object of survey was to find number of
acres in whole tract, and lay off 80 acres
from south side

Surveyed by me July 11, 1896
H. H. H. H.

L. L. Dickey, chainman
Harry - sworn

Range 11 Town 2 Section 8



Found stone at corner
marked 4, 6, 7 & 9
Placed stone at all other
corners marked


Object of survey was to find exact
of acre in tract, & lay off 36 acres off
of the south end
Surveyed July 24, 1896

J. G. Walker Hys. Sur. Cassini Co.

Wm. Colverson } Chairman
John W. Weatherhead } Scribe

Range 11 Town 2 Section 30

251



At a. found stone
At b. planted stone
At c. planted 4 mile
At d. e. f. g. h. planted stone

The object of survey was to subdivide Outlot No. 23
Plotted and establish corners to subdivisions.


I certify the above to be a true plat of a survey
made by me Sept 9 1896

J. W. Dwyer Co. Surv. M.B.O.

Lewis Miller, chain.
R. H. Kemp, sworn.

Range 4 TOWNSHIP 10 SECTION 34

253



At 1, 2, 3, 4 found old corners

At 5: an old corner supposed to have been planted in 1857. Some time before stone at S.W. cor. of Q.

At 6: found stone land corner for S.W. cor.

At 7: Planted stone in line with 1, 6 & 5 and in center of South line of Q.

The stone at 1, 2, 6 & 5 line 4 ft north of the stone at 4.

At 8: Planted stone

The stone at 7 is 12 ft 4 in East of the stone at 6 and 11 inches short of a water oak 8 in diameter

There is a witness stone at Q. 500 ft south of corner.


The object of the survey was to determine the number of Acres in the East half of the North West 20.

Verify the above plat to be correct return of a survey made by me Oct. 13 1896.

J. W. Dwyer County Sur. M.C.C.

J. V. Furness } claim
Warren Hill } sworn

Range 5 Town 6 Section 22



At ast found stone

At c planted stone

with stone 20 in di N 74° W 1.72 ch.
Old School House S 23° E 2.04 ch.

At d found stone planted by Evans
in a survey in 1877 from within stone
with stone 58 1/2 in 15 ch.
Sugar 58 1/2 in 39 l. (3 ft di)

At e planted boulder 2 ft long
measured the hole East
and also North
with Black oak 44 in S 5 1/2° W 29 l.
Stone with Ridge around
N 30° E 56 1/2 ch.

At f found no corner lined up
and planted a large boulder
with Hackberry 32 in S 31° W 1.20 ch.
Boulder 3 ft di 36 1/2 ch.
Stone N 13° W 34 l.

At g Placed a boulder 18 in long
and 15 in di for corner
with White oak N 16° E 60 l.
marked boulder 34 1/2 ch.

At h planted lime stone
with Boulder N 55° W 20 l.
Boulder N 5 1/2° E 34 l.

At i a nail in foot of tree
with water ash 2 ft di 12 in
at f, h, m, n, o, p, q, r, s, t, u, v, w, x, y, z, planted stone

The survey of the entire section was petitioned for
by Wm. Fouts, Wm. Smith, Hattie Sovey, Ahajah Shearer,
Rachel Fouts. All land owners were notified.

I certify the above to be a correct plat of the survey
of Section 22 Town 6 Range 5 East establishing the section and
Quarter Section Corners, and also land corners from deeds,
as made by me on Dec. 1, 2, 3 and 4, 1896

J. W. Dowler County Surveyor Miami Co. D.

Clarke Coate

S. D. Elliott

Wirt Kessler

Harvey Arnold

Anson Vore

chain

men

Sworn


flagman

Note: 10/16/98

To clear up tax maps and
tax duplicate distances (f, p, t &
l, r, s) was measured and found
the line as occupied to be line
as shown above.
Calculated the four parcels on
distributed the occupied land
shown in pencil above.

Wm. R. Kinder
S. Co. Eng.

Range 9 Town 2 Section 14




At a, b, c & d, found stone.
 At e & f. Planted stone.
 At g. a stake.

The object of the survey was to cut off 32 1/2 A.
 from the East End of the South half of the South
 West 2r. of Sec. 14 Town 2 Range 9.
 All parties interested were present.

I certify the above to be a correct plat and report
 of a survey made by me Feb. 23 1897
 J. W. Bowler L.S. M. L.S. C.

Henry Halderman {chain}
 James Davis {men} sworn

Range 4 Town 7 Section 12



a. b. c. d. found stone
planted. the recognized corner.
e. f. g. planted stone for the
corner


The object of the survey was to determine the amount
of land in the S. Moten Estate.

Verify the above to be a correct plat of a survey
made by me March 12, 1897

J. W. Dowler Surveyor M. Co. Co.

Fletcher Burkett } chain
Joseph Moten } sworn


Range 11 Town 1 Section 21 N.E. qr.



Sanity the above to be a correct survey of
 A.E. 9th Dec 21 T. 1. R. 11. 9th S. 1st
 R. G. Walker
 Roby Co. Sur.
 March 18 1897
 Maui Co. O.

| | |
|------------|----------------------|
| Sec. No. 1 | Found Stone microp. |
| " 2 | " " " |
| " 3 | " " " |
| " 4 | Receded Stone corner |
| " 5 | " " " |
| " 6 | " " " |
| " 7 | " " " |
| " 8 | " " " |
| " 9 | " " " |

Range 5 Town 8 Section 8



At a.b.c.d.e.f.g.h. found
At f.g.h. planted above


I certify the above to be a correct plot of survey made
by me in N.E. 20 Dec 8 Town 8 R. 5 E.

J.W. Fowler Co. Surveyor M. Co.

April 3 1897

J.W. Fowler } chain } sworn
J.W. Fowler } men }

Range 4 Town 7 Section 36




At a.b.c. found stone
 At d. found stone, border under
 north wall of culvert.
 At e. f. g. h. i. j. k. l. m. n. o. p. q. r. s. t. u. v. w. x. y. z. aa. bb. cc. dd. ee. ff. gg. hh. ii. jj. kk. ll. mm. nn. oo. pp. qq. rr. ss. tt. uu. vv. ww. xx. yy. zz. aaa. bbb. ccc. ddd. eee. fff. ggg. hhh. iii. jjj. kkk. lll. mmm. nnn. ooo. ppp. qqq. rrr. sss. ttt. uuu. vvv. www. xxx. yyy. zzz. aaa. bbb. ccc. ddd. eee. fff. ggg. hhh. iii. jjj. kkk. lll. mmm. nnn. ooo. ppp. qqq. rrr. sss. ttt. uuu. vvv. www. xxx. yyy. zzz.

The object of the survey was to subdivide the west half
 of the South West 2d. Sec. 36 Town 7 Range 4
 for Henry Hoke.
 I certify the above to be a correct plat of the
 survey made by me April 6 1897
 J. W. Dowler Sec. Dow M.B.

John Hoke } chain
 Lewis Hoke } by eminent survey
 J. W. Thresham marker

Range 4 Town 8 Section 3

263



At a, b, c and d found stone
At e, stone
At f, g, h, i planted stone

The object of the survey was to locate the 1/2 quarter line f, d, and the tract f, g, h, i.


Verify the above to be a correct plat of a survey made by me April 10 1897

J. W. Fowler & Son, M. Co.

J. W. Freshour } chain
George Hart } sworn

264

Range 5 Town 6 Section 6




At a, b, c, d of found chain

At e, corner in branch
planted with type 2 line
5th N. 40° E. 30 chs.
S. 40° W. 30 chs.

At f, g, h, i, j, k, l, m, n, o
planted with 2 line.

I certify the above survey of part of Section 6
to be correct as made by me Apr. 12, 1897
J. W. Dowd Co. Sur. M. O.

J. W. Freshour } chain
Edgar Tournt } sworn



- a. found stone,
- b. found stone.
- c. found stone.
Witness along boundary
N. 55° W. 90 1/2 ch.
- d. in creek
Witness Stone on line 3 rods East-
" " " 3 " West
- e. planted stone
- f. found stone
- g. planted stone found
stumps to witness trees.
- h. planted stone
- i. g. k & l planted stone.


The object of the survey was to establish the
farm lines in the north East 21 of section.
All parties notified.

I certify the above plat to be a correct return
of a survey made by me May 4 1897
J. W. Cowley County Sur. M.C.

R. M. Rohrer } chain
Samuel Wahnhoof } men } sworn
J. W. Freshour } flag }

Range // Town / Section 14

265



The object of the survey was to establish the farm lines in the south East 1/4 of Section 14. All parties notified.


I certify the above plat to be a correct return of a survey made by me May 4 1897
J. W. Dyer, County Sur. N.C.

R. M. Rohrer } chain
Samuel Wainwright } men
J. W. Henshaw } flag

- a. found stone,
- b. found stone.
- c. found stone, further along boundary N. 55° W. - 90 1/2° E.
- d. in creek, within 300 ft. on line 300 ft. West
- e. planted stone
- f. found stone
- g. planted stone found stamps to witnesses.
- h. planted stone
- i. g. h. & l. planted stone.

Range 11 Town 2 Section 4

267



- At 1, 2, & 3. Round stones.
- At 4. Planted stone boulder with boulder the west large boulder. One on high point 85° E 2 1/2 ch.
- At 5. Planted stone
- At 6. Planted stone line stone with boulder N 87° 3/4 W 18 ch.
- 7 Planted stone
- 8 Planted stone with stone N 10° E 13 3/4 feet.
- 9 Planted large stone
- 10. Planted 2 1/4 inch pipe one on top of other and filled with stone.
- 11 & 12 Planted stone
- 13 Planted line stone with stone N 50° E 20 1/2 ch. S 50° W 20 1/2 ch.
- 14 Planted stone


Survey of Section 4 T 2 R 11 Partitioned for by A. J. Pellum et al. All parties Notified. The object of the survey was to establish corners for the entire section

I certify the above to be a correct plat of survey made by me May 14, 1897 J. W. Dowlen Cor. Surv.

William Williams chain E. S. Merritt same

126

George Town / Section 27




The object of the Survey was to set off 20 A. the donor estate.

I certify the above plat to be correct as surveyed by me Aug. 17 1897

1897
J. W. Fowler Sec. Surv. M.C.C.

Yeary } Chain
by
Yeary } Consent

Range 9 Town 2 Section 1




t a. found a large ancient pile of many rock buried below ground of pile, upland with grassy soil. The rock was in line with the ground at t. g. and t. h. (see sketch).
t. b. found stone, a boulder, also a stamp of antelope.
t. c. d. e. f. g. h. found stone.
t. h. i. j. k. planted stone.

The object of the survey was to divide the John Filburn farm into three tracts.
Certify the above plat to be correct as surveyed by me Aug 24 and 25-1897
J. W. Doudler Sec. Sum. Miami Co. O.
N. O. Johnson (claim) sworn
T. J. Forest (claim) sworn
H. W. Childs (claim) sworn

Range 5 Town 8 Section 14

973




- At a, b. & c found stone
- At d. planted line stone in middle of ditch.
- At e. planted stone at, stone 6 ft north
- At f. planted limestone in spike west stone south 16 ft.

The object of this survey was to cut off the 14 Acres described in deed from Elias Kuno and wife to Daniel Morrow dated Aug. 3-1897
I certify the above to be a correct plat of the survey made by me Sept 2, 1897
J. W. D. and Co. Surveyors M.C.O.

Fred. C. Rice } chain
Jackson Templeton } sworn

Page 4 TOWNSHIP 7 Section 14




- At a, b, c & d found stone
- At e. found stone lying out on ground, each with replaced by a large boulder
- At f. a large boulder in place with cross on top
- At g & h planted stone

The object of the survey was to cut off 25 acres from the south end of the east half of the North East Quarter of Sec. 14 Town 7 Range 4 East

I certify the above to be a correct plat of a survey made by me on Sept. 3 1897
J. W. Davies Surveyor M. C. O.

S. J. Palmer } chain
J. Johnston } Survey

Range 79 Town 2 Section 9



At a found stone
At b. found large boulder
with a cross mark
At c. found stone at li. Cr.
At d found stone at sec. Cr
At e. found stone
At f. planted stone at boulder
At g planted stone
At h found stone
At i. planted stone
At j found stone
At K planted tile
At l planted tile


The object of the Survey was to establish the corner for George & Bennett South and to determine the amount of land north of the Troy & Merbana Pike owned by Bennett South.

I certify the above to be a correct plat of a
survey made by me Oct. 18 1897
J. W. Fowler Sec. Surv. M.C.O.

J. F. Wilgus } chain
John E. Walker } sworn

Page 5-1076 Section 2

226



At. 1.2.3 fond store

At 4 planted stone 6-

crushed with remains
of Polar line tree, that
stood a short distance
north of corner and
by Alfred Pearson
the collector was misled
by Ray. Fresh all parties
agreeing that it was the
new polar line and also
of being a line and also
of being a line at 4 as
line but a stone at the
the tree was decayed
and this device that the
poor weak country would be
positive on paper line
which was fine.


The object of the survey was to establish the corner at 4 and to make permanent the recognized line between 8. Carter, and Alfred Pearson and B.F. Fritz.

I certify the above to be a correct plat of the location of the line from 3 to 4 as desired by the adjacent land owners. Oct. 26 1897

J. W. Bowler Es. Quir. M.C.C.

L. R. Kerns } Sworn by chain
W. D. Pearson } consent

Range 5 Town 8 Section 18



- At a, b, & c. found stone
 At d. planted stone at
 117 ch. north of the S. 1/2, on a
 Sec. 13 & 14 R. 4 being the top
 given in field notes
 At e. planted stone 133 ch
 north of section at
 Gr. corby sec 13 & 14 R. 4.
 At f. planted stone on line
 between a & b, at midpoint
 At g. planted stone on line
 bet. c & d at middle point
 At h. planted stone on line bet.
 f & g at middle point.
 At i. planted stone on line
 bet. f & g, as per agreement
 recorded with 2nd part of deed
 record 11/11/1897, and per survey
 of W. T. Griffin made on
 13th & 14th 23 & 24 ch
 surveyors record.
 At j. Stone in river located
 as given for lot
 within stone bet 3 & 4 ft.
 within stone at i.
 Taken 30th day 5 & 18 682.
 Born Oct 12 d. N 31 W 5 & 12

This survey was petitioned for by C. M. Himpoch
 D. R. S. Montague and Wm. Thelmer to establish
 certain lines and corners in Sec 18 T 8 R 5 - that
 have become lost and uncertain.


I certify that the above is a correct plat and
 notes of a survey made by me Nov. 8. 9. 10 1897

J. W. Dowler, Surveyor M. Co. D.

Wm. Brown } chain
 Wellington Manssery } affirmed

281


Range 11 TOWNSHIP 2 SECTION 36



At a s b found above
and planted other stone on top.
At c d s c planted stone
f. front on cutting track
within first marked corner
Springfield 1855. 1856. 1857.

The object of survey was to cut 120 A off East side 20.
I certify the above to be a correct plat of a survey
made by me Dec 10 & 16 1897
J. W. Dandley Surveyor

August Seevering chain
Edward Harvey } sworn




At a found above
 At a point in R.R. track
 within a post marked
 Borne & Spring creek 7th
 N 4 1/2 E 26 L.
 At c.d. e. f. g. & h. planted above

The object of survey to establish line between
 Laughman & Crim.

Verify the above plat to be correct as surveyed
 by me Dec. 17 1897 J. W. Dugan Sec. Sur. M.C.O.

August Survey Chain
 Edward Tooley / Surm


Range 5 Town 6 Section 17



I certify the above plat to be a correct return
of a survey made by me of the Allen Davis Farm
in Sec 17 of Town 6 Range 5 E. Survey completed
Jan. 6 1898
J. W. Dowler Sec. Surveyor.

John W. Dowler } Chain
Asa W. Truett }
Charles Rose }
West Kessler }

Page 9 TOWNSHIP 2 Section 1




- A. North West Corner of Section
- B. The Original Dr. Corner
- C. Corner shown at by Consent of E. Wyatt & S. Hain
- D. a stone set with a 14" iron pin 15" in diameter
- E. N.E. corner of Section
- F. a stone set at S.W. corner of N.E. 1/4
- G. stone set, with a 14" iron pin 15" in diameter
- H. stone set, with a 14" iron pin 15" in diameter
- I. stone set, with a 14" iron pin 15" in diameter
- J. stone set, with a 14" iron pin 15" in diameter
- K. stone set, with a 14" iron pin 15" in diameter
- L. stone set, with a 14" iron pin 15" in diameter
- M. stone set, with a 14" iron pin 15" in diameter
- N. stone set, with a 14" iron pin 15" in diameter
- O. stone set, with a 14" iron pin 15" in diameter
- P. stone set, with a 14" iron pin 15" in diameter
- Q. stone set, with a 14" iron pin 15" in diameter
- R. stone set, with a 14" iron pin 15" in diameter
- S. stone set, with a 14" iron pin 15" in diameter
- T. stone set, with a 14" iron pin 15" in diameter
- U. stone set, with a 14" iron pin 15" in diameter
- V. stone set, with a 14" iron pin 15" in diameter
- W. stone set, with a 14" iron pin 15" in diameter
- X. stone set, with a 14" iron pin 15" in diameter
- Y. stone set, with a 14" iron pin 15" in diameter
- Z. stone set, with a 14" iron pin 15" in diameter

Plat & Notes of the North half of Sec No 17.2 R 9 MB. as surveyed by an agreement for Edward Wyatt Jacob Hain & S. Hain. Surveyed Nov. 10 A.D. 1835. Jacob Knapp Deputy Surveyor Miami County

The above is a true copy of a plat of survey recorded in Deed Volume 14 Page 589. Miami Co Deed Records, The agreement is on page 508 Feb. 23 1848. J. W. Dowler Esq. Sur.

Range 5 Town 8 Section 32




The object of the survey was to establish the line and determine the amount of land owned by Josephus Thompson in the South West Quarter of 32, T. 8, R. 5.

I certify the above to be a correct plat and return of a survey made by me March 16 1898 J. W. Dwyer Cor. Surveyor N. Co. O.

Wm. Thompson } chain
John Nimick } sworn
by consent

- At a. found stone in corner
- At b. center of pike (intersection 30 ft East on road) see line
- At c. found stone in corner in center of Rail Road track within 10 ft East of 10 ft West
- At d. Point in Rail Road
- At e. Point in center of pike
- At f. Stone corner of Thompson's lot 30 ft West of center of pike
- At g. v. l. stone
- At i. stone corner of lot 30 ft West of center of pike

Range 6 Town 7 Section 24




- At a. b. & c. found stone.
- At d. found remains of fence
stump claimed to be of mine
corner tree
Placed stone with Oak stump
3 ft. N. of stone.
- At e. no stone, middle point
- At f. no stone, middle point
- At g. corner is located at stump
At d. corner is located at stump
At e. corner is located at stump
At f. corner is located at stump
At g. corner is located at stump
- At h. planted large boulder
at intersection of hay section
line.
- At i. & j. Planted stone.

The object of the survey was to establish
courses for the North-west 20. of Tree 247 & R. 15.

I certify the above plat to be a correct
return of a survey made by me, Mch. 25-1888
J. W. Dwyer, Esq. Sec. M. L. O.

Charles Schauer, chain
Pearl Westfall, scribe

Range 5- Town 7 Section 13




A. Locust stump 1 ft di
2nd corner
At b.c.s.d. found stone
At e.s.f. planted stone

I certify the above to be a correct plat
of a survey made by me March 26 1898
J. W. Dowler Sec. Ins. M. Sec. O.

Charles Schaner } char.
Pearl Westfall } sworn

1142

Range 12 Town 2 Section 7



- At 1 found stone
- At 2 found stone planted within on half section 20 ft north
- At 3 found stone with 13 in N 50 E 25 ft - 15 in S 50 W 25 ft
- At 4 found stone
- At 5 found stone
- At 6 found stone with 13 in N 50 E 14 ft
- At 7 Planted stone within stone north on half section 18 ft
- At 8 found stone planted within stone on half section north 30 ft

The object of the survey was to establish the center corner of the section at No. 7


I certify the above to be a correct plat of a survey made by me April 1920 1898

J. W. Gordon Surveyor M.C.O.

Edmer West } chain } sworn
 Geo. W. Suter } corner }

Range 5 Town 8 Section 27

293




At 1, 2, 3, 4, found stone.
 At 5, 6, 7, 8 planted stone.
 At 6, William stone south on line 14.60.
 At 8 west line 30 m. di. N 45 W 21.
 From 6 to 7 center of Co. Road.

The object of the survey was to establish the line between Holfinger & Friedman the line from 5 to 7.

I certify the above to be a correct plat of a survey made by me April 22 1898
 J. W. Dowler
 Co. Sur. M.C.O.

John Friedman } chain
 Samuel Holfinger } by
 } correct




- H.A. found stone given and above large stone as shown given in survey B1.P.218 and H.C. 1401.
- H.B. found stone placed in another stone on top of old stone.
- H.C. found in corner placed a stone on top of old stone.
- H.D. found stone.
- H.E. and f. planted stone.
- H.F. and H.G. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.H. and H.I. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.J. and H.K. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.L. and H.M. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.N. and H.O. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.P. and H.Q. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.R. and H.S. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.T. and H.U. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.V. and H.W. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.X. and H.Y. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"
- H.Z. and H.A. 15 in. N 84° 58' 23.8" and 22 in. S 72° 48' 48.2"

The object of the survey was to establish the lines and corners of the S.E. 1/4 of section 17.

I certify the above to be a correct plat of a survey made by me May 13 1898
J.W. Dobson
County Sur. M.B.O.

George Mumford & chain.
Rufus Byrle & survey.

Range 5 Town 6 Section 1



- a. Located corner and planted a 2 1/2 ft. long.
- b. Planted stone.
- c. Planted stone.
- d. Found stone.
- e. Found stone within 300 ft. N. 89° E. 31.
- f. Found stone within 200 ft. N. 89° E. 31.
- g. Found stone within 16 ft. N. 89° E. 31.
- h. Placed a piece of iron eight feet long for a corner.
- i. Planted a large boulder for a corner.
- j. Planted a stone at intersection of lines 31 and 32 within 2 ft. N. 89° E. 31.

The object of the survey was to locate the lines of the West half of the North East quarter of Section 1 Town 6 Range 5-E.


I certify the above to be a correct plat of a survey made by me May 18 and 20 1898

J. W. Fowler

County Surveyor M. B. C.

Rufus Burkhett (claim)
Fletcher Burkhett (sawyer)

Range 5 Town 7 Section 29 and 20



Round stones at
Nos 1, 2, 3, and 5

Planted stones
at Nos. 6 and 4

Object of survey was to ascertain
number of acres and divide equally
in two pieces.


I certify the above survey to be
correct as surveyed by me
June 29th 1898

H. J. Walker Dep. Co. Sur.

Ed Dickey } Chairman
Oliver Snyder } by consent

Approved
J. W. Dyer Sec. D. M. C. O.

Range 4 Town 9 Section 34




At a, b, c & d foundations
At e, f and g planted stone
At h an iron rod
At a, c, & d found stumps
of withers trees described
to deed to farm.

The object of the survey was to survey Homestead and
dower off from the Horner farm.

I certify the above survey to be correct
as made by me Dec. 24, 1898.
J. W. Dwyer L.S. M.S. O.

Plummer & Co.
J. O. Dwyer } chain
J. W. Dwyer } survey

Page 3 Town 8 Section 26



At 1, 2, 3, 4, 5 & 6 found stone.
 At 7 planted stone 17 1/2 links
 East of a stone in center
 of South line S. W. 24.
 At 8. Planted stone 6 links
 East of a stone in center
 of North line S. W. 24.
 At 9 & 10 Planted stone on
 north line of a 40 A. tract
 1, 3, 4 & 6 are Quarter Corners.

The line from 7 to 8 was an agreement line
 between the Gungloff heirs on the East and Hugh S.
 McCracken on the West. Both parties agreeing to quit claim
 to said line. 40 A was also surveyed out of the
 North East Corner of said South West Quarter Sec. 26


I certify the above to be a correct plat and
 return of a survey made by me Jan. 25-1899.

J. W. Dowler Esq. Surveyor
 M. C. O.

Hugh S. McCracken } chain by ancient
 Anthony Gungloff } saw
 J. D. Davis witness

Range 11 Town 2 Section 2

305



Found stores at 1, 3 1/2, 6
Planted " " 2, 4 1/2, 5

Object of survey was to lay off 60 acres from
the north side of above quarter


I certify the above to be correct as surveyed
by me Oct. 24th 1898

H. J. Walker Dep. Co. Sur.

John Hill }
Harry Hill }
Shamaine
Sworn

O. R. J. W. Darden
Dep. Co. Sur.

Range 6 Town 3 Section 8



Found stones at 1, 2, 4 and 3

Object of survey was to obtain a correct description

I certify the above to be correct as surveyed by me Jan 6th 1899.


H. J. Walker Sup. Co. Sur.

J. Walker } Chairman
Wm. Culfer } Scribe

S. H. J. W. D. Sur.
Ed. Sur.

Range 6 Town 5 Section 16 Frac.

307



bound stones at 1405 2
stone No 2 is on top
hydraulic bank

I certify the above survey to be correct
as surveyed by me Dec. 31, 1898


H. J. Walker Dep. Co. Sur.

James M. Kang }
Harry Havard } by consent and sworn

Approved J. W. [Signature]
Dep. Surveyor

206

Range 11 Town 2 Section 18



Found stones at 1, 3, 4, 5
Planted " " 2

Object of survey was to ascertain number of acres
I certify the above to be correct as surveyed by me Jan 24th. 1899

H. J. Walker Dep. Co. Sur.


Frank Breckenridge }
Joe White } Chairman
Savon

Approved J. W. Dorel
C. S. Dorel

[illegible]

Approved J. W. Doolin
 Sec. Surveyor

Page 5 Fowl 8 Section 1




At a. b. & c found stone
At d & e planted stone

17 2/3 A. tract surveyed for Marians M. Mahan
in south half of section 1 Town 8 N. 3. 5-

I certify the above plat to be correct
as measured by on Dec. 8 1893. as a deputy surveyor
of Miami Co. I now place it on record Feb 15-1894
J. M. Dowler Sur.

Range 5 Town 8 Section 12



At a sb found stone
 At c found stone in
 center of Pike
 At d above barrow
 with an cutting Pike
 At e found stone.


The object of the survey was to determine the
 amount of land in the James McMahon Estate
 in Section 12, Town 8 Range 5 E.

I certify the above plat to be a correct return
 of a survey made by me Feb 17, 1898

J. W. Dowler Sec. Sur.

J. H. Lawhead chain
 Henry Lawhead
 J. C. Davis

Range 5 Town 8 Section 1




At a-b-c+d found stone

The object of the survey was to determine the amount of land in the James M. McMahon Estate in the South West quarter of Sec 1 Town 8 Range 5-8


I certify the above plat to be a correct return of a survey made by me Feb 17 1899

J. W. Dowler Cor. Suror

J. H. Lawhead chain
Henry Lawhead Suror
J. O. Davis



Range 5 Town 7 Section 26



At a & b - found stone.
 At c - planted stone
 located at corner of Section 26 & 27
 Made in Mich. 1893 of
 Section 56 & 27 N 55° E
 At d - planted stone
 located at corner of Section 26 & 27
 Made in Mich. 1893 of
 Section 56 & 27 N 55° E
 At e & f - planted stone.
 At g - planted tree.

The object of the survey was to establish
 the last section & 27 Section corner by petition
 of Levi Switz et al. parties all notified.


Specify the above to be a correct return
 of a survey made by me April 4 1899
 J. H. P. Switz

Witness my hand & seal
 Ed. S. Switz

Notary Public

Range 5 Town 7 Section 25

317



- At a. b. c. d. e. f. found stone
- At g. planted stone wall
along lot w. f. in stages
and
- At h. located corner from
wall on survey of Feb 30 1895
and planted stone.
- At i. j. k. l. m. n. o. p. q. r. s. t. planted stone
- At u. found stone which
Wm. Wilson testified that
he assigned gifts to plant.


The object of the survey was to locate corners
petition of Levi Siegel et al

I certify the above return to be correct as
surveyed by me April 5 1899

J. W. Gowles Sec. Sur. M.C.O.

Fletcher Byrskett)
John Hargman)
F. Siegel)
et al)
claim men)
Sworn)

Range 5 Town 7 Section 24




At a locust stump corner
At A. C. & d found stone
At a f. g. in a big & the painted stone

The object of survey was to locate corners
petition of D. C. & W. at all

I certify the above to be a correct
return of a survey made by me Apr 14 1896
J. W. Fowler Esq. Surveyor.
M. C. O.

Fletcher Byrnes } chain
Robert Wilson } iron

Range 5 Town 6 Section 31




At a b c found stone
At d, planted stone
as corner of sections 29,
30, 31 & 32.
At e & f planted and stone

The object of the survey was to divide the
N.E. quarter of section 31 T. 6. R. 5 into two equal parts.
I certify the above survey to be correct
as made by me April 10 1899
J. W. Dyer Sec. Sur. M.C.O.

Oscar Randall } chain
Harry Dyer } sworn

320

Range 5 Town 6 Section 32




At a b c and found
gr. common
At d, e, f, g found blue
planted by James
H. Jones in 1846 and
planted by James H. Jones
At h i j have planted
blue.

The object of the survey was to locate corners
in the N.W. 1/4 of Sec 32, Town 6, Range 5-E.

I certify the above to be a correct return
of a survey made by me April 11 1899
J. W. Fowler Surveyor, M.E.S.

Oscar Randall, claim
Harry Jackson, surveyor

Range 5 Town 6 Section 30



At a b c d e found stone

At f stake on range line at center of line of sec.

At g. Planted stone 18 1/2 ft East of stony line from E to C d of pond stump of back but described as all as the witness corner and planted stone 26 7/8 ft W to line from stump.

At h. Planted stone in ditch at intersection of lines A. d and f. s.

At i. Stone 4 ft West of Walnut pt to N 1/4 W 14 1/2 ft.

At k. j. s he planted stone


The object of the survey was to establish corners and divide the S.E. 2d of Section.

I certify the above to be a correct return of a survey made by me April 12 1899 J. W. Bowler Esq. Sec. Sur. M.C.O.

Oscar Randall (chain)
Harry Johns (sawyer)

922

Range 12 Town 1 Section 9



Found stones at 1, 4, 8, 9
 at 1 found long stone lying on
 side beneath grade, replaced
 same by $\frac{1}{2}$ mile and 1 mile
 stones west.
 Planted stones at 2, 3, 5, 6
 and 10
 Located corner in center
 of sec. online between
 1 and 4 and equal distance


Object of survey was to locate lines
 from deeds,
 Surveyed by me Apr 20th 1899

H. J. Walker Dep. Clerk.
 Geo. Hill } Chairman
 Harvey Silbert } Sworn

Approved J. W. Dwyer
 Dep. Surveyor

Range 10 Town 2 Section 18

323




At a, b, c found stone
at L. C. corner
At d found stone and placed
it on the line
At e & f planted stone

The object of the survey was to place corner on
land of Adam Bright in N.W. 24 Sec 18 T2 R10.

The above is a correct plat of a survey made
by me on Oct. 5 - 1899 J. W. Dowler Sec. 24 W. 24 S. 10.

Frank Davis } chain survey
J. W. Dowler }

Range 4 Town 7 Section 13




a Sw. Corner
1/2 Sw. corner
At c.d. & planted stone

The object of the survey was to locate 5A farm
deed of Allen Patterson.
I certify the above plat to be correct as
surveyed by me June 29 1900
J.W. Dyer, Surver

Harvey Insley } chain
J.W. Dyer


226

Range 5 Town 8 Section 25 S.E. 1/4



Range 6. Town 6 Section 27 31

327




Found stones at corners
1, 2, 3, 4, 5, 6, 7 & 8
Planted stones at corners
9, 10, 11, 12, 13, 14, 15 & 16
Located the 9 by extending
line from mile and half
mile stones west and
south

Object of survey was to divide in three
Equal tracts
Surveyed by me Apr 6th & 17th 1899
H. Walker Dep. Co. Sur.
Dist. W. E. Knight }
Harry Morrow } by consent
Chambers

Approved J. W. Parker
J. W. Parker

328

Range 5 Town 7 Section 32



Found stones at 1894
 Chute .. 2,3 3/6

Surveyed June 10th 1899


H. J. Walker Supt. Co. Sur.

Al Ellerman } Chairman
 H. Cook } Supt.

Approved J. W. D. ^{Deputy}
 J. W. D. Surveyor

Range 10 Town 1 Section Sec. 9

329



Surveyed June 27th & 28th 1899

H. J. Walker Dep. Co. Sur.


Harvey Cozley }
Paul Eddy }
Chamman
sworn

Found stones at all
corner & line & stone

Approved J. W. D. *[Signature]*
Co. Surveyor

Range 5 Town 6 Section 13

331




Found stones at 1, 2
7, 8, 9
Planted stones at 5, 6
7, 8, 9 & 10

Surveyed Aug. 21st 1899
Object of survey was to lay off the
different tracts of land according to
deeds

H J Walker Supt Co Sur.
M W Kessler } Chairman
S C Kessler } by consent

Approved J. W. Dyer
Supt. Sur.

Range 11 Town 2 Section 31



Found staves at 1, 2, 3 & 4
Planted .. at 5 & 6


Surveyed Nov. 14th 1899
H. J. Walker Dep. Co. Sur.

Frank Foster } Chairman
G. W. Licklider } sworn

Approved J. W. Dyer
Dep. Sur.

Range 11 Town 2 Section 29

333




Ground stones at 1, 2, 3, 4, 5, 6
 Planted stones at 7, 8, 9, 10 and 11
 Object of survey was to divide land into tracts A & B
 H. J. Walker Dep. Co. Sur
 Dec. 12th 1899

Harry Bradley } by
 F. D. Hathaway } Chasmon
 Approved J. W. Parker
 Ed. J. W. Parker

138

Range 6 Town 6 Section 31



Round stones at
1, 2 and 4
Planted stones at
6 and 7

Object of survey was to lay off 50 acres

Dec. 14th 1899


N. J. Walker Dep Co. Sur.

A. L. Luckholder } Chairman
Newton Carroll } sworn

Approved J. W. Dinkler
Dep. Co. Sur.

Range 11 Town 2 Section 24

335




Bound stones at
1, 2, & 3
Planted stones at
4 & 5

Object of survey was to lay off 54 acres
from south end of east half of above gr.

H. J. Walker dep. Co. Sur.
Jan. 4th 1900

S. B. Mathews } sworn
self

Approved J. W. Dwyer
Dep. Sur.




At a.b.c.d.e.f.g.h.i.j.k.l.m.n.o.p.q.r.s.t.u.v.w.x.y.z.
Planted now at g.h.i.j.

The object of the survey was to establish the line between Lucella Frank & Lolark Adams both parties agreeing that the line was to be just 40 A.
And also to determine the amount of A. remaining for Lolark Adams in the North West and South West 20. of said sec.
and obtain a description of the same.

I certify the above survey to be correct
as measured by me Feb 23 1900


J. W. Dwyer Sec. Sur. M.C.D.
G. E. Shilling } chain
W. G. Towne } sworn

Range 11 Town 2 Section 26



At a.b.c.d.e found stone
At f. planted stone N.W. corner
of Fred's land.
At g. planted stone S.W. corner
of cemetery lot

Range 5 Town 6 Section 20



Stones found at 0.3, 4.5, 11.2, 13.1, 23, 27, 32, 38, 43, 46, 47, 48, 49, 50, 51, 52, 53

Stones planted at 1.2, 6, 7, 8, 9, 10, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 28, 29, 30, 31, 33, 34, 35, 36, 37, 39, 40, 41, 42, 43, 44, 53


The object of this survey was to establish corners throughout entire section under petition to County Surveyor by land owners

I certify the above to be correct return and plat of a survey made by me June 18 to 26 inclusive 1900

Frank Davis } Chairmen
Clark Coates } Sworn

J. W. Dowlen Esq. Sur. M.C.D.
assisted by Harry Woodley Deputy.

Range 10 Town 2 Section 24



Found Stones at a, b, e, g.
g witness as stone North 10 ft.
Planted stones at c, d, f, h.


The object of this survey was to cut off 25 Acres from East part of
S.E. 1/4 of Section 24 and E. part of S.E. 1/4 of N.E. 1/4 of Section 24
and establish corners for same.

I certify the above to be a correct return & plat of a survey
made by me July 10, 1900

J. W. Dowler
Harvey H. Cosley
Chairmen

J. W. Dowler

Range 12 Town 2 Section 27



Found stones at a, b, e, g, h.
Placed stones at c and


The object of this survey was to cut off 18 acres from south part of land of Benjamin Hoblit

I certify the above to be a correct return and plat of a survey made by me July 23, 1900

Harvey H. Corbin
Franz Davis } Chairmen
Otto Cutler } sworn

Approved July 25 - 1900
J. W. Dowler Sec. Sum.

Range 10 Town 2 Section 5



Found Stones at a, b, c, d

Planted Stones at e, f

Stones at a and c 1 1/4 feet below gravel grade.


The object of this survey was to establish the division line ef between Bradley & Lamme.

I certify the above to be a correct return and plat of a survey made by me Aug. 9, 1900

Frank Davis } Chainmen
James Leapeley } Sworn

Army H. Hasky }
Ref. Col. M. C.

Approved Nov. 10, 1900
C. W. Dowdler Esq.



Round stones a & d
Wanted stones a & b

The object of this survey was to establish stones
a & b.


I certify the above to be a correct return and
plat of a survey made by me Aug. 16, 1900

Harvey H. Cosley
J. Folchhammer
Dep. Co. 1 Mo.

Approved Nov. 10, 1900
J. W. Dwyer, Sur. Gen.

344

Range 10 Town 2 Section 4



At a & b found stone.
At c, d, e & f planted stone

A. a boulder N.E. corner of
South East 1/4.
from A to C 9 ft.
f. center of Road

The object of the survey was to locate 2 A.
of land west of center of Road & South of half sec line

I certify the above plat and return to be
Correct as Surveyed by me Nov. 9. 1901
J. W. Dwyer Co. Surv.

W. M. Hartley } chain
Geo. T. Hartley } Survey


2 east hand -
52 west $\frac{1}{2}$

ॐ नमो भगवते वासुदेवाय

12

THE
 A. A.
 J. J.

9



At a found stone which the land owner recognizes as the corner found on the stone. 25 lbs. must be left within one. Both stones are shown on a plat on record page 107 Vol. 1. County Surveyors record.

Ben Shaffer of Bellevue here present and agreed on the east corner of the fire corner of this land, having been so recognized for years.

At. b. Found above. Carter Corner
of section.
At. c. Found above. 12.90 ch. west-
of D. B. cor. of Gr. on Nec line

At d.e. & f. planted stone


The object of the survey was to divide the Sullivan farm and determine the amt of land in the South part of the same

I certify the above to be a correct return of a survey made by me Nov. 20 & 21 1900

J. W. Dowdles Esq. Durw. M.C. 0

Frank Davis flagman }
 Elide Emrich }
 Geo. D. Henealy }
 Thomas Sullivan }

Range 5 Town 8 Section 9



At. A. Congruent Stone
 " B. C. + D. Stone implies
 " E + F. Planted Stone

The object of the survey was to set off 63 Acres off of the East side of the H. E. Quarter of the Section


I certify the above plat and return to be correct as surveyed by me April 21, 1900.

H. E. Mullock
 Dep. Co. Surveyor

Jno. Carson. } Chairman
 John Carson. } Present

Approved Dec 1, 1900
 J. W. Dwyer Co. Surveyor

Range 5 Town 8 Section 11.



- At. A+B Stone
- " C Iron Pipe
- " D+F planted Stone
- " E Iron Pipe


The object of the Survey was to set out the 4 acres conveyed by A. H. Rice to Mary E. Paxton Aug 16. 1884 and marked in the above plat "Robt. Allen"

I certify the above plat and return to be correct as surveyed by me Nov. 23. 1900.
H. E. Whitlock
Dep. Co. Surveyor

Jacob Heitzman } Chairman
John Maxton } Secy.

Approved Dec. 1. 1900
J. W. Dowler Sec. Surv.

Page 5 Town 7 Section 26




At "A" found a tile
At "B", "C" and "D" found stone.
At "E", "F", "G", "H" and "I"
planted stone.

The object of the survey was to find the
lines H. & E. and G. & F.
The land owners of the N.E. 1/4 agreeing to divide
the surplus land of 1/2 in according to the proportional
lengths of their lands on the lines AB and CD.

I hereby certify the above to be a correct plat
and notes of a survey made by me Dec. 19, 1900.

W.C. Ellerman } chain.
J.W. Lowry }
W.H. Perry } marker.
J.W. Dowler }
Les. Surveyor

Range 6 Town 4 Section 10



Stone at @

$\left\{ \begin{array}{l} ab=76' \quad bc=4\frac{1}{2}' \quad cd=312' \\ de=120' \quad ea=155' \quad eb=181' \end{array} \right\}$ Michael Gray
 $\left\{ \begin{array}{l} fj=319' \quad ji=53' \quad jk=500.7' \\ kl=500.7' \quad id=195' \end{array} \right\}$ John M. Herr
 $\left\{ \begin{array}{l} gl=278' \quad ln=136.3' \quad pn=90.7' \\ pr=795' \quad rt=709' \quad tu=697' \end{array} \right\}$ Emma Chaffee
 $\left\{ \begin{array}{l} vq=53' \\ wx=332' \quad vw=53' \end{array} \right\}$ N. Tobey
 $\left\{ \begin{array}{l} xz=1408' \quad ea'=439' \quad ab'=418' \\ zb'=425' \quad tv=44\frac{1}{2}' \quad wt=436\frac{1}{2}' \end{array} \right\}$ Henry Drill


The object of these surveys was to cut off a right of way of 33 feet more or less for the Dayton & Troy Electric Ry Co

Certify the above to be a correct plat of
 a survey made by Me Dec. 1920
 J. W. Dugan, law firm.

Harry Conley } claim
 Frank Davis } same

Range 5 Town 8 Section 17

351



Found stone at D, E, F
G, H, and I
Planted stone at
A, B, and C.

The object of the survey was to divide the lands owned by Silas Perry into two tracts; the one north of the road - the other tract south of the road. Also to find the number of acres in each tract.

I certify the above to be a correct plat of the survey made by me on Jan. 3 and 4, 1901.

W. H. Perry, Deputy Co. Surveyor.


Frank Davis } Chain Jan 3. Line H-K - K-G - G-F - F-E - E-C - C-L
Charles Alexander }

F. L. Mc Maken } Chain Jan 4. Lines K-A - A-B - B-C - B-G
Charles Alexander }

F. L. Mc Maken - Marker Jan 3. Wilson Perry Marker Jan 4

Approved Jan 5 1901
J. W. Douglas, Deputy Co. Surveyor

Range 12 Town 2 Section 3



At 1, 2, 3, 4, 5, 6 & 7 found 862
A & 9 10 & 11 Planted alone

The object of the survey was to divide the
Mary Hiser estate into the tracts as decided by
various parties by her.


I certify the above to be a correct plat and
return of a survey as made by me Feb 14 & 15 1901

J. W. Dowler,
C. F. Hunsawer } sworn
J. Davis } by

J. W. Dowler,
C. F. Hunsawer } sworn
J. Davis } by

4 DOWN SECTION 27

10
15
20



At 12.3.48 found snow
 16.7.8.9.10.11.12.13.14.15.16.17
 Planted snow

! Found boulder 15 in N.W.
of tree corner that was
attributed to have been rent.

F 13 found no error but
placed line store by
interesting £ + \$, lived
all adjacent land owners
being present

St. 6. found since mentioned
in above

The object of the survey was to establish Comiso as per petition to C. Surveys by land owners.


I certify the above to be a correct return as surveyed
by me Feb 26 & 27 1901
J. W. P.

F. W. Fowler

Ex. Dur M.C.O.

Mark
 Hildebrand } chain } affirmed
 Jones
 Frank Davis } flag }

Range 4 Town 8 Section 26




At 1, 2, 3, 4, 5, 6, 7 & 8 found stone
 At 9, 10, 11, 12, 13, 14, 15 -
 16, 17, 18, 19, 20, 21, 22, 23
 24 & 26 planted stone
 At 24 Beech stump
 2 ft diameter corner
 1 ft east of center.

The object of the survey was to establish lost corners
 as per petition signed by a majority of land owners.

I certify the above plat to be correct as surveyed
 by me March 7 and 8 1901
 J.W. Dowler Sec. Surv.
 Mo. C. O.

John Wintrow } sworn chain
 G.E. Hinison } by current
 Frank Davis } Marker

Range 5 ^{1/2} N. T. 10 W. Section 8




at 1, 2, 3 found stone
at 4 Planted stone
5, 6, 7, 8 stone
8. Buckeye tree coming in.
9. Corner at 9 is 5.63 ch.
South of stone at (3)

The object of the survey was to divide up the Ehler Estate
and obtain correct descriptions by order of Common Pleas
Court through Sheriff.
I certify the above to be a correct plat
of a survey made by me. Mch 4.5-6 1901
J. W. Dugan Esq. Duw. Miami S.O.

Frank Davis } chain
Frank Cofford } sworn
Bert Ellerman }
Vern Maxwell }

Range 9 Town 2 Section 3



At a. b. c. d. found stone
At e. f. planted stone


The object of the survey was to divide the 40A tract shown into the smaller tract.

I certify the above to be a correct return of a survey made by me Mch. 11 1901.

J. W. Dowler
lev. Surv. M. C. O.

Frank Davis
J. W. Dowler Chainman

Range 9 Town 2 Section 9



At a-b. c & d found stone
N 1/2 & f. planted stone

The object of the survey was to divide the 42A tract
into two tracts shown above.


I certify the above plat to be a correct return
of a survey made by me March 11, 1901

J. W. Doyle Co. Surveyor

M. L. Ohio.

Frank Doyle (Surveyor)
J. W. Doyle (Cham.)

Range 5 - Town 7 - Section 35




At 1.2.3.4.5.6.7.8.9 found stone.
At 10.11.12.13.14.15.16 17.18.19 20 21 22 23 24 25.26.27 planted stone.

The object of the survey was to establish the land corners, a petition signed by a majority was filed and all parties notified

I certify the above to be a correct plat of a survey made by me. Mch 12. 13 15 - 1901
J. W. Dwyer
C. L. M. M. C. O.

Frank Davis chain
W. B. Edleman by
J. E. Sawery cement
John Hale s
Alvin Kerns sworn
Peter Gray

Range " Town 2 Section 6



At 1, 2, 3 found stone

At 4 & 5 planted stone

At 5 stone is 12 ft N
of center of R. R. track
6 is center of section

The object of survey was to establish the line
from 4 to 5

I certify the above to be a correct
plat & return of a survey made by me
May 13 1901

J. W. Dowler les. sur.

Frank Davis (chain sur.)
J. W. Dowler

Range 6 Town 4 Section 22



Found stones at 1, 2, 3, 4, 5, 6, 7, 8, 9


Object of survey was to divide tract according to will
 Surveyed Oct. 6th 1899
 H.J. Walker Dep. Co. Sur.

Albert Raehling } chainmen sworn
 O.P. Myers }
 Loren Byrket } Rodmen sworn
 Vint McKnight }

Approved J.W. Dwyer
 Notary

Range 12 Town 2 Section 32

365




Found stone at a, b, c, d.
Planted stone at g, h, i.

The object of survey was to cut 30 Acres as shown on plat.

I certify the above to be a correct report and plat of a survey made by me April 30, 1901, J. W. Dwyer lessee

Frank Davis
P. Wilson


Range 5 Town 6 Section 31



Survey plat above to be a correct plat and
return of a survey made by me May 27, 1901
J. W. Dowen Surveyor.

Frank Davis } Chain
J. W. Dowen } man

Range 11 Town 2 Section 1



Found Stones at A, B, C,
D & F
Planted Stones at G, H & E


Object of survey was to establish
line G-H
Surveyed Sep. 4th 1901
H. J. Walker Supt. Co. Sur.

Sam Thackeray Chairman
Wm Wilson sworn

Approved J. W. Dwyer
Supt. Sur.

Range 5 Town 8 Section 21

371



Found stones at A.B.C.D
Planted stones at
E.F.G.H.

The object of the survey was to sub-divide
the west half of the N.W. 1/4 Section 21 98 T. 8 N.


Surveyed March 25, 1901

W. H. Perry
Deputy Co. Surveyor

F. L. McManis
M. Jones
Chain
Scribe

Approved Dec. 13 1901
J. W. Donahoe
Co. Surveyor

Range 5 Town 9 Section 31



Found stones at
A, B, and C
Planted stones at
D, E, F, & G

The object of the survey was to lay off
a square acre in the S.W. corner of the
East half of the S.E. In Sect 31 - T. 9. S. R. 5. W.
Each side of the square was laid off 20.15 Ch.
to locate a school lot.

Surveyed Oct 28 and Nov. 11 and 12 1901.


W. H. Perry
Deputy Co. Surveyor

W. H. Peterson
Daniel Shellafager Chain.

Approved
J. W. Doolittle
Co. Surveyor.

Range 11 Town 2 Section 29

373



Found stones at A, D & F

Planted .. B, C & E

Wh. C { Stone $S 88^{\circ} 30' W$ 25 lks
" $N 19^{\circ} W$ 25 ..


Object of Survey was to divide land east & west in place of north & south by trading acre for acre

H. G. Walker Sur.

Mich. 10th 1902

Approved *J. W. Dwyer Es. Sur.*

Range 5 Town 8 Section 4



Found stones at a, b, c, d

Planted stones at e, f, g, h

The object of the survey was to cut off the 80 acre tract belonging to Harvey Menrick

Surveyed March 31, 1902

Frank Nettleship } Chain
Albert Sangenbacher } sworn


Frank Davis } Flag.

I hereby certify that the above is a correct plat and return by a survey made by me March 31, 1902 to cut off 80 A to 96 acre Menrick and establish the line E.F. between Menrick and Smith.

J.W. Dowler Surveyor

376

Range 4 Town 7 Section 22




At a found 20 cu
At b found 20 cu
At c & d planted stone
At e found iron pin
At N.E. corner of lot 69
455 ft S.E. from stone support
to lot 69 corner.
Ammonite Stone cut to stone 40 ft
Elliptical stone cut to stone 39 ft
Ammonite stone to iron pin corner
of lot No 69 61 ft.

The object of the survey was to cut off 50 A-land
off the East side of N.W. 2d sec 22 Town 7 Range 43
Exclusive of Sigafors addition to New Seaburn.

Identify the above to be a correct Plat of
a survey made by me Apr. 8 1902
J. W. Dawley Esq. Surveyor.

J. W. Dawley } Chain
D. Davis } Surveyor

Range 5 Town 6 Section 5



At c. d. e. f. found shore
At a + b planted shore

The object of the survey was to divide the S. D. A. tract in the S. W. 1/4. into two equal parts.


I certify the above to be a correct part of a survey made by me for S. D. A. Addings on March 27 1902

J. W. Dwyer Esq, Surveyor

D. H. Davis, Chainman

378

Range 6 Town 4 Section 28




Bound corner at A, B, F, G
Plots .. 968

Object of survey was to establish line to B.
Surveyed by H. J. Walker, D. C. L. L.
Apr. 17th 1902

Albert C. Truitt } Chairman
H. J. Walker } by consent

Approved J. W. D. Dugles
D. C. L. L.

Range 6 Town 5 Section 8




Surveyed by H. J. Walker & Co. Sur.
Apr. 21st 1902

Found stones at B & D
Planted " " A, C, E, F & G
with C then V' down SSW W 3/4 Sec.
set in place stone at H: which
is in center of bridge

John North } Chairman
Will Baskins } Suror

Approved J. W. D. D. D.
D. D. D.

Range 5 Town 6 Section 35



Witnesses to corners


1. a stone
2. " "
3. " "
4. " 7' east of S.W. cor. of 4th sec tract, and 243.6 ft east of W. line of 4th sec.
5. a stone
6. " 6' east of, and 5' 4" S. of back end of pole of east wing of N. abutment
7. a stone set from one of orig. witnesses - with stone each N 88° 16' E 11 1/2 ft
8. a stone equally distant from D.E. and S.W. line corners. With Hickory 4" diam N 81° 15' E 5 1/2 ft. " Sugar 2 1/2" " N 85° 45' W 36.4 "
9. a stone
10. " "
11. " with Hickory 51° 35' E 75 1/2 ft.
12. " "
13. " "
14. " "
15. " "
16. " "
17. " with stone N 1° 33' W 8 ft.

I certify the above to be a correct plat of part of Sec. 35 T. 6, R. 5, E. M.

Surveyed by me Apr. 13, 14, & 15 1886
H. C. Evans Co. Sur.

Recorded by H. J. Walker


Range 10 Town 2 Section 17



At a b c & d found line
At e planted line
At f corner on south side
of large post.

The object of the survey was to establish the line
- i. e. of the land owners being present -
I certify that the above plat is a correct
return of a survey made by me Apr 21 1902
J. W. Dooler
M.C.D.

Frank Davis } chain
Geo. Dooler }



Found Stone. A.B.E.

Planted Stone O.D.


The object of the survey was to locate Jno. Smith's corner.

I certify the above to be a correct plot of a survey made by me.
on May. 27, 1900

J. W. Douglas Sec. Survey.
W.B.O.

Baron Dieter } Chain
Jno Mowrey } Survey

Range 5 Town 7 Section 3



The object of the survey was to locate the corner in the S.W. 1/4.

Petition filed & parties notified


I certify the above to be a correct plat of a survey made by me on May 27, 1902.

J. W. Dyer, Esq.,
M.D.C.

Baron Dyer }
Jno Murray }
Sharon

Found Stone at A, C, D.
Planted Stone at B, E, F.

Range 5 Town 7 Section 10



Found Stone at A, D, F & G.

Stone at A was planted at the intersection of the line F, G extended with the Sec. line between Sec. 9 & 9.

Planted Stone at B in center of North line of Sec.

Located Stone at E by intersection given by recorded survey in Book 2 Page 157

The object of the survey was to locate corner in the N. W. Sec.


Petition filed and parties notified

I certify the above to be a correct plat of a survey made by me on May 27 1902.

J. W. Dorew Sec. Sur.
Mo. Co. O.

Harro Deter } Chain
Geo Mowrey } Survey

Range 4 Town 8 Section 27



Found stones at A, B, C, D, G, J, N, S, W
located " E, F, H, L, O


I certify the above to be a correct plat of a survey made by me May 16th 1902
H. J. Wallin S. J. Co. Sur.

Ralph Mitchell } chairman
Simon Fox } Simon

Approved J. W. Dwyer
Res. Sur.

388

Range 6 Town 6 Section 6 S.W. 1/4




Found Stone at A, B, C,

Planted Stone D, E,

The object of the survey was to locate the tract of land described in the deed, recorded in Book 35-Page 584. Record of deeds and now found by Meriam & Co. I certify the above to be correct as measured and surveyed by me June 21 1902 J. W. Dawler Surveyor Meriam & Co.

J. W. Dawler } chain
J. E. Anderson }

Range 5 Town 9 Section 33



Found Stone A.D.E

Planted Stone B.C.F

Found Stone G, H, in Sec 34

The object of the survey was to establish the line F.O.

I certify the above to be a correct plat of a survey made by me on July 1, 1903.

Walter Sangre de Cristo }
Wall }
by consent.

D. G. Davis
Supt. Co. Surveyor
Miami Co.

The surplus in gas was divided equally by mutual agreement.


Approved J. W. Doyle
Clerk

Range 4

Town 7

Section 34

T. 84



B+C Found Stone

B Planted Stone

D is a point in center of ditch

The object of this survey was to locate the corner B which had been lost.

D is a point in the center of old ditch and is 73 links from B. This measurement was made as the corner D could be located if the open ditch should at some future time be tiled.


D is one of Landis' corners.

Identify the above to be a correct plat of a survey made by me on August the 19, 1902.

J. W. Dowler } Chain
D. E. Davis }

J. W. Dowler }
D. E. Davis }
S. W. Surveyor
M. C. O.

Range 6 Town 4 Section 3



The object of this survey was to cut off 18.9 acres in the North West 1/4 of Sec. 3 Town 4 Range 6

I certify the above plat to be a correct survey made by me on April 5, 1902.


Charles Levine
Surveyor

The above survey examined and approved by me

J. W. Donofrio
Clerk Survey
M. L. O.

Range 5 Town 9 Section 35 & 36

395




Surveyed May 27 & 28 1902
By H. Walker Dep. Co. Sur.

Ralph Mitchell } Chairman
Ewing Burns } Surm

Found stones at A, F, G, H, J, K & L
Planted " B, C, D & E

Range 4 Town 9 Section 3




Found stones at A, C & F
Plotted " " B, E, G, H & J

Object of survey was to establish line J-H

I certify the above plat to be correct 'as made'
from survey made by me May 29th 1902
H. Walker & S. Co. Sur.

Ralph Mitchell } claimant
Henry Apple } witness




Found stone at A, B, D, E
Planted " " F, G, H

Object of survey was to locate F-C and
by of 6.40 acre tract

I certify the above to be a correct plat and return
of survey made by me June 19th 1902
W. Walker Dep. Co. Sur.

Ralph W. Mitchell } chairman sworn
self

Range 10 Town / Section 9




Hand drawn on A
Plotted " B, C, D, E, F

Chief of Survey was to lay off 4.80 acre tract
for club house purposes
I certify the above to be a correct plot and return
of survey made by me July 8th 1902.
H. W. Walker Dep. Co. Sur.

Ralph Mitchell } chairman
Ewing Burns } sworn

Range 12 Town 1 Section 25

399



Found stones at A & E
Planted " B, C, D & F


Object of survey was to lay off 7.35 acre tract.

I certify the above to be a correct plat and return
of survey made by me July 11th 1907
W. J. Wiley

W. J. Wiley being present
Ralph Whitcomb, chainman
Frank Adams, by consent

Range 5 Town 7 Section 30

401




Found Stones at A, B, D & G
Planted C, E & F

Object of survey was to lay off 30 acre tract
I certify the above to be a correct plat and return
of survey made by me Aug 9th 1902
H. Walker Dep. Co. Sur.

John Lucas } chairman
John Hoffman } sworn

402

Range 9 Town 2 Section 12




Iron pin
" "
Stone

A B C

Object of survey was to lay off track for school lot
Identify the above to be a correct plat and return
of survey made by me Aug. 5th 1902
H. J. Walker Dep. Co. Sur.

Range 6 Town 5 Section 9

403



Iron pin
Wit. N.E. cor. house S 10° 55' E 62 1/4 ft
" " Lynn tree 15" S 76° 30' E 98"
" " Soft Maple 2' N 45° 30' E 2.26 CHS


Iron pin
Wit. N.E. cor. of sub. ment
R.P. Br. S 71° 10' E 2.06 CHS
Wit. Elm tree 18" N 82° 55' E 79 1/4 ft
Berme bank
N.E. cor. lock

Object of survey was to establish line of
lease from State

I certify the above to be a correct plan &
return of survey made by me and 22nd 1902
H.W. Walker Deft Co Sur.

H.C. Blackley, chairman
Self

Range 5 Town 7 Section 14



Found stones at A & B
 " at stump of old cor. tree at C
 Planted stone at B
 2006 to B. call tree 18" 300m 47 lbs
 " " " stone 50 1/2" 2 1/4 "


Object of survey was to locate corner at B for
 Twp. Trustee to improve road from A to B

I certify the above to be a correct plat and return
 of survey made by me Sep. 10th 1902
 H. Walker Co. Sur

Frank Davis, chairman
 Self

Range 11 Town 2 Section 34

405




Found stones at A, B, C, D, E
F & G

I certify the above to be a correct plat of survey
made by me Sep 11th 1902
H. Walker Co. Sur.

Frank Davis } Chairman
Guy Brammer } by consent

Range 6 Town 8 Section 3



At a, b, c, d, e of found stone
At g planted stone on section
line


The object of survey was to establish the
corner at g, and to determine the no of acres
in the C.W. Bennett tract of land.

Surveyed May 28 1902

by J.W. Dawkins Co. Surveyors

Frank Davis } chain
Martin Warner } same

Range 5 Town 8 Section 4




At a, b, c & d found stone
At e planted stone
on sec line

The object of the survey was to establish
the corner marked e and determine the number
of acres in the C. W. Bennett tract of land

Surveyed May 28 1902
by J. W. Dowler les. Surveyor

Frank Davis } chain
Martin Warner } sworn

Range 4 Town 8 Section 34




Found stones at A, B, C, E, K & H
Planted D, F & G

I certify the above to be a correct plat and return
of survey made by me Nov. 7th 1902

H. J. Walker Co. Sur.

Ray Kramer } Chairman
O. R. Jones } by consent

Range 11 Town 2 Section 34



Found Stones at A, C, D & G
Planted " " B, E & F

For Westfield was present
and consented to street being
planted at "E" on center of road
to disprove with fact line
field as shown on page 100
of this volume

Object of survey was to lay off 31.25 acres off of
north side of above track


I certify the above to be a correct plat and return
of survey made by me Nov. 13th 1902

Ray Kramer
Deputy

H. J. Walker Co. Sur.

Range 11 Town 2 Section 8 & 9

411



Found stones at all corners marked

Object of survey was to ascertain no. of acres in the above tract


I certify the above plat to be correct and return of survey made by me Nov. 19th 1902

H. J. Walker Co. Sur.

Will Fickes, Channer
self

412

Range 4 Town 8 Section 34




Found stones at A, B, D & I
Plotted " " C, E, F, G & H
"H" was located by Fields survey of 1895

Object of survey was to lay off 5 acre tract
Surveyed Nov. 24th 1902
By H. J. Walker Co. Sur.

S. Walker } chairman
B. Westfall } sworn

Range 6 Town 5 Section 34 1/4




I certify the above to be a correct plat
and return of survey as made by me
June 17-18 and 19 1860, by order of the court
R. W. Walker Co. Sur.

Geo. Read }
Chas. Hunt }
Chambers }
Sworn

Recorded from plat
Jan. 17th 1903 R. W. Walker Co. Sur.

Range 5 Town 6 Section 12



Found stones of "A, B, D, E, G, H"
Planted by "H & F"

Object of survey was to lay off 227 acres except 129 acres owned by the C.C. & M. L. R.R. from the above tract.


I certify the above to be a correct plat and return of survey made by me Feb. 4th 1899
H. Walker Reg. Co. Sur.

Recorded Jan 21st 1903 by
H. Walker Co. Sur.

Edward Wilson, Chairman
John Barr } by consent

87 80 00
14 00 00
7 00 00

Range 12 Town 1 Section 9



Found stones at A, C, D, E, F, G & I
Planted .. " B & H


Object of above survey was to divide above tract
in equal halves

I certify the above to be a correct plat and return
of survey made by me Feb 23rd 1899
H. J. Walker Dep. Co. Sur.

Recorded Jan 21st 1903 by
H. J. Walker Co. Sur.

Lee Manning } Chairman
H. P. Morgan } by consent

Range 12 Town 2 Section 1




Round stones at 'A, C & D'
Planted " " B
Wit. B " N 41° 10' E 108 1/2 chs to
S.W. cor. of house

Object of survey was to locate half sec
line "D-B"
I certify the above plat to be correct and return
of survey made by me July 13th 1899
H. J. Walker Dep. Co. Sur.

Recorded Jan. 24th 1903 by
H. J. Walker Co. Sur.

A. Robinson } Chairman
Francis Werk } sworn

Range 5 Town 7 Section 24



Found stones at A, C, D, E & H
Planted " " " B, F & G

I certify the above to be a correct plat and return
of survey made by me July 19th 1899


H. Walker Dep. Co. Sur.

Recorded Jan. 21st 1903 by

H. Walker Co. Sur.

Paul Caddy } Chairmen
Frank Warts }

Range 4 TOWNE 7 Section 27




Found stones at "B, E, F, G, I"
Planted "B, N, O, H, P."
M, J, K & L

I certify the above plat to be correct and return
of survey as made by me. Apr. 3rd 1900
H. J. Walker Dep. Co. Sur.

Recorded Jan. 21st 1903 by
H. J. Walker Co. Sur.

Ira Albough } chairman
Chas. Kreidler } sworn

Range 5 Town 8 Section 19




Found Stones at "D, E & H"
Planted .. "A, B, C, F & G"
With "H" Oak 18 1/2" @ 32 fts.

Object of survey was to divide gr.
I certify the above to be a correct plat and return
of survey made by me Apr. 12th 1900
H. J. Walker Dep. Co. Sur.

Recorded Jan. 21st 1903 by
H. J. Walker Co. Sur.

Ora Tobias } Chairman
Henry Tobias } by consent



Found stones at "A, C & D"
Planted .. "B & E"


I certify the above to be a correct plot and return
of survey made by me Apr. 29th 1900
H. J. Walker Dep. Co. Sur.

Recorded Jan. 21st 1903 by
H. J. Walker Co. Sur.

Joseph Blum } sworn
Jelly } chairman

422

Range 4 Town 7 Section 10




Found stones at "A, B, C, D"
Planted .. "E"

I certify the above to be a correct plat and return
of survey as made by me June 14th 1900
H. J. Walker Dep. Co. Sur.

Recorded Jan. 22nd 1903 by
H. J. Walker Co. Sur.

124

Range 6 Town 4 Section 566



Found stones at all corners except "E"


I certify the above to be a correct plat & return of survey as made by me Oct 3rd 1900
H. J. Walker Dep. Co. Sur.

Received Jan. 22nd 1903 by
H. J. Walker Co. Sur.

Horace Tenney } Chairman
Lucretia W. Knight } sworn

Range 11 Town Section 13

425




Found stone at "C"
Planted " " "B"
Planted with stone to "A"
etc. at right angles from
center of track

I certify the above to be a correct plat & return
of survey made by me Wm. L. 26th 1901
H. J. Walker Dep. Co. Sur.

Recorded Jan. 22nd 1903 by
H. J. Walker Co. Sur.

Wm. Purdy } Chairman
Ed. Conrad } Surveyor

Range 12 Town 2 Section 25



Found stones at "N, A, C, C"
Planted " " at all other
Cor except "N, A, C, C".


I certify the above to be a correct plat and return
of survey as made by me Dec 2nd 1901
H. J. Walker Dep Co. Sur.

Recorded Jan. 23rd 1903 by
H. J. Walker Co. Sur.

Geo Worthington } Chairman
West Georgia } sworn

428


Range 5 Town 7 Section 11



Found Stones at "A, C, E, H"
Planted " " "D, E, F, G, I, O, U"

I certify the above to be a correct plat and return
of survey as made by me Oct. 11th 1901
H. Walker Dep. Co. Sur.
Recorded Jan. 23rd 1903 by
H. Walker Co. Sur.

Chas. Fish } Chairman
Henry Eckhouse } by consent



Found stones at "A, B, C, D & E


Object of survey was to ascertain the correct number of acres.

I certify the above to be a correct
return of survey made by me Feb. 29th 1903
H. J. Walker Co. Sur.

Ray Depress } chairman
Frank Johnson } sworn

432

Range 5 Town 8 Section 30




Found stones at A, B, C, D
Planted stone " C

I certify the above to be a correct plat and return
of survey made by me Mch. 9th 1903
H. Walker Co. Sur.

Clifton Harrison, Chairman
S. C. Fry, By consent.

S. C. Fry & Henry Hill
were present



Found stones at A, B, C, D, E, F, G, J, M & N

Planted stones at H, I, K & L

Note - with stone 7 1/2 in. w. of "I"

Object of survey was to divide "litled" tract in three pieces as shown. I certify the above to be a correct plat and return of survey as made by me. Mch. 12 1893. H. Walker co. Sur.

B.F. Puterbaugh } Chairman
Owen Puterbaugh } sworn
Ray Depeese } foreman

434


19.53 Chs.
 Wm BROWN Hrs
 27.81 Chs.
 N 15° E
 13.67 Chs.
 S 89° 30' E
 Wm R. KERR
 30 A
 15.23 Chs.
 15.23 Chs.
 13.72 Chs.
 N 89° 30' W
 Section Line
 Township Line

Object of survey was to locate line "C-F"
I certify the above to be a correct plot and
return of survey made by me Mch 18th 1903
H J Walker Co. Sur.

Wm. R. Kerr } Chairman
Edward Decker } by consent

Range 4 Town 7 Section 13 NE 1/4

435




Found stones at "A, C & E"
Planted " " "B, D & F"

Object of survey was to square up farm.
I certify the above to be a correct plat and
return of survey as made by me Dec. 25th 1903
H. J. Walker Co. Sur.

Geo. Earhart } Chairman
Lloyd Harshbarger } by consent

436

Range 4 Town 8 Section 23




Found stones at A, B, C & D
Planted " " E & F

Object of survey was to divide land according
to will

Surveyed Feb. 31st 1903
H. J. Walker Co. Sur.

A. C. Sturdevant } Chamberlain
Kiser Shell } by consent

Range 12 Town 1 Section 25




Found stones at A, C, D, F, G, H & K
Planted " " E, I, J & B
Stone at "H" is 7 1/2" west
of line

I certify the above to be a correct sketch
and return of survey made by me
Apr. 21st 1903
H. J. Walker Co. Sur.

Geo. Looney, Jr. } Chairman
A.C. Sturdevant } by consent

W.B. Garbry, Henry Brookwa & G.W. Looney were
present and consented to the planting of all corner
stones. W.B. Wiley was also present
and testified as to the correctness of the stone
placed at "J" being where the old original
line was

Range 5 Town 6 Section 1



Found Stones at "A, C, F, G, H & I"
Planted " " B, D, E & J

Object of survey was to establish
line BDE


I certify the above to be a correct plat
and return of survey made by me
Apr 22nd 1903

H. J. Walker Co. Sur.

A. C. Thurdewant } Chairman
W. H. Swank } by consent

Range 6 Town 5 Section 32

141




Found stones at "A.C. 870"
Planted " " " B

Object of survey was to establish line D-B
I certify the above to be a correct plat and
return of survey made by me May 5th 1903
H. Walker Co. Sur.

A.C. Sturdevant }
self } chairman


Range 9 Town 2 Section 26



Found stones at "A, B,
D, E, F, G, K & L
Planted stones at "C & H"

I certify the above to be a correct
plat and return of survey made
by me June 23rd 1903
H. J. Walker Co. Sur.
A. C. Sturdevant } Claimant
Wm. Desinger } sworn

18




Found stones at "A & B"
Planted " " " C & D

I certify the above to be a correct plan
and return of survey made by me July 10th 1903
H. Walker Co. Sur.

A. C. Sturdevant }
self } Chairman

Range 11 Town 2 Section 6




FOUND STONES AT 12-3
PLANTED " " 4-5
5 is 12' N. E. Cor. of R.R. track.
6 is Cor. Cor. of section.

A part of survey was to lay off 4 acre tract.
I certify the above to be a correct plat and
return of survey made by me Aug 4 1903.

A.C. Sturtevant. } Examiner
Jed }
H. Walker Co. Sur.

Range 6 Town 34 Section 30



FOUND STONES 1, 2, 4, 6, 7, 8, 11
PLANTED STONES AT 3, 5, 8,
9 & 10.


Object of survey

I certify the above to be a correct plat and return of survey made by me August 14, 1903
H. Walker Co. Sur.

A.C. Sturdevant } Chairman
Dan Knize }

4511

Range 11 TOWNSHIP 2 Section 25




Found stones at 12,338 ft
located other corners
from old surveys

Object of survey was to ascertain
the number of acres
surveyed Jan. 25th 29th 1884
By H. J. Walker Co. Sur.

A. C. Sturtevant } Chairman
L. J. Walker } Suror

Range 11 Town 2 Section 17




Found stones at A, B, C, D, E

Surveyed March 23rd 1904
By H. J. Walker Co. Sur.

Palmer Stoenen } Chairman
Secy

Range // Town / Section /



Found stones at A, B & D
Planted stone at C


Surveyed March 26th 1904
By H.J. Walker Co. Sur.

Martiny Chaimmen
Self

Object of survey was to locate corner "C"
which was done by extending line A-B and
a distance from B equal to A-B

Joel Burton and Michael Wilgus, the parties
on the cash were present

Range 5 North of Twp 6 Section 35




Found stone at "A"
Planted line stone at REC
Located "D" from wit. of
Evans survey of 1886 Rec. in
Book 3 Page 381

Surveyed Apr. 25th 1904
By H. J. Walker Co. Sur.
Object of survey was to locate line A & B, which
was done from survey made by Evans in 1886,
all parties interested were notified, and were
present.

A. C. Sturdevant rockman sworn

Range 4 Town 10 Section 34 N.E. 20.



Found stone at a, b, c & d.

Planted stone at e, & f.

Found witness 30 lbs
south of the corner at a.

The object of the survey was to find the line e, f.
between Jacob Cassell & Albert Rontzen.

A survey on record in this volume page 56
gave stone at e & f, but both were lost.

The dimensions given for the 30 A tract on page 56
were not large enough and the Rontzen tract contained
more than plat called for.

By agreement of the land owners I made the survey
given by plat above which I certify to be correct
as measured by me April 26 1904

J. H. Apple } chain
S. B. Valentine }

J. W. Dowler Surveyor


Approved by
H. W. Walker Co. Sec.

Range 6 Town 5 Section 34 Frac.

131.20
101.00

455

143.20
12.5
144.45




Found stones at A, B & D
Planted " " C
"E" corner, with sycamore tree 20"
in diameter. 34.00 to 14.5.

Object of survey was to get a correct description
of ascertain the number of acres in the
above tract

Surveyed by me May 9th 1904
W. Walker Co. Sur.

Ray Kramer, Chairman
W. Walker Co.

Range 5 Town 6 Section 31




Found slopes at A, C, & D.
Planted " " B, E, & F.

Object of survey was to locate corners, B, C, & F,
which was done from survey made
by J. W. Dowler

Surveyed by me Apr. 12th 1904
H. Walker Co. Sur

J. W. Strawser, Chairman
Ed. Bogg

Range 6 Town 4 Section 20 S.W. 1/4



Object of survey was to locate all
property lines and to plant stones
Surveyed May 25 1904.


By H.T. Walker Co. Surveyor.

all parties interested were present.

Whittier Sotherland, chairman
Noah Johnson } by consent.

FOUND STONES AT, A, B, C, D, E
PLANTED STONES AT, F, G, H, I, J, K, L, M.

Range 2 Town 2 Section 22, 21, 22, 27



FOUND STONES AT A, B, C, D, E

PLANTED " " H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z

AT F FOUND OTHER STONE BROKEN
OFF AND PUSHED OVER. TOWN AND
FOUND BOTTOM OF STONE TO BE CORRECT.
ACCORDING TO BIRN'S SURVEY OF 1848.
REFRANSED IN SAME PLACE.

Object of Survey was to locate corners
Bland II


Surveyed June 21, 1904

By H. J. Walker Co. Surveyor.

Studebaker and Cushwa were present.

Frank Senseman } chainmen
Eli Young } sworn.

Range 6 Town 4 Section 24



LINE ABCEDE IS THE WEST BANK OF RIVER FROM A SURVEY MADE BY GRIFFIN IN 1857.

LINE ABFIDE IS THE WEST BANK OF THE RIVER FROM A SURVEY MADE BY WALKER IN 1904.

Found stone at E. Sec. 24 of Twp. Sec.

Object of survey was to find the number of acres id track marked "A"


I certify the above to be a correct plan and survey as made by me July 6th 1904

H. J. Walker Co. Sur.

Chas. Bretland } Chummen
Will Stillwell } Surveyor

Range 11 Town 1 Section 21 N.W. 1/4

163




Found stones at A, B & C.
Planted lines stones at D & E

I certify the above to be a correct
plat of survey as made by me Dec. 20th 1904

H. Walker Co. Sur.

John Coate, Chairman
J. Jeff

Wm Eidenmiller was present




Found stones at "A, C, D, E, & F"
Planted stone "B"

Object of survey was to ascertain the number
of acres owned by W.J. & N.J. Peters

I certify the above to be a correct peak and
survey as made by me Jan. 31st 1900
H. J. Walker Co. Sur.

Wilbur Underwood } Chairman
Geo.

Range 9 Town 2 Section 20 SW 1/4




Found stones at 'A, C, D, E, I & K
at 'A' 1" recognized stone planted
by Evans, and recorded in this
volume page 169

Planted stones at 'B, F, G, H, J & L

Object of survey was to subdivide the
Heppner estate - as per agreement.

I certify the above to be a correct plat and survey
as made by me Feb 8th 1905
H. Walker Co. Sur

Geo. F. Hick } chairman
Richard Gantz } sworn



Commencing at Station 1
thence to

| | | | |
|----|---------------|-----------|-----------|
| 1 | N. 87° 45' E. | 21.59 ch. | thence to |
| 2 | N. 87° 45' E. | 2.66 " | |
| 3 | N. 48° 15' E. | 2.25 " | |
| 4 | N. 48° 15' E. | 2.50 " | |
| 5 | N. 48° 15' E. | 7.50 " | |
| 6 | N. 79° 45' E. | 7.50 " | |
| 7 | N. 79° 45' E. | 4.57 " | |
| 8 | N. 79° 45' E. | 3.50 " | |
| 9 | N. 79° 45' E. | 3.50 " | |
| 10 | N. 79° 45' E. | 3.50 " | |
| 11 | N. 86° 15' E. | 7.64 " | |
| 12 | N. 86° 15' E. | 5.80 " | |
| 13 | N. 86° 15' E. | 16.52 " | |
| 14 | N. 86° 15' E. | 3.15 " | |
| 15 | N. 86° 15' E. | 8.30 " | |
| 16 | N. 86° 15' E. | 6.96 " | |
| 17 | N. 86° 15' E. | 1.87 " | |
| 18 | N. 86° 15' E. | 16.58 " | |
| 19 | N. 86° 15' E. | 1.63 " | |
| 20 | N. 86° 15' E. | 3.00 " | |
| 21 | N. 86° 15' E. | 12.68 " | |
| 22 | N. 86° 15' E. | 26.00 " | |
| 23 | N. 86° 15' E. | 6.50 " | |
| 24 | N. 86° 15' E. | 1.50 " | |

Area = 66.96 Acres


Plat and field notes of a tract of land,
being a part of the R. E. Quarter and a part of the
S. E. Quarter of Sec. 30 T. 8. R. 5
Surveyed for Wisner and Hartzell.

Surveyed Sept. 1857
Beryl Field. Sur. M. Co.

Re-surveyed by J. W. Fowler 1905

Recorded by H. Walker Co. Sur

Range 6 Town 5 Section 33




Planted stones at 1st 2nd
Found " " 3rd 4th

I certify the above to be a correct
plat of the survey as made by me
Apr. 11th 1900.
H. W. Walker Co. Sur.

Geo. Heller } Chairman
H. W. Walker }

Range 12 Town 1 Section 25



Found stones at A.C.D. & E.
Planted " " B & E.

Object of survey was to lay off 22.03 acres from the south end of a tract of land owned by E. W. Lounghran, except a 2.33 acre tract from the N.E. corner of same.

Surveyed April 12th. 1905


Geo. Logans } Chainman
Geo. L. L. } Sycamore

I certify the above to be a correct plat of survey made by me

H. Walker Co. Sur

Range 6 Town 5 Section 27

473



Planted stones at
A & B
Found stones on west
line


Object of survey was to lay four acres
from the N.W. corner of tract of land
owned by Frank Thomas.

Surveyed April 1905.

Geo. Keller } chairman.
W. J. Walker }

I certify this a true and correct
plat and survey as made by me.
W. J. Walker Co. Sur.

Range 4 Twp 8 Section 36



Found stones A, B, C, F & G.
at D found stone 4 lks.
N of line
Planted stone at E

Object of survey was to locate lost corner at "E", which was done from Evans survey recorded in this Vol. page


I certify the above to be a correct plat and survey as made by me Apr. 18th 1855.

H. J. Walker Co. Sur.

Geo. Heller, Chairman
Joseph Tuma, by Consent

176

Range 1 Town 12 Section 20



Found stones at A, B, C, D, E & G
Planted " " F & H


Office of survey was to lay 80 acres on
the east side of Jones Creek

I certify the above to be a correct plat
and survey as made by me Apr. 1940

H. M. Tucker ex. Am.

Geo. Heller } Chairman
H. M. Tucker } by Consent

Page 9 TOWN 2 Section 7




Found stones at A, B & D
Planted " " C

Object of survey was to locate lost
corner bar "C", which was done from
Griffins survey recorded in Vol 2, P. 69

I certify the above to be a correct
plat & the survey made by me Apr. 21st 05-
H. W. Atker C. Sur.

C. J. Gaulty } Chairman
Wm. Heffer } sworn

Range 9 Town 2 Section 21



Found stones at A, C, D,
E, F & G

At "B" planted stone
which was 21 lks E.
& 11 lks S. of a stone in
road, which was supposed
to be a corner stone

Object of survey was to verify the stones
around the Swallow tract, and locate the
corner at "B"

I certify the above to be a correct
plat and survey made by me Apr. 27th - 05
L. W. Alker Co. Sur.

W. H. Deam } Chairman
Emerson Deam } by Consent

