



DATED - 30 SEP 1985




21 (NW 1/4)
SECTION1
TOWN12
RANGESPRINGCREEK
TOWNSHIP

VOL. 34 PLAT NO. 2


MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET



- NOTE
- O = IRON PIN SET
 - X = IRON PIN FOUND
 - = R.R. SPIKE SET
 - ✕ = R.R. SPIKE FOUND



An iron pin was found set over a stone at the N.W. cor. of Sec. 21 in accordance with land survey Vol. 14, P. 182. A R.R. spike was found on E 0.66' E. of said I.P. and stone, apparently in accordance with Land Survey Vol. 11, P. 182, creating an overlap of 0.66 ft. The I.P. found on the R/W 30.00' S. of E of road is also 0.66' (±) E. of the true sec. line (E) as established by the cor. stone and I.P. found.



Daniel D. Turner

SURVEY OF 10.001 ACRES FOR			
ERNEST WINTROW PIQUA - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE Oct. - 1985	DRAWN BY	D.T.	SHEET NO.
FILE NO. 390985	TRACED BY		1/1
	CHECKED BY	D.T.	

DATE: 20 JUNE 1985




200 100 0 200
1 INCH = 200 FEET

BEARINGS ARE CORRELATED
WITH BEARINGS SHOWN ON
LAND SURVEY VOLUME 25 PLAT 178

~ LEGEND ~

- = IRON PIN FOUND
- = STONE FOUND



PLAT OF SURVEY SHOWING CENTERLINE OF
A 10 FOOT WIDE EASEMENT FOR BURIED
CABLE, GRANTED BY THE MIAMI COUNTY
COMMISSIONERS TO CENTEL OF OHIO

I HEREBY CERTIFY THIS PLAT TO BE
CORRECT AS SHOWN HEREON.

Paul E. Johnson
PAUL E. JOHNSON
OHIO REGISTERED SURVEYOR NO. 6030

PREPARED BY THE OFFICE OF
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER

7
TOWN

5 EAST
RANGE


N.W.
QUARTER

5
SECTION

NEWTON
TOWNSHIP

VOLUME NO. 34, PLAT NO. 4
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

DATE - OCTOBER, 1985
SCALE 1" = 50'



NOTE

THE 0.209 ACRE TRACT IS TO BE COMBINED WITH
THE 1.000 ACRE TRACT TO THE EAST AND THE
1.098 ACRE TRACT TO THE SOUTH.

For 0.209 Ac. Tract Only
CERTIFICATION OF REGISTRATION

This is to certify that Planning Commission Approval of this conveyance
is not required, as being exempt under O. R. C., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure
may be erected or maintained on the parcels herein conveyed without
further compliance with all Zoning, Planning, and Planning Regulations
of Miami County.

Gregory S. Brookhart
Secretary 10-21-85
Miami County Planning Commission




SURVEY FOR


R.L. & P.A. PETERS

Gregory S. Brookhart



OHIO REGISTERED SURVEYOR NO. 6348



DATED: 7 NOV. 1985



DATE: 29 AUGUST 1985




- ~ LEGEND ~
- = BOAT SPIKE FOUND
 - ⚡ = IRON PIPE FOUND
 - ⚡ = RAILROAD SPIKE FOUND
 - ✱ = IRON PIN FOUND
 - = IRON PIN SET

~ REFERENCES ~



LAND SURVEY VOLUME	5	PAGE	56
"	"	"	8 " 107
"	"	"	13 " 134
"	"	"	19 " 84
"	"	"	25 " 92
"	"	"	28 " 94
LAND SURVEY VOLUME	32	PAGE	191
DEED BOOK	302	PAGE	591
"	"	308	" 362
"	"	315	" 466
DEED BOOK	377	PAGE	208

SURVEY OF 2.531 ACRES IN BETHEL
TOWNSHIP, MIAMI COUNTY, OHIO
FOR HAROLD VALENTINE (ESTATE)



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

DATED: 11 NOVEMBER 1985




SURVEY OF DIVISION OF 40.188 ACRES
FOR POLLY THOMAS AND KERRY
KIM THOMAS.

Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC. INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. - TROY, OHIO
(513) 339-5331

*MAPS: Engineers-Bethel Twp. Plats 17, 17-A & 23
DEEDS: D.B. 416, Pg. 145; D.B. 478 Pg. 211
Other Deeds And Survey Record As Shown*

MAPS: Aud. Bk. 39, Pg. 10 & Bk. 40, Pg. 2
DEEDS: D.B. 2453, Pg. 145

Sidney, Ohio, Div #7; R/W Plans-Mia. 201-00-174
R/W Plan Sheet Nos 8 & 9 of 10 Sheets



Ernest A Brown Associates
Engineering-Surveying
4848 Pennswood Drive
Dayton, O. 45424
233-4103


2
TOWN


9 MRS.
RANGE

9 E. QTR ~ 4
SECTION


BETHEL
TOWNSHIP

VOL. 34 PLAT 10
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS





SURVEY OF FOUR TRACTS FOR
ESTATE OF W. LAWRENCE COURTER





Michael W. Cozatt 10-21-85
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB NO. - 07585

TRACTS 3 & 4 ADDED 2-03-86 MC

DATE - OCTOBER, 1985

SCALE - 1" = 60'



LEGEND

- | | | | |
|---|----------|-------|------------------|
| ✂ | RAILROAD | SPIKE | FOUND |
| • | RAILROAD | SPIKE | SET |
| ✂ | 5/8" | IRON | PIN FOUND |
| • | 5/8" | IRON | PIN SET |
| ⊙ | P.K. | NAIL | IN TOP WOOD POST |

MIAMI COUNTY PLANNING COMMISSION

George K. Mote CHAIRMAN

Detrol A. Milhouse SECRETARY

DATE 11-19-85 NO. 2803

CHARLES E. BOITNOTT
DEED BOOK 403-504
" " 406-309

REFERENCES

LAND	SURVEY	VOLUME	5,	PLAT	146	
"	"	"	7,	"	19	
RECORD	PLAT	BOOK	10,	PLAT	64	(BEARING BASIS & TIE)
DEED	BOOK	403,	PAGE	504		
DEED	BOOK	406,	PAGE	309		

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 11/5/85
DEPUTY DATE

APPROVED
Subject to Zoning Approval
By *L. Dwyer - Sec. Com.*
Date *6/28/85*
Troy City-Miami County
Health Department



SURVEY FOR
CHARLES E. BOITNOTT

Gregg S. Brookhart
OHIO REGISTERED SURVEYOR NO. 6348

1
TOWN

12
RANGE


N.E. & N.W.
QUARTER

20
SECTION

SPRINGCREEK
TOWNSHIP

VOLUME NO. 34, PLAT NO. 13
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

DATE - NOVEMBER, 1985
SCALE - 1" = 100'



DORWIN TEETERS
D.B. 579, PAGE 728

LEGEND

- ✕ RAILROAD SPIKE FOUND
- HINGE NAIL SET
- ✕ 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- P.K. NAIL SET IN WOOD POST


REFERENCES

LAND SURVEY VOLUME 27, PLAT 146
" " " 33, " 153
DEED BOOK 579, PAGE 728


APPROVED
Subject to Zoning Approval
By L. Dornan - Sec. Com.
Date 8/9/85
Troy City-Miami County
Health Department

MIAMI COUNTY PLANNING COMMISSION
George R. Mott CHAIRMAN
Robert A. Willhams SECRETARY
DATE 11-19-85 NO. 2804


CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 11/5/85
DEPUTY DATE



SURVEY FOR	
DORWIN	TEETERS
<u>Gregory S. Brookhart</u> OHIO REGISTERED SURVEYOR NO. 6348	



LEGEND
• IRON PIN FOUND
◦ IRON PIN SET



APPROVED

Miami County Planning Commission

Date: Jan. 13, 1992 For 43 ac. tract


Secretary: Van Brundage

SURVEY OF 0.430 ACRES FOR
SHROVER BROTHERS TROY

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
DEPUTY
DATE 11/15/85



MIAMI COUNTY PLANNING COMMISSION
George R. Mot CHAIRMAN
Donald A. Millhouse SECRETARY
DATE 11-19-85 NO. 2806

MIAMI COUNTY PLANNING COMMISSION
George R. Mot CHAIRMAN
Donald A. Millhouse SECRETARY
DATE 01-21-86 NO. 2813
120 FEET CHANGED TO 125 FEET



Michael W. Cozatt 11-15-85
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB NO. 08185

DATE: 5 NOV 1985



~ LEGEND ~


- o = IRON PIN FOUND
- δ = RAILROAD SPIKE FOUND
- ⊗ = PK NAIL FOUND
- = IRON PIN SET

~ REFERENCE ~

LAND SURVEY VOLUME 24 PAGE 74
(BASIS FOR BEARINGS)

MIAMI COUNTY PLANNING COMMISSION
Greg R. Mote CHAIRMAN
Debra A. Millhouse SECRETARY
DATE 11-27-85 NO. 2807

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
DATE 11/5/85



SURVEY OF 0.979 ACRES IN BETHEL
TOWNSHIP, MIAMI COUNTY, OHIO
FOR HARVEY HEFFNER

Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

UNION
TOWNSHIP



6
TOWN

5
RANGE

N.W. QUAR. -14
SECTION

VOLUME 34 PAGE 16
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.


DATED: 24 NOV. 1985



- LEGEND
- = IRON PIN FOUND
 - = IRON PIN SET
 - ✕ = R.R. SPIKE FOUND
 - ⋈ = P-K NAIL SET OVER R.R. SPIKE
 - ⋈ = P-K NAIL FOUND
 - ◉ = IRON PIPE FOUND


SURVEY REFERENCE
REC. BOOK 9, PAGE 121
LAND SURVEY VOL. 31, PAGE 189
PENN CENTRAL RAILROAD MAP
(V-38 OF C.C.C. & ST. L.)

SURVEY OF 3.908 ACRES OF ABANDONED
PENN CENTRAL RAILROAD RIGHT-OF-WAY
IN UNION TOWNSHIP FOR JERRY AND
BARBARA THOMPSON.



Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 (513) 339-5331

DATED: 12 NOV. 1985




LEGEND
 ○ = IRON PIN SET (3/8" x 30")
 • = IRON PIN FOUND
 † = P-K NAIL
 ✱ = RAILROAD SPIKE FOUND

SURVEY REFERENCE
 LAND SURVEY VOL. 25-PG. 162
 " " VOL. 26-PG. 144
 " " VOL. 29-PG. 27
 " " VOL. 33-PG. 80
 PENN-CENTRAL RAILROAD MAP (V-38 OF C.C.C. & ST.L.)

16.648 AC. TOTAL
 0.201 AC. SECTION 12
 16.447 AC. SECTION 1


SURVEY OF 16.648 ACRES OF ABANDONED PENN-CENTRAL RAILROAD
 RIGHT-OF-WAY FOR MARVIN PACE

Richard W. Klockner
 PROFESSIONAL SURVEYOR - 4370
 RICHARD W. KLOCKNER & ASSOC., INC.
 CIVIL ENGINEERING & SURVEYING
 16 E. WATER ST. ~ TROY, OHIO 45373
 (513) 339-5331




DATED: 6 DECEMBER 1985

REVISED: 15 JAN 86 *RWB*
CORRECTED: 18 JUL 1986 *RWB*




SURVEY OF 10.071 ACRES FOR
RIENZI SWIGART



Richard W. Klockner
PROFESSIONAL SURVEYOR-NO. 4370
RICHARD W. KLOCKNER & ASSOC. INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. - TROY, OHIO
339-5331


DATED: 10 DECEMBER 1985



BEARINGS: FROM L.S. VOL. 12; PG. 136

- LEGEND
- = IRON PIN SET (5/8" x 30")
 - = IRON PIN FOUND
 - * = RAILROAD SPIKE FOUND
 - ✕ = P-K NAIL SET

SURVEY REFERENCE
LAND SURVEY VOL. 12; PAGE 136
" " VOL. 21; PAGE 198



SURVEY OF 1.230 ACRES FOR
GERRY WILLIAMSON
Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
TROY, OHIO 339-5331




S.E. CORNER
S.E. QUARTER
SECTION 20

TROY-SIDNEY
ROAD

DATE: 6 DECEMBER 1985

~ LEGEND ~
• = RAILROAD SPIKE FOUND
o = IRON PIN SET
p = PK NAIL SET

~ REFERENCE ~
LAND SURVEY VOLUME 29 PAGE 37



SURVEY OF 7.989 ACRES IN BROWN
TOWNSHIP, MIAMI COUNTY, OHIO
FOR ANNETTE FIEBIGER

Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

1
TOWN

11
RANGE


S.W.
QUARTER

29
SECTION

SPRINGCREEK
TOWNSHIP

VOLUME NO. 34, PLAT NO. 22
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATE - DECEMBER, 1985
SCALE - 1" = 100'



4.189 ACRES

5.248 ACRES
GEORGE W. & SARAH WENRICK
LAND SURVEY VOL. 6-68

2.1102 ACRES

NOT A BUILDING SITE
TO BE COMBINED WITH 5.248 ACRE
TRACT TO NORTH

GEORGE W. & SARAH WENRICK

THE ARMCO STEEL CORPORATION

REFERENCES


LAND	SURVEY	VOLUME	6,	PLAT	NO. 68
"	"	"	15,	"	" 176
"	"	"	32,	"	" 55
DEED	BOOK			PAGE	

LEGEND

PIPE FOUND
RAILROAD SPIKE FOUND
RAILROAD SPIKE SET
5/8" IRON PIN SET
WOOD CORNER POST

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Ronald R. Harman 12/14/85
DEPUTY DATE

MIAMI COUNTY PLANNING COMMISSION
George R. Mote CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE 12-17-85 NO. 2809



SECTION
N 89°-08'W

LINE

S.E. CORNER
S.E. QUARTER
SECTION 29, T-1, R-11
3017.09'
(VOL. 15-176)

SECTION
LINE

SURVEY FOR
GEORGE WENRICK

Douglas L. Brookhart
OHIO REGISTERED SURVEYOR NO. 6348

6 EAST
RANGE



5
TOWN

SOUTHEAST QTR - 30
SECTION


CONCORD
TOWNSHIP

VOLUME 34 PLAT 23
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

12 DECEMBER 1985



SCALE: 1"=50'




LEGEND
* = RAILROAD SPIKE FOUND
• = IRON PIN FOUND
○ = IRON PIN SET

SURVEY OF A 2.001 ACRE TRACT IN
CONCORD TOWNSHIP FOR ROBERT
AND JEAN BLACKMORE.

MIAMI COUNTY PLANNING BOARD
George R. Mite CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE 12-17-85 NO. 2808

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
DEPUTY DATE 12/16/85



Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 339-5331

SPRINGCREEK
TOWNSHIP


1
TOWN

12
RANGE

21
SECTION

VOLUME 34 PAGE 25
MIAMI COUNTY RECORDERS
RECORD LAND SURVEYS
SCALE: 1"=60'
DECEMBER 9, 1985

Ethel Wones
D.B. 579 Pg. 8



Ethel Wones
D.B. 579 Pg. 8

I.P. Set

S 87°00'00"E 561.69'

I.P. Set

7.248 ACRES

N 2°30'30"E 562.10'

S 2°30'30"W 562.10'

Ethel Wones
D.B. 579 Pg. 8

I.P. Set

R/W Line

I.P. Set

R.R. Spike
Set

N 87°00'00"W 561.69'

SNODGRASS RD.

R.R. Spike
Set

1624.52'

SECTION LINE

SECTION LINE
COUNTY RD. 25A

I hereby certify all measurements are
correct and corners have been marked as
indicated.

Eugene R. Brown
Eugene R. Brown
Ohio License No. 4213

SHAW, WEISS & DE NAPLES		
Professional Corporation Consulting Engineers & Surveyors Dayton, Ohio • Cincinnati, Ohio Virginia Beach, VA		
SCALE 1"=60'	DRAWN R.W.	CHECKED E.R.B.
DATE Dec. 9, 1985	JOB NO. MAB5-4603	


2
TOWN

10-BTM
RANGE


3-NW¼
SECTION

ELIZABETH
TOWNSHIP

VOLUME 34 PAGE 26
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS



4 JAN. 1986



Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331

7
TOWN

5-EAST
RANGE

N.W.
QUARTER

8
SECTION


NEWTON
TOWNSHIP

CORPORATION

LOT NO.

VOLUME NO. 34 PLAT NO. 28
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATE - JANUARY, 1986
SCALE - 1 INCH = 100 FEET





LEGEND

- RAILROAD SPIKE FOUND
- ✕ 5/8" IRON PIN FOUND
- ✕ 60d SPIKE FOUND
- 5/8" CAPPED IRON PIN SET
- 4" STEEL POST
- CORNER STONE

REFERENCES

DEED BOOK NO. 613	PAGE NO. 11
LAND SURVEY VOL. 10	PLAT NO. 47
" " " 25	" 105
" " " 26	" 19
" " " 26	" 193
" " " 28	" 29
" " " 30	" 135
" " " 33	" 51



SURVEY FOR

SCOTT THOMPSON


MICHAEL H. TREON

TROY, OHIO

Michael H. Treon

OHIO REGISTERED SURVEYOR NO. 5621

DATE - JANUARY, 1986
 SCALE - 1 INCH = 200 FEET



LEGEND


- ✕ 5/8" CAPPED IRON PIN FOUND OVER CORNER STONE
- ✕ RAILROAD SPIKE FOUND OVER CORNER STONE
- ✕ P.K. NAIL SET
- RAILROAD SPIKE SET
- 5/8" CAPPED IRON PIN SET
- ⊙ CONCRETE HIGHWAY MONUMENT


NOTE:

CEMETARY DOES NOT OCCUPY ALL OF
 ITS DESCRIBED AREA. SEE APPROXIMATE
 FENCE LOCATIONS.

REFERENCES

DEED BOOK 504, PAGE 406
 LAND SURVEY VOL 32, PLAT NO. 183
 OHIO DEP'T OF TRANSPORTATION
 QUARTER CORNER SURVEY RECORDS.



SURVEY FOR	
INA MAE RUDY	
MICHAEL H. TREON	TROY, OHIO
 OHIO REGISTERED SURVEYOR NO. 5621	

N. E.
QUARTER



33
SECTION

8
TOWN

5-EAST
RANGE

NEWBERRY
TOWNSHIP

VOLUME NO. 34 PLAT NO. 30
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS
JANUARY ~ 1986 SCALE 1"=50'



DEED REFERENCE
DEED BOOK 392, PAGE NO. 546

SURVEY REFERENCE
LAND SURVEY VOLUME NO. 24, PLAT NO. 150
" " " " 24, " " 97


LEGEND
• = RAILROAD SPIKE FOUND
/ = RAILROAD SPIKE SET
o = 5/8" IRON PIN SET

NOTE:
BEARINGS AS PER LAND SURVEY
VOLUME NO. 24, PLAT NO. 150
NOTE: D.P.&L. EASEMENT ADDED
FEB. 6, 1986

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Deputy
DATE 1/17/86


APPROVED
Subject to Zoning Approval
by L. Dungan - Sec. Com.
as of 10/14/85
by City of Miami County
Health Department

MIAMI COUNTY PLANNING COMMISSION
George R. Mott CHAIRMAN
Deborah A. McWhorter SECRETARY
NO. 2810
01-21-86



SURVEY OF 1.0000 ACRES
FOR LEO C. HOLLOPETER
Paul E. Johnson
PAUL E. JOHNSON
REGISTERED SURVEYOR #6030
WEST MILTON, OHIO

DATE - DECEMBER, 1985
 SCALE - 1" = 100'



CURVE DATA
 A = 18°-21' LEFT
 D = 4°
 T = 231.4'
 R = 1432.4'

CERTIFIED TO CONFORM WITH
 MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
 MIAMI COUNTY ENGINEER
 Deputy DATE

MIAMI COUNTY PLANNING COMMISSION
George R. Mote CHAIRMAN
Deborah A. Williamson SECRETARY
 DATE 01-21-86 NO. 2812


APPROVED
 Subject to Zoning Approval
 By L. D. ...
 Date 5/12/86
 Troy City-Miami County
 Health Department

LEGEND

- STONE FOUND
- P.K. NAIL SET
- 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- P.K. NAIL FOUND
- ✕ RAILROAD SPIKE SET
- ⊗ PIPE FOUND
- ⊙ CONCRETE HIGHWAY MONUMENT



REFERENCES

LAND	SURVEY	VOLUME	3,	PLAT	215
"	"	"	18,	"	74
"	"	"	30,	"	117
"	"	"	33,	"	153
STATE	R/W	PLANS	DATED	1932	
DEED	BOOK	572,	PAGE	539 (TEETERS)	
DEED	BOOK	377,	PAGE	185 (MAXWELL)	
DEED	BOOK	271,	PAGE	358 (PRIOR TO SUR. VOL. 18-74)	



SURVEY FOR	
DORWIN TEETERS	
<u>Gregg S. Brookhart</u>	
OHIO REGISTERED SURVEYOR NO. 6348	

DATED: 17 SEP 1984




BEARINGS ASSUMED

LEGEND
 ○ = IRON PIN SET 5/8" x 30"
 ✕ = RAILROAD SPIKE SET
 ✕ = RAILROAD SPIKE FOUND
 ○

SURVEY REFERENCE
 LAND SURVEY VOL. 19; PG. 118
 " " VOL. 20; PG. 136
 " " VOL. 25; PG. 78

CERTIFIED TO CONFORM WITH
 MIAMI COUNTY SURVEY REQUIREMENTS
 DOUGLAS L. CHRISTIAN
 MIAMI COUNTY ENGINEER
 DEPUTY DATE 1/7/86


APPROVED
 Subject to Zoning Approval
 By L. Dwyer, Sec. Com.
 Date 1/11/85
 Troy City-Miami County
 Health Department



SURVEY OF 2.766 ACRES FOR
 JACOB MILLHOUSE-ESTATE

Richard W. Klockner
 PROFESSIONAL SURVEYOR - 4370
 RICHARD W. KLOCKNER & ASSOC., INC.
 CIVIL ENGINEERING & SURVEYING
 16 E. WATER ST. ~ TROY, OHIO
 (513) 339-5331

MIAMI COUNTY PLANNING COMMISSION
 George R. Motl CHAIRMAN
 Deborah A. Millhouse SECRETARY
 DATE 01-21-86 NO. 2811



REAR PINS NOT SET AT
REQUEST OF OWNER DUE
TO FARMING OPERATION

HAROLD ALLENBAUGH
D. B. 567 - 834

5.001 ACRES

EXISTING HOUSE & SANITARY FACILITIES

HAROLD ALLENBAUGH
D.B. 567-834

N.E. CORNER
S.E. QUARTER
SECTION 15, T-8, R-5

② PIQUA CLAYTON ROAD & ONE - HALF SECTION LINE

S.E. CORNER
S.E. QUARTER
SECTION 15, T-8, R-5

 SECTION LINE

LEGEND


- | | | | |
|---|----------|-------|---------|
| ✈ | RAILROAD | SPIKE | FOUND |
| • | RAILROAD | SPIKE | SET |
| ◦ | 5/8" | IRON | PIN SET |
| ✕ | MINE | SPIKE | FOUND |

REFERENCES

DEED BOOK 567 , PAGE 834

LAND SURVEY VOLUME 29, PLAT 114

LAND SURVEY VOLUME 30, PLAT 127




SURVEY FOR

HAROLD ALLENBAUGH

Greg E. Brookhart
OHIO REGISTERED SURVEYOR NO. 6348

DATE: 13 JULY 1985
11 JANUARY 1986




~ LEGEND ~

- ✕ = IRON PIN FOUND
- = RAILROAD SPIKE FOUND
- = STONE FOUND
- ✕ = PK NAIL IN TOP OF WOOD POST FOUND
- = IRON PIN SET
- ✕ = RAILROAD SPIKE SET
- ✕ = CONCRETE CORNER POST FOUND



~ REFERENCES ~

- LAND SURVEY VOLUME 28 PAGE 57
- LAND SURVEY VOLUME 29 PAGE 26



SURVEY OF 38.679 ACRES IN UNION
TOWNSHIP, MIAMI COUNTY, OHIO
FOR DOUGLAS D. MARTZALL

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348




LEGEND:
● IRON PIN FOUND
○ IRON PIN SET

REFERENCES:
VOL. 13, PG. 30 { MIAMI CO. RECORDER'S
PLAT RECORDS.


NOTICE OF REGISTRATION
This is to certify that Planning Commission Approval of this conveyance
is not required, as being exempt under O.R.C., 711.001.
Notice is given to all parties:
No additional building site is created by this conveyance; no structure
may be erected or maintained on the premises herein conveyed without
further compliance with all zoning, zoning, and Planning Regulations
of Miami County.

Deborah A. Millhouse 1/3/86
Secretary
Miami County Planning Commission


**SURVEY OF 0.277 AC. TRACT
FOR MERRIMONT DEVELOPMENT CORP.**



Michael W. Cozatt 1-30-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB NO. 00686



- NOTE
- = IRON PIN SET
 - ✕ = IRON PIN FOUND
 - = R.R. SPIKE SET
 - ✕ = R.R. SPIKE FOUND



Daniel D. Turner

SURVEY OF 85.824 ACRES FOR			
DORIS H. STRICKLER PIQUA - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE FEB. - 1986	DRAWN BY	D.T.	SHEET NO. 1/1
FILE NO. 050186	TRACED BY	D.T.	
	CHECKED BY		

2
TOWN

11
RANGE


S.W.
QUARTER

15
SECTION


LOSTCREEK
TOWNSHIP

VOLUME NO. 34, PLAT NO. 37
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

DATE - JANUARY, 1986
SCALE - 1" = 200'



NOTE:
MEASURED DISTANCE BETWEEN IRON PINS FOUND AT POINTS ① & ② WAS FOUND TO BE 9.80' SHORTER THAN DIMENSION SHOWN ON LAND SUR. VOL. 24-65. SEVERAL OTHER BEARINGS & DISTANCES VARIED SOMEWHAT FROM THOSE SHOWN ON VOL. 24-65 SURVEY.



LEGEND


- ✕ 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- ✕ RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- ✕ P.K. NAIL FOUND

REFERENCES

LAND SURVEY VOLUME 24, PLAT 65
DEED BOOK 491, PAGE 224



9.611 & 10.001 ACRE TRACTS IN N.W. CORNER OF FARM
ADDED 3-31-86 H.S.B.

NOTE:
P.K. NAIL WAS USED AS CORNER IN LAND SURVEY VOL. 24-65, AS IT LINES UP WITH SPIKES TO NORTH AND MATCHES ANGLE AT INTERSECTION ON REFERENCED SURVEY.



SURVEY FOR	
WALLACE F. IMHOF	
<u>Gregg L. Brunkhart</u>	
OHIO	REGISTERED SURVEYOR NO. 6348

DATE: 7 JANUARY 1986




~ LEGEND ~

- o = RAILROAD SPIKE FOUND
- = IRON PIN FOUND
- = STONE FOUND
- x = P-K NAIL SET
- Δ = IRON PIN SET

~ REFERENCES ~

VOLUME 22 PAGE 104
VOLUME 27 PAGE 113
VOLUME 32 PAGE 141
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS
DEED BOOK 346 PAGE 260

SURVEY OF 60.191 ACRES IN MONROE
TOWNSHIP, MIAMI COUNTY, OHIO
FOR NELSON J. FOX



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

2
TOWN

12
RANGE



N.E.
QUARTER

8
SECTION

BROWN
TOWNSHIP

VOLUME NO. 34 , PLAT NO. 39
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

DATE - JANUARY , 1986
SCALE - 1" = 100'



LEGEND

- ✕ RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- ✕ P.K. NAIL FOUND
- ✕ 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET

REFERENCES

DEED BOOK 453, PAGE 610
LAND SURVEY VOLUME 32, PLAT 187
" " " 34, " 21

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Ronald K. Hamann, Jr. 2/4/86
DEPUTY DATE

APPROVED
Subject to Zoning Approval
By J. Dwyer - Sec. Com.
Date 12/6/85
City-County Health Department

MIAMI COUNTY PLANNING COMMISSION
Gregg R. Mote CHAIR
Deborah A. Villanueva SECRETARY
2-18-86 NO. 2814



SURVEY FOR	
KATHLEEN COVAULT	
<u>Gregg S. Brookhart</u> OHIO REGISTERED SURVEYOR NO. 6348	

TOWN	RANGE	QUARTER	SECTION	TOWNSHIP	CORPORATION	LOT NO.
1 2	10 MRS	N.E. & S.E.	1 & 2	STAUNTON		
	10 MRS	S.W.	32	ELIZABETH		

VOLUME NO. 34 PLAT NO. 40
 MIAMI COUNTY ENGINEER'S
 RECORD OF LAND SURVEYS

DATE - FEB, 1986
 SCALE - 1 INCH = 200 FEET





LEGEND

- ⊗ IRON PIN FOUND
- ⊠ RAILROAD SPIKE FOUND
- 1/8" CAPPED IRON PIN SET
- RAILROAD SPIKE SET
- △ MINE SPIKE SET OVER 40d SPIKE FOUND
- ⊞ P.K. NAIL SET OVER CORNERSTONE
CALLED ON PREVIOUS SURVEY
(NOT DUG OUT)

REFERENCES



DEED BOOK NO. 532 PAGE NO. 656
 LAND SURVEY VOL. 16 PLAT 75
 " " " 28 " 157
 " " " 29 " 148
 OHIO DEPT OF TRANSPORTATION
 SURVEY RECORDS.



SURVEY FOR	
WILLIAM FULTON	
MICHAEL H. TREON	TROY, OHIO
<i>Michael H. Treon</i>	
OHIO REGISTERED SURVEYOR NO. 5621	

IN LOT 481 & PART OF OUTLOTS 128 & 131


THIS PLAT SUPERCEDES
VOLUME 33 PAGE 34



NOTE: BEARINGS AND REFERENCES
ARE BASED ON LAND SURVEY
VOLUME 33 PLAT 34.


~ LEGEND ~

- = CONCRETE POST
 ● = IRON PIN FOUND
 ○ = IRON PIN SET
 ✱ = RAILROAD SPIKE FOUND
 ✂ = PK NAIL SET
 ✕ = CROSS CUT IN CONCRETE



SURVEY OF 59.12 ACRES AND DIVISION
11.415 ACRES - ALLEN JOHN DAUM &
47.705 ACRES - ALFRED EDWARD DAUM
Richard W. Kloeker
PROFESSIONAL SURVEYOR NO. 4370

RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331




~ LEGEND ~


- x = RAILROAD SPIKE FOUND
- = PK NAIL SET
- o = IRON PIN SET
- = IRON PIN FOUND

~ REFERENCES ~

B. & O. RAILROAD MAPS
LAND SURVEY VOLUME 8 PAGE 6





BEARINGS ARE ORIENTED WITH THOSE
SHOWN ON LAND SURVEY VOL. 8 PAGE 6.



SURVEY OF 10.100 ACRES IN STAUNTON
TOWNSHIP, MIAMI COUNTY, OHIO
FOR JAMES R. HARTZELL

Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331


DATED: 22 FEB 1986



LEGEND

- =IRON PIN SET 5/8" x 30"
- =IRON PIN FOUND (5/8" x 4")
- ✕=RAILROAD SPIKE FOUND


SURVEY REFERENCE
LAND SURVEY VOL. 24; PG. 35
LAND SURVEY VOL. 27; PG. 194



SURVEY OF 100.567 ACRES IN
ELIZABETH TOWNSHIP FOR
FANNIE S. BENHAM (ESTATE)

Richard W. Klockner
PROFESSIONAL SURVEYOR-NO. 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST.-TROY, OHIO 45373
(513) 339-5331

DATE - FEBRUARY, 1986
 SCALE - 1 INCH = 200 FEET




LEGEND


- RAILROAD SPIKE FOUND
- IRON PIN FOUND
- RAILROAD SPIKE SET
- 5/8" CAPPED IRON PIN SET

REFERENCES

DEED BOOK NO. 281 PAGE NO. 383
 LAND SURVEY VOL. 17 PLAT NO. 114
 " " " 28 " " 1



SURVEY FOR	
SCOTT THOMPSON	
MICHAEL H. TREON	TROY, OHIO
 OHIO REGISTERED SURVEYOR NO. 5621	




NOTE

- = IRON PIN SET
- ✕ = IRON PIN FOUND
- = R.R. SPIKE SET
- ✕ = R.R. SPIKE FOUND

NOTE

ORIG. 84.154 AC. TRACT DIVIDED INTO TRACTS "A", "B", "C" & "D" FOR ESTATE OF HELENA HALL (Dec. 19, 1988)



Daniel D. Turner

SURVEY OF THREE TRACTS FOR			
MRS. HELENA HALL WEST MILTON - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE FEB. - 1986	DRAWN BY FILE NO. 090286	TRACED BY CHECKED BY	SHEET NO. 1/1



2
TOWN

9 BTM
RANGE

11 - SW 1/4
SECTION

BETHEL
TOWNSHIP

VOL 34 PAGE 46
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




REFERENCES:

VOL. 28, PG. 120 MI. CO. ENGINEER'S
RECORD OF LAND
SURVEYS.


LEGEND:

- IRON PIN FOUND
- RR SPIKE FOUND

SURVEY OF A 6.119 ACRE TRACT
FOR PATTERSON FISHER



Michael W. Cozatt 2-26-06
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB NO.




SURVEY OF 2.546 ACRES FOR
MARGARET KUNTZ


Richard W. Clopper

PROFESSIONAL SURVEYOR-NO.4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373
(513) 339-5331


DATED: 4 MARCH 1986




DATE: 20 FEBRUARY 1986



DATE - MARCH, 1986
SCALE - 1" = 200'



25 MAY 1985



CERTIFICATION OF REGISTRATION

This is to certify that Planning Commission Approval of this conveyance is not required, as being exempt under U. R. C., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure may be erected or maintained on the premises herein conveyed without further compliance with all Zoning, Building, and Planning Regulations of Miami County.


Robert A. Millhouse
Secretary
Miami County Planning Commission




SURVEY OF 0.212 ACRES IN UNION TOWNSHIP FOR KINSEY BROTHERS EXCAVATING COMPANY.

Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING & SURVEYING
TROY, OHIO 43083-5331

18 MAR. 86



MIAMI COUNTY PLANNING COMMISSION
George R. Mast CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE March 25, 1986 NO. 2816



SURVEY OF THE DIVISION OF LOT
115 IN DEER CLIFF SUBDIVISION,
SECTION 3 IN MONROE TOWNSHIP
FOR

Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST
TROY, OHIO 45373 (513) 339-5331

4
TOWN

6
RANGE

S.E.
QUARTER


35
SECTION

MONROE
TOWNSHIP

VOLUME NO. 34, PLAT NO. 52
MIAMI COUNTY ENGINEER'S RECORD OF
LAND SURVEYS.

DATE - FEBRUARY, 1986

SCALE - 1" = 50'



ACREAGE RECAP

0.5514 ACRES EXISTING TRACT (0.042 ACRES OF THIS IS ABANDONED CANAL GROUND)
0.6482 ACRES ADDED (0.1122 ACRES OF THIS IS ABANDONED CANAL GROUND)
1.1996 ACRES TOTAL

LEGEND

- ✕ RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- ✕ 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- CANAL MONUMENT FOUND

REFERENCES

DEED BOOK 582, PAGE 682
LAND SURVEY VOLUME 8, PAGE 170
" " " 16, " 36
" " " 16, " 150
" " " 24, " 128

MIAMI COUNTY PLANNING COMMISSION
George R. Inote CHAIRMAN
Robert A. Holloman SECRETARY
DATE March 25, 1986 NO. 2815



CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 3/5/86
DEPUTY DATE


SURVEY FOR	
JEFFREY	BONHAM
<i>Gregg S. Brookhart</i>	
OHIO REGISTERED SURVEYOR NO. 6348	

34
SECTION

7
TOWN

4 EAST
RANGE

UNION
TOWNSHIP



NORTHWEST CORNER
OF THE SOUTHWEST
QUARTER, SECTION 34

TOTAL AREA	13.982	ACRES
R/W AREA	1.054	ACRES
NET AREA	12.928	ACRES

PLAT OF SURVEY
FOR

ETHEL O. BOGGS

UNION TOWNSHIP, MIAMI COUNTY
OHIO

MARCH, 1986

CONTAINING 13.982 ACRES

LEGEND

- - IRON PIN SET
- ⊗ - IRON PIN FOUND
- ⊙ - P.K. NAIL SET
- ⊠ - STONE FOUND
- - 6" x 6" CONC. FENCE POST FOUND

BEARING OF STATE ROUTE 49 MADE
TO AGREE WITH PRIOR SURVEY.

SURVEY REFERENCES

VOLUME 17, PLAT 195
RECORD OF LAND SURVEYS

DEED REFERENCES

DEED BOOK 550, PAGE 63
MIAMI COUNTY DEED RECORDS



THOMAS WINEMILLER & ASSOCIATES, INC.

ENGINEERS — PLANNERS — SURVEYORS

34 EAST NATIONAL ROAD

VANDALIA, OHIO

T. E. Winemiller
 THOMAS E. WINEMILLER
 OHIO REGISTERED SURVEYOR NO. 540



NEWTON
TOWNSHIP



10 - N.W. QTR
SECTION

7
TOWN

5 EAST
RANGE

VOLUME 34 PLAT 54
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATED: MAR. 28, 1986



- ~ LEGEND ~
- ✱ = RAILROAD SPIKE FOUND
 - ⊙ = P.K. NAIL SET
 - = IRON PIN FOUND
 - = IRON PIN SET

CERTIFICATION OF REGISTRATION


This is to certify that Planning Commission Approval of this conveyance is not required, as being exempt under O.R.C., 711.001.

Notice is given to all parties:


No additional building site is created by this conveyance; no structure may be erected or maintained on the premises herein conveyed without further compliance with all zoning, building, and planning regulations of Miami County.

Detrol A. Millhouse
Secretary
Miami County Planning Commission
FOR 0.107 ACRE TRACT

SURVEY OF 0.107 ACRE TRACT
IN NEWTON TOWNSHIP, MIAMI
COUNTY, OHIO FOR EVELYN TAYLOR.



Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331




~ LEGEND ~

- = IRON PIN FOUND
- = RAILROAD SPIKE FOUND
- = STONE FOUND
- ⊕ = IRON PIN SET

~ REFERENCES ~

DEED BOOK 575 PAGE 613
MIAMI COUNTY RECORDER'S DEED RECORDS
VOLUME 29 PLAT 5
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS (BASIS FOR BEARINGS)

*SURVEY OF 22.199 ACRES IN NEWTON TOWNSHIP,
MIAMI COUNTY, OHIO FOR ROBERT WELBAUM*



Richard W. Klockner
 PROFESSIONAL SURVEYOR NO. 4370
 RICHARD W. KLOCKNER & ASSOCIATES, INC.
 CIVIL ENGINEERING - LAND SURVEYING
 16 EAST WATER STREET
 TROY, OHIO 45373
 (513) 339-5331

4
TOWN

6
RANGE




S.E.
QUARTER

35
SECTION

MONROE
TOWNSHIP

VOLUME NO. 34, PLAT NO. 56
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

DATE - APRIL, 1986
SCALE - 1" = 100'




LEGEND


- ✓ 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- ✓ RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- △ CANAL MONUMENT FOUND
- × IRON PIPE FOUND

REFERENCES

DEED	BOOK	PAGE
	582	682
LAND SURVEY	VOLUME 8, PLAT 170	
"	"	16, " 36
"	"	16, " 150
"	"	24, " 128



SURVEY FOR	
JEFFREY BONHAM	
<i>Gregg S. Brookhart</i>	
OHIO REGISTERED SURVEYOR NO. 6348	



0 100 200 300 400
SCALE: 1"=200'


BEARINGS BASED ON PLAT
BOOK 8; PAGE 112

LEGEND

- ° = IRON PIN SET 5/8" x 4
- = IRON PIN FOUND
- ✱ = RAILROAD SPIKE FOUND
- ✱ = P-K NAIL SET
- = STONE FOUND

SURVEY REFERENCE
RECORD PLAT BOOK 8; PAGE 112
" " BOOK ; PAGE
LAND SURVEY VOL. 11; PAGE 143
" " VOL. 12; PAGE 150
" " VOL. 18; PAGE 23
" " VOL. 3; PAGE 224


SURVEY OF 21.616 ACRES IN
NEWBERRY TOWNSHIP FOR
PAUL & NORMA FLORA



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. ~ TROY, OHIO 45373
(513) 339-5331



11 APRIL 86

★ Note: Tie distance should be 95.97 feet, as shown on Land Survey Volume 30 Page 80.
Andy Smith, Map Dep't. 8-8-2001
Also see Land Survey Volume 46 Page 71.
Dennis Ventura, Map Dep't. 12-27-2018




CORPORATION

SECTION



MIAMI COUNTY PLANNING COMMISSION
George R. Mott CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE 4-15-86 NO. 2817



SURVEY OF 1.044 ACRES FOR			
FRED ENGLISH TROY CITY - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE MARCH-1986	DRAWN BY	D.T.	SHEET NO.
FILE NO. 060186	TRACED BY		1/1
	CHECKED BY	D.T.	

Daniel D. Turner

4
TOWN

6E
RANGE

33-N.E. 1/4
SECTION

MONROE
TOWNSHIP

VOLUME 34 PAGE 61
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.
NOVEMBER 4, 1985



SCALE: 1"=60'

LEGEND:

- IRON PIN FOUND
- IRON PIN SET
- ⊗ P.K. NAIL SET

REFERENCES:

VOL. 18, PAGE 158 { MI. Co. ENGR'S.
RECORD OF
LAND SURVEYS.


MIAMI COUNTY PLANNING COMMISSION

George R. Mot CHAIRMAN
Deborah A. Williams SECRETARY
DATE 4-15-86 NO. 2818

APPROVED

Subject: *Frank Haer*
By: *Michael W. Cozatt*
Date: 4-15-86
Troy City-Miami County
Health Department


SURVEY OF 3.010 ACRES FOR
FRANK HAER
TIPP CITY



Michael W. Cozatt

COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB No. 08685

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 12/2/85
DEPUTY DATE
2.699 CHANGED TO 3.010 OK 4/14/86



33(SE 1/4)
SECTION

7
TOWN

5
RANGE


NEWTON
TOWNSHIP

HALF SEC. L.S. VOL. 31, PG. 54
LINE

VOL. 34 PLAT NO. 62

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET




15.336 Ac.

NOTE

- = IRON PIN SET
- ✕ = IRON PIN FOUND
- ✕ = R.R. SPIKE FOUND
- = STEEL POST

Brqs. for this survey are in accordance with Land Survey Vol. 18, Pg. 187.



The south line of Sec. 33 was established in accordance with Land Survey Vol. 24, Page 90.



Daniel D. Turner
DANIEL D. TURNER
REG. SURVEYOR NO. 4807

SURVEY OF 15.336 ACRES FOR DONALD E. OAKES & BRUKNER NATURE CENTER			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE APRIL - 1986	DRAWN BY TRACED BY	D.T.	SHEET NO. 1/1
FILE NO. 140386	CHECKED BY	D.T.	

DATE: 26 MARCH 1986




~ LEGEND ~

- = STONE FOUND
- ✕ = RAILROAD SPIKE FOUND
- ⊕ = IRON PIN FOUND
- = IRON PIN SET
- = PK NAIL SET

~ SURVEY REFERENCE ~


VOLUME 7 PAGE 164
" 7 " 168
" 24 " 66
VOLUME 31 PAGE 26
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS
DEED BOOK 347 PAGE 395
DEED BOOK 538 PAGE 263
MIAMI COUNTY RECORDER'S
DEED RECORDS

SURVEY OF 40.175 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO FOR
LEONA VANTILBURGH



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

DATE: 26 & 27 MARCH 1986




~ LEGEND ~

- = STONE FOUND
- = RAILROAD SPIKE FOUND
- = STONE POST FOUND
- = IRON PIN SET

~ SURVEY REFERENCE ~

VOLUME 24 PAGE 68
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS
DEED BOOK 538 PAGE 263

SURVEY OF 80.263 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO
FOR LEONA VANTILBURGH



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

I
TOWN

11 M.R.S.
RANGE


S.W.
QUARTER

29
SECTION

SPRINGCREEK
TOWNSHIP

VOLUME NO. 34, PLAT NO. 65
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATE - APRIL, 1986
SCALE - 1" = 100'



LEGEND

- / 5/8" IRON PIN FOUND
- o 5/8" IRON PIN SET
- / RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- X PIPE FOUND



REFERENCES

LAND SURVEY VOLUME 15, PLAT NO. 176
" " " 34, " " 22
DEED BOOK 298, PAGE 574

ARMCO STEEL CORPORATION
D.B. 298 - 574

GEORGE WENRICK
L.D. SUR. VOL. 34 - 22

18.1799 ACRES



S.E. CORNER
S.E. QUARTER
SECTION 29, T-1, R-11
3017.09'

SURVEY FOR

ARMCO STEEL CORP.

Gregg S. Brookhart

OHIO REGISTERED SURVEYOR NO. 6348



6
TOWN

5 E
RANGE

SW 1/4 - 22
SECTION

UNION
TOWNSHIP

VOLUME 34 PAGE 66
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




LEGEND:

- IRON PIN OR PIPE FOUND
- IRON PIN SET
- STONE FOUND (3"x10" SANDSTONE +)
- ✕ RAILROAD SPIKE SET


REFERENCES:

VOL. 3, PG. 256
VOL. 7, PG. 22
VOL. 27, PG. 132
VOL. 28, PG. 144
VOL. 29, PG. 51
MIAMI CO. ENGINEER'S
RECORD OF LAND SURVEYS.

SURVEY OF 11.316 ACRES FOR
HAROLD AND DOROTHY HANEY




Michael W. Cozatt 4-30-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
307 S. WALNUT ST. TROY, OHIO
JOB NO. 03486



LAND TITLE SURVEY
SECTION 32, TOWNSHIP 2, RANGE 10 EAST M.R.S.

ELIZABETH TOWNSHIP
VILLAGE OF GRAYSON
MIAMI COUNTY, OHIO

2.388 ACRES



GENERAL NOTES

1. zoning is "F-1" Flood Plain District
2. setback line is 25' minimum
3. Maximum positional tolerance of corners is 0.04"
4. Description recorded in Deed Volume 556 Page 492, of the Miami County Records, states that the beginning point is N 3° 52' 00" E, a distance of 389.47 feet from the intersection of the centerline of Childrens Home - Grayson Road and the East line of the Northwest Quarter of Section 32. The correct distance is 261.13 feet.
5. Note dirt lanes through property to service lands of Raymond A. & Phyllis E. Bair.

DESCRIPTION

Beginning of a railroad spike set in the East line of the Northwest Quarter of Section 32, also being the centerline of the Childrens Home - Grayson Road (C.C. & St. Louis Railway Co. track), said point being North 3° 52' 00" East, along the east line of said Quarter one centerline, 261.13 feet from a spike found marking the Southeast corner of the Northwest Quarter of Section 32; thence North 47° 19' 00" East, parallel to and 100 feet distant from the centerline of the former Cleveland, Cincinnati, Chicago and St. Louis Railway Company track, 1300.00 feet to an iron pin set, and passing through an iron pin set 38.50 feet from the centerline of the road; thence North 3° 52' 00" East, 102.63 feet to a point, and passing through an iron pin set at 64.18 feet; thence South 47° 19' 00" East, parallel to and 20 feet distant from the centerline of the aforesaid railroad track, 1300.00 feet to the centerline of the aforesaid road; thence South 3° 52' 00" West, along the east line of the aforesaid Quarter and centerline, 102.63 feet to the place of beginning, passing through a railroad spike set at 38.50 feet Survey Reference: Volume No. 24, Plat No. 49 Miami County Engineer's Record of Land Surveys, containing 104,000 square feet or 2.388 acres, more or less.

To Beatrice Companies, Inc., S & P Branded Fertilizers, Inc., a Delaware Corporation, Chicago Title Insurance Company and

This is to certify that this map or plat and the survey on which it is based were made in accordance with the Minimum Standard Detail Requirements of Land Title Surveys jointly established and adopted by the A.T.A. and A.C.S.M. in 1962, that there are no improvements, encroachments or uses except as shown herein and that the area represented for the land is correct.

By Eugene R. Brown
Registration No. 4213



SHAW, WEISS & DE NAPLES
Professional Corporation
Consulting Engineers & Surveyors
Dayton, Ohio & Cincinnati, Ohio
Miami Beach, Fla.
SCALE 1"=100' DRAWN R.W. CHECKED
DATE Nov., 1985 JOB NO. MA85-4211

Elizabeth

2

10E.

SW 1/4 10

Volume 34 Plat No. 68

Township

Town


Range

Section

Miami County Engineers Record
of Land Surveys

Scale ~ 1" = 200'

May 12, 1986



- = Iron Pin Found
- = R.L. Spike "
- = Post

Survey Reference:

Land Survey Volume 17 Plat No. 29
" " " 26 " " 129

Deed Reference

D.B. 499 Pg. 66 4

Survey of 111.703 A - for
David Young

This survey certified by:
William A. Boyer 5/14/86


L.S. VOL. 3, PG. 468

PLAT BOOK 13, PG. 8


NOTE

- = IRON PIN SET
- ⊗ = IRON PIN FOUND
- = R.R. SPIKE SET
- ⊗ = R.R. SPIKE FOUND
- ⊙ = P. K. NAIL SET
- ⊗ = P. K. NAIL FOUND
- = STONE FOUND

L.S. VOL. 33, PG. 6



SURVEY OF 42.091 AC. TRACT FOR			
BILLY HORN TIPP CITY - OHIO			
DANIEL D. TURNER & ASSOC.			
TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
<u>DATE</u>		D.T.	
MAY - 1986		TRACED BY	
<u>FILE NO.</u>		THICKED BY	
210586		D.T.	
		SHEET N	
		1/1	




LEGEND

- ▲ STONE FOUND
- ✕ RR SPIKE FOUND
- ✕ RR SPIKE SET
- IRON PIN SET
- IRON PIN OR RR SPIKE CALLED FOR, NOT USED
- △ STONE CALLED FOR NOT USED


REFERENCES

- VOL. 25, PG. 121 MIAMI CO. ENGINEER'S
RECORD OF LAND SURVEYS.
- D.B. 556, PG. 511 MIAMI CO. RECORDER'S
DEED RECORDS.

SURVEY OF 5.001 ACRES
FOR JIM LEE



Michael W. Cozatt 5-16-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 04586



BETHEL
TOWNSHIP



2
TOWN

9-MRS
RANGE

N.E. QTR-16
SECTION

VOLUME 34 PLAT 71
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 5 MAY 86



CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Deputy R. Haman 5/12/86
DEPUTY DATE

MIAMI COUNTY PLANNING COMMISSION

George R. Mote CHAIRMAN


Deborah D. Williams SECRETARY

DATE 5-20-86 NO. 2823

~ LEGEND ~

- o = IRON PIN SET
- = IRON PIN FOUND
- x = PIPE FOUND
- x = NAIL FOUND
- x = RAILROAD SPIKE FOUND

SURVEY OF 2.941 ACRES FOR DAYTON
SOFTWATER CO. AND JON PLUNKETT.



Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST.
TROY, OHIO 45373 (513) 339-5331

1 (SE 1/4)
SECTION

7
TOWN

4
RANGE

UNION
TOWNSHIP


VOL. 34 PLAT NO. 72

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION

SECTION




NOTE
O = IRON PIN SET
X = IRON PIN FOUND
● = R.R. SPIKE SET
✱ = R.R. SPIKE FOUND

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Deputy R. Hamanaka 5/6/86
DEPUTY DATE

MIAMI COUNTY PLANNING COMMISSION
George R. Mote CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE 5-20-86 NO. 2820

APPROVED
Subject to Zoning Approval
By L. D. Morgan, Sec. Com.
Date 1/3/86
Troy City-Miami County
Health Department





Daniel D. Turner

SURVEY OF TWO TRACTS FOR			
JACK TURNER LUDLOW FALLS - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO • CIVIL ENGINEERING • LAND SURVEYING •			
DATE APRIL-1986	DRAWN BY TRACED BY	D.T.	SHEET NO. 1/1
FILE NO. 180486	CHECKED BY	D.T.	

6 TOWN 5E RANGE S.E. QUARTER 20 SECTION UNION TOWNSHIP

VOLUME NO. 34 PLAT NO. 73
 MIAMI COUNTY ENGINEER'S
 RECORD OF LAND SURVEYS.

DATE: MAY ~ 1986



- ~ LEGEND ~
- ✕ = RAILROAD SPIKE FOUND
 - ✕ = RAILROAD SPIKE SET
 - = IRON PIN FOUND
 - = IRON PIN SET
 - = STONE FOUND

~ SURVEY REFERENCE ~

LAND SURVEY VOL. 21, PG. 164
 LAND SURVEY VOL. 29, PG. 53
 BEARINGS AS PER LAND
 SURVEY VOL. 29, PG. 53


~ DEED REFERENCE ~

DEED BOOK 537, PG. 586
 DEED BOOK 542, PG. 790

APPROVED
 Subject to Zoning Approval
 By L. D. Dwyer, Sec. Com.
 Date 12/20/85
 Troy City-Miami County
 Health Department

MIAMI COUNTY PLANNING COMMISSION
George R. Mot CHAIRMAN
Deborah A. Millhouse SECRETARY
 DATE 5-20-86 NO. 2819

CERTIFIED TO CONFORM WITH
 MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
 MIAMI COUNTY ENGINEER
Paul E. Johnson 5/4/86
 DEPUTY DATE




SURVEY OF 3.2765 ACRES
 FOR
 KEITH E. BROWN

PAUL E. JOHNSON
 WEST MILTON, OHIO
Paul E. Johnson
 OHIO REGISTERED SURVEYOR NO. 6030

DATE - MAY , 1986

SCALE - 1" = 200'



MIAMI COUNTY PLANNING COMMISSION
George R. Mot. CHAIRMAN
Dorothy L. Williams SECRETARY
DATE 5-20-86 NO. 2821

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R Hamann 5/8/86
DEPUTY DATE



NOTE

THE 19.3736 ACRE TRACT IS TO BE TRANSFERRED TO THE BOARD OF EDUCATION OF THE
PIQUA SCHOOL DISTRICT & THE 11.0306 ACRE TRACT IS TO BE TRANSFERRED TO THE
BOARD OF TRUSTEES OF EDISON STATE GENERAL AND TECHNICAL COLLEGE .

SURVEY FOR
PIQUA BOARD OF EDUCATION

Gregg S. Brooks
OHIO REGISTERED SURVEYOR NO. 6348

DATE: MAY 1986



BEARINGS ARE ORIENTED TO CORRELATE WITH BEARINGS SHOWN ON LAND SURVEY VOLUME 28 PAGE 99.

~ LEGEND ~

- ⊕ = IRON PIN FOUND
- ⊙ = RAILROAD SPIKE FOUND
- ⊗ = IRON PIPE FOUND
- + = TREE FOUND (APPROX. CENTER OF TRUNK)
- = CONCRETE HIGHWAY MONUMENT FOUND
- ✕ = PK NAIL FOUND
- = IRON PIN SET
- ✱ = PK NAIL SET
- ⊠ = RAILROAD SPIKE SET IN TOP OF WOOD POST

~ REFERENCES ~

LAND SURVEY VOLUME 4 PAGE 104
" " " 4 " 159
" " " 8 " 179
" " " 13 " 35
" " " 27 " 106
" " " 28 " 99
LAND SURVEY VOLUME 32 PAGE 51
OHIO DEPT. OF TRANSPORTATION
RIGHT-OF-WAY PLANS FOR U.S. ROUTE 36

MIAMI COUNTY PLANNING COMMISSION


George R. Mate CHAIRMAN
Debra A. Millhouse SECRETARY

DATE May 22, 1986 NO. 2824




SURVEY FOR RUSSELL WARNER ET AL.
AND ROBERT J. RECK

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348




VOLUME 34 PLAT 76
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED ~ 29 MAY 1986
REVISED ~ 22 SEP 1986 *Rut.*



SURVEY REFERENCE
LAND SURVEY VOL. 33, PG. 168



- LEGEND
- = IRON PIN SET
 - = IRON PIN FOUND
 - ✕ = RAILROAD SPIKE SET
 - ✕ = RAILROAD SPIKE FOUND
 - = WOOD CORNER POST
 - ⊙ = STEEL POST



SURVEY OF A 5.021 ACRE TRACT IN
MONROE TOWNSHIP FOR SAMUEL
NULL, ETAL.

Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 (513) 339-5331

28 MAY 1986




S.E. CORNER
S.E. QUARTER
SECTION 25

- LEGEND
- = IRON PIN SET 5/8" x 30"
 - = IRON PIN FOUND
 - * = RAILROAD SPIKE FOUND
 - ✕ = P-K NAIL SET
 - ✕ = P-K NAIL FOUND

SURVEY REFERENCE
LAND SURVEY VOL. 6; PG. 160
" " VOL. 12; PG. 145
" " VOL. 27; PG. 148
(BASIS OF BEARINGS)

SURVEY OF EXISTING 1.442 ACRE
TRACT FOR FRANKLIN AND
MARGARET WELLS



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOC. INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. ~ TROY, OHIO
(513) 339-5331

9 NORTH
TOWN

4 EAST
RANGE

N.W. & S.E.
QUARTER

34
SECTION

NEWBERRY
TOWNSHIP

MIAMI
COUNTY

OHIO
STATE

VOL. NO. 34 PLAT NO. 78
MIAMI COUNTY ENGINEERS RECORD
OF LAND SURVEYS

MAY, 1986



Scale: 1"=200'

NOTES - BASIS OF BEARINGS - SURVEY VOL. 32, PLAT 51

LEGEND

- I.P. Found
- Corner Stone Found
- ✕ R.R. Spike Found
- Conc. Post

• I.P. Set
0' 100' 200' 400'



WARNER FARMS INC.
101.31 Ac.
SURV. VOL. 3 PG. 243

SEE
DETAIL

CENTER OF SEC. 34

N 1° 45' 00" W - 1296.00'
(1317.00')

MILDRED KINGREY
19.989 Ac.
Vol. 361 Pg. 476
(PREV. SURV. VOL. 13 PG. 2)

S 1° 45' 00" E - 1317.50'

DONALD HEISEY et ux.
60.36 Ac.

E 1/4 COR.

EAST SEC. LINE OF SEC. 34


MILDRED KINGREY
49.704 Ac.
Vol. 349 Pg. 111
Vol. 361 Pg. 476

ALLEN L. GIBBONEY
50.077 Ac.
SURV. VOL. 32 PLAT 51

R=400.00'
I=28° 51' 40"
A=201.49'
T=102.93'
CHD.=N 55° 48' 50" E
199.37'

645.00'

NORTH LINE OF SEC. 34



Thomas McDougall
THOMAS McDOUGALL, PROFESSIONAL
SURVEYOR #6588

CONTAINS 69.698 AC. TOTAL

Prepared By:

John W. Judge Engineering Company
1201 East David Road - Kettering, Ohio 45429

jaw 86-617

CONCORD
TOWNSHIP


7
TOWN

5-EAST
RANGE

S.E. QTR. - 24
SECTION

VOLUME 34 PLAT 80
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 2 JUNE 86



LEGEND

- = CONCRETE POST
- △ = STONE FOUND
- = 2 1/2" STEEL POST
- ✕ = RAILROAD SPIKE FOUND
- ✕ = RAILROAD SPIKE SET
- = IRON PIN FOUND
- = IRON PIN SET


REFERENCE

LAND SURVEY VOL. 32, PLAT 39
" " " 28, " 145
" " " 26, " 186
" " " 17, " 190
" " " 8, " 24


S.W. CORNER
S.W. QUARTER
SEC. 19, T-5, R-6E

S.E. CORNER
S.E. QUARTER
SEC. 24, T-7, R-5E

SURVEY OF 10.001 ACRES IN CONCORD
TOWNSHIP FOR MELBA ZWIEBEL.



Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 (513) 339-5331



SCALE: 1"=200'




LEGEND:

- IRON PIN FOUND
- 5/8" ϕ IRON PIN SET
- STONE FOUND
- ✱ R.R. SPIKE FOUND
- ⊗ R.R. SPIKE SET


REFERENCES:

- VOL. 5, PG. 167
VOL. 13, PG. 26
VOL. 16, PG. 42
VOL. 20, PG. 44
VOL. 31, PG. 23
VOL. 31, PG. 47
VOL. 32, PG. 103
VOL. 33, PG. 10
D.B. 224, PG. 597
- } MIAMI CO. ENGINEER'S
RECORD OF LAND SURVEYS.
- } MIAMI CO. RECORDER'S
DEED RECORDS.

SURVEY OF 80.792 ACRES FOR
ESTATE OF ELSIE FAYE WEAVER



Michael W. Cozatt 6-04-86
COZATT ENGINEERING COMPANY
 CIVIL ENGINEER LAND SURVEYOR
 307 S. WALNUT ST. TROY, OHIO
 JOB NO. 04186



VOLUME NO. 34 PLAT NO. 82
 MIAMI COUNTY ENGINEER'S
 RECORD OF LAND SURVEYS.

TOWN 6, RANGE 5 EAST,
 SOUTHWEST QUARTER, SECTION 36,
 MONROE TOWNSHIP,
 MIAMI COUNTY, OHIO.

SURVEY REFERENCES:

VOLUME NO. 23, PLAT NO. 75
 VOLUME NO. 4, PLAT NO. 116
 MIAMI COUNTY ENGINEER'S
 RECORD OF LAND SURVEYS.

DEED REFERENCES:

DEED BOOK NO. 422, PAGE 61
 DEED BOOK NO. 402, PAGE 619
 MIAMI COUNTY RECORDER'S
 DEED RECORDS.

SURVEY FOR:

CHRISTOPHER J. McALPIN

PREPARED BY:

McCRATE CONSULTANTS
 DAYTON, OHIO
 SCALE 1"=10' JUNE 1986



SURVEYOR:

Gerald J. Brown
 GERALD J. BROWN, P.S.
 OHIO LICENSE NO. 6508


8
TOWN

4E
RANGE

34-N.W.1/4
SECTION

NEWTON
TOWNSHIP

VOL. 34 PAGE 83
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.



SCALE: 1" = 200'




LEGEND:

- IRON PIN FOUND
- IRON PIN SET
- ✱ R.R. SPIKE FOUND
- STONE FOUND
- △ CONCRETE POST

REFERENCES:


VOL. 25, PG. 200 } MIAMI CO. ENGINEER'S
VOL. 28, PG. 26 } RECORD OF LAND SURVEYS.
000T STONE RECOVERY RECORD.

SURVEY OF 10.027 ACRES FOR
DARRELL SNIPES LAURA



Michael W. Cozatt 6-13-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER - LAND SURVEYOR
1008 GRANT STREET TROY, OHIO
JOB NO. 05286

REVISED 7-16-88 MC.
ADDED 20.277 AC. TRACT
REVISED 4-14-87 MC.
COMBINED INTO 1 TRACT



7(NE 1/4)
SECTION

2
TOWN

9
RANGE

BETHEL
TOWNSHIP

VOL. 34 PLAT NO. 84

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION

SECTION

WOODED HEIGHTS PLAT

LOT 9

LOT 8

LOT 7

LOT 6

6.108 AC
TRACT I

(L.S. VOL. 14, PG. 89)

TRACT I

~~6.108 AC~~ 2.652 AC
+ 0.266 AC.
~~6.374 AC~~ 2.918 AC

D. VENTURA
DEP. ENGR.
12-2-2003

(L.S. VOL. 14, PG. 89)

TRACT IV

8.633 AC.
- 0.266 AC.
- 0.367 AC.
8.000 AC.

0.266 AC.
(PART OF TRACT IV)

NOTE

- = IRON PIN SET
- ✕ = IRON PIN FOUND

0.266 Ac. tract is to be conveyed to adjacent owner. 0.367 Ac. tract is to be retained by present adjacent owner. Neither tract is to be used as an individual building site.

MIAMI COUNTY PLANNING COMMISSION

George R. Mot CHAIRMAN

Deborah A. Williams SECRETARY

DATE 6-17-86 NO. 2827


CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 6/14/86
DEPUTY 0.367 AC. DATE
0.266 AC.

S.E. COR. OF N.E.
QR. OF SEC. 7

HALF SEC. LINE

SECTION LINE
& PALMER ROAD

SINGER ROAD NO. 178
(30' R/W)



Daniel D. Turner

SURVEY OF TWO TRACTS FOR			
JOHN MORELOCK DAYTON - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE JUNE - 1986	DRAWN BY	D.T.	SHEET NO.
FILE NO. 240586	TRACED BY	D.T.	1/1
	CHECKED BY		

2
2
TOWN



11
10
RANGE

S.E. 1/4 - 25
N.E. 1/4 - 30
SECTION

LOSTCREEK
TOWNSHIP

MIAMI
COUNTY

VOLUME 34 PAGE 85
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




LEGEND:

- STONE FOUND
- I. PIN FOUND
- I. PIN SET
- ✕ R.R. SPIKE FOUND
- ✕ R.R. SPIKE SET
- ✕ P.K. NAIL SET

REFERENCES:

VOL. 22, PG. 135 } MIAMI CO. ENGINEER'S
VOL. 23, PG. 11 } RECORD OF LAND SURVEYS.
VOL. 27, PAGE 7 }

SURVEY OF 66.566 ACRES FOR
JOSEPH H. BODENMILLER



Michael W. Cozatt 5-1786
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 04686

ORIGINAL REVISED 9-05-87 MC

County	Township	Section	Town	Range
Miami	Bethel	SW 1/4-5	2	9 MRS.

Volume 34 Plat 86
Miami County Engineers
Record of Land Surveys

Miami County Engineer


Deputy

Date

Legend:

○ = Iron Pin Found

⊗ = Iron Pin Set



Scale ~ 1" = 100'

June, 1986

Survey Reference:

Land Survey Vol. 25 Plat 11


" " " 28 " 14

Plat " " 13 " 84

Plat of Survey for

W^m H. Heilman

122.11 A^c ~ D.B. 426 Pg. 310



NOTE !! THIS SURVEY IS INCORRECT.
SEE CORRECTED SURVEY FILED
IN LAND SURVEY VOLUME 34 PAGE 103

Don Hamann
DEPUTY COUNTY ENGINEER
7/29/86

This survey certified by:
William A. Boyer 6/8/86

RANGE 11

TOWN 2

SECTION 17 SE 1/4

BROWN TOWNSHIP

Volume N^o 34 Plat N^o 87
Miami County Engineers
Record of Land Surveys

Corner Post with
Box in Top of
system Piled around
NW Corner of
SE 1/4

S 89° 50' 40" E 1/2 SECTION LINE
2604.03'

Spt Found
4" Deep
NE Corner of
SE 1/4



1" = 200'
Assumed Bearing
• = N^o 4 Rebar set
Deed Reference
Vol. 414 Pg. 519
Vol. 584 Pg. 853

Client: Leslie D. & Debbie H. Kinder
6715 East Loy Rd.
Fletcher, Ohio 45326



Surveyed: 14 June 1986

William G. Fultz, Jr.
William G. Fultz, Jr.
Reg. Surveyor N^o 5173

102.966 Ac.

2611.48'
DUE WEST

RR Spt Set

55.000 Ac.


Spt Found
2" Deep
SW Corner of
SE 1/4

2615.48'
DUE WEST
LOY ROAD N^o 17
SECTION LINE

Spt Found near surface
SE Corner of Sec. 17


1/2 SECTION LINE
1723.48'
2640.20'
N 0° 10' W

1716.46'
SODOM - BALLOU ROAD N^o 25
50° 25' E
12'
2635.21'
LINE
916.75'
SECTION LINE



NOTE

- O = IRON PIN SET
 X = IRON PIN FOUND
 ● = R.R. SPIKE SET
 * = R.R. SPIKE FOUND



SURVEY OF TWO TRACTS FOR SYLVESTER MEYER COVINGTON-OHIO		
DANIEL D. TURNER & ASSOC. TROY, OHIO		
• CIVIL ENGINEERING • LAND SURVEYING •		
DATE JUNE-1984 FILE NO. 320686	DRAWN BY TRACED BY CHECKED BY	DT. DT. SHEET NO 1/1

9
TOWN


4E
RANGE

27-N.E. 1/4
SECTION

NEWBERRY
TOWNSHIP

MIAMI
COUNTY

VOLUME 34 PAGE 89
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




LEGEND

- ✱ R.R. SPIKE FOUND
- ✱ R.R. SPIKE SET
- ✱ P.K. NAIL SET
- IRON PIN FOUND
- IRON PIN SET
- △ CONC. CORNER POST
- CONC. R/W MONUMENT


REFERENCES

Vol. 6, PG. 183
Vol. 7, PG. 23
Vol. 27, PG. 140
Vol. 27, PG. 106
Vol. 32, PG. 35

} MIAMI CO. ENGINEER'S
RECORD OF LAND
SURVEYS.



SURVEY OF 46.132 ACRES FOR
DALE M. STOLTZ.



Michael W. Cozatt 6-25-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 06286



SE QUARTER
36
SECTION

6
TOWN

5 EAST
RANGE

MONROE
TOWNSHIP

Plat No. 34 Volume No. 90
Miami County Engineer's
Record of Land Surveys




- IRON PIN SET
- RAILROAD SPIKE SET
- IRON PIN FOUND
- RAILROAD SPIKE FOUND

BEARING OF NORTH MONTGOMERY
COUNTY LINE ROAD MADE TO AGREE
WITH A SURVEY IN VOL. 31, PG. 138 OF
THE MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

OWNER: ROBERT C. & CAROLYN M.
THURMAN
DB 375 PG 190

SURVEY REFERENCES
LAND VOL 8 PG 135
LAND VOL 31 PG 138



PLAT OF SURVEY
FOR
ROBERT C. THURMAN


MONROE TOWNSHIP
MIAMI COUNTY, OHIO

JUNE 23, 1986


T. E. Winemiller
Thomas E. Winemiller
Ohio Registered Surveyor No. 5140

THOMAS WINEMILLER & ASSOCIATES, INC.
ENGINEERS — PLANNERS — SURVEYORS
34 EAST NATIONAL ROAD
VANDALIA, OHIO


DATE: 13 JUNE 1986



SURVEY OF 7.248 ACRES IN NEWBERRY
TOWNSHIP, MIAMI COUNTY, OHIO FOR
JOSEPH AND EILEEN YANEY




Richard W. Klockner
PROFESSIONAL SURVEYOR NO 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331





SURVEY OF 10.100 ACRES, 0.7394 ACRES AND
0.3579 ACRES IN ELIZABETH TOWNSHIP,
MIAMI COUNTY, OHIO FOR WILLIAM
THOMPSON

MIAMI COUNTY PLANNING COMMISSION
Sam Studbaker Vice
 CHAIRMAN
Deborah A. Millhouse SECRETARY
 DATE *August 19, 1986* NO. *2033*



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331


DATE: 25 JUNE 1986



- ~ LEGEND ~
- ✕ IRON PIN FOUND
 - ✕ RAILROAD SPIKE FOUND
 - ⊙ BROKEN CONCRETE R/W MON. FOUND
 - IRON PIN SET
 - PK NAIL SET

- ~ REFERENCE ~
- OHIO DEPT OF TRANS. RIGHT OF WAY PLANS
LAND SURVEY VOLUME 20 PAGE 31
" " " 23 " 78
" " " 33 " 119
DEED BOOK 422 PAGE 346

SURVEY OF 5.3866 ACRES IN MONROE
TOWNSHIP, MIAMI COUNTY, OHIO FOR
J. C. MOHR



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

MONROE
TOWNSHIP

4
TOWN

6-EAST
RANGE

PT. S.E. QUAR. 33
SECTION

VOLUME 34 PAGE 96
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATED: 25 JAN 1985
REVISED: 16 APR 1986


SABATINOS

80 ACRES - 5.0005 ACRES
= 75 ± ACRES

52°41'45"E
1650.1'
913 ±
52°12'E

2.382 ACRES
LAND SURVEY VOL. 22
PG. 123

22.746 ACRES
LAND SURVEY VOL. 5
PG. 142




MIAMI COUNTY
MONTGOMERY COUNTY

SOUTH LINE SECTION 33
S 87° 40' W 440.00'


70' E/W
LIGHTNER ROAD (70' E/W - ALL IN MONTGOMERY CO.)

MIAMI COUNTY ROAD 25A & SECTION LINE




BEARINGS: PREVIOUS SURVEYS

- LEGEND
- = IRON PIN SET 5/8" x 30"
 - = IRON PIN FOUND
 - ✱ = RAILROAD SPIKE FOUND



SURVEY OF 5.0005 ACRES OF FRANK
& ROSE SABATINOS PROPERTY
FOR WREN INDUSTRIES

Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. - TROY, OHIO
(513) 339-5331



Certified To Conform With
Miami County Survey Requirements

DOUGLAS L. CHRISTIAN
Miami County Engineer

Deputy
Date 12-27-2005

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN

MIAMI COUNTY ENGINEER
Deputy
DATE 10/1/88

CERTIFICATION OF REGISTRATION


This is to certify that Planning Commission Approval of this conveyance is not required, as being exempt under O.R.C., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure may be erected or maintained on the premises herein conveyed without further compliance with all Zoning, Building, and Planning Regulations of Miami County.

As 0.681 ac.

Secretary
Miami County Planning Commission



Daniel D. Turner

SURVEY OF 7.769 ACRES FOR			
CASPER HOLBERT AND CONSOLIDATED RAIL CORPORATION			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE JULY-1986	DRAWN BY	D.T.	SHEET NO. 1/1
FILE NO. 190486	TRACED BY	D.T.	
	CHECKED BY	D.T.	

0.681 Ac. Tract added 6-10-88
0.630 Ac. Tract added 12-23-05




DATE: 14 JULY 86

SURVEY REFERENCE

DOWLER'S SURVEY BOOK 1, PG. 12
LAND SURVEY VOLUME 18, PG. 166
LAND SURVEY VOLUME 31, PG. 112
BEARINGS AS PER LAND SURVEY
VOLUME 31, PG. 112

LEGEND

x = RAILROAD SPIKE FOUND
* = IRON PIN FOUND
s = IRON PIN SET



SURVEY OF 0.8798 ACRES
FOR
KENNETH DEETER

Paul E. Johnson

PAUL E. JOHNSON
OHIO REGISTERED SURVEYOR NO. 6030
WEST MILTON, OHIO

I
TOWN

II M.R.S.
RANGE



N.E. & N.W.
QUARTER

II
SECTION

SPRINGCREEK
TOWNSHIP

VOLUME NO. 34, PLAT NO. 99
MIAMI COUNTY ENGINEER'S RECORD
OF LAND SURVEYS.

SCALE - 1" = 300'
DATE - JUNE, 1986




LEGEND

- 5/8" IRON PIN FOUND
- 5/8" IRON PIN SET
- RAILROAD SPIKE FOUND
- RAILROAD SPIKE SET
- 1.2' x 1.2' CONCRETE POST
- P.K. NAIL FOUND



REFERENCES

DEED	BOOK	569,	PAGE	690	
LAND	SURVEY	VOLUME	15,	PLAT	73
"	"	"	16,	"	58
"	"	"	16,	"	77
"	"	"	18,	"	190
"	"	"	28,	"	147
"	"	"	30,	"	87



SURVEY FOR
ESTATE OF FRED DEWEESE
<i>Gregg S. Brookhart</i>
OHIO REGISTERED SURVEYOR NO. 6348

DATE: JULY, 1986



BEARING ON CENTERLINE OF STATE ROUTE 48 ASSUMED FROM OHIO DEPT. OF TRANSPORTATION RIGHT-OF-WAY PLANS


~ LEGEND ~

- = RAILROAD SPIKE FOUND
- ✱ = IRON PIN FOUND
- ⊕ = STEEL FENCE POST FOUND
- ✱ = PK NAIL OVER MONUMENT BOX FOUND
- = 5/8" DIAMETER IRON PIN SET
- ✱ = RAILROAD SPIKE SET

~ REFERENCES ~

LAND SURVEY VOLUME 22 PAGE 168
 " " " 25 " 197
 " " " 27 " 144
 LAND SURVEY VOLUME 31 PAGE 94
 RECORDER'S PLAT BOOK 5 PAGE 73
 O.D.O.T. RIGHT-OF-WAY PLANS ST. RT. 48
 DEEDS AS SHOWN HEREON

SURVEY FOR JOHN W. KISNER ET. AL.



Gregg S. Brookhart
 GREGG S. BROOKHART
 OHIO REGISTERED SURVEYOR NO. 6348



7
TOWN

5E
RANGE

11-N.W.1/4
SECTION

CONCORD
TOWNSHIP

VOLUME 34 PAGE 101
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




LEGEND

- IRON PIN FOUND
- ✱ PK SET OVER RR SPIKE
- 4" IRON POST
- IRON PIN SET (3/8" ⌀ CAPPED)

REFERENCES

SURVEY RECORD VOL. 27, PAGE 46
" " " 27, " 135
" " " 31, " 41
DEED BOOK VOL. 520, PAGE 925

SURVEY OF 6.795 ACRES
FOR ROBERT FLORA



Michael W. Cozatt 7-23-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 09786

3(NW 1/4)
SECTION

2
TOWN


9
RANGE

BETHEL
TOWNSHIP

VOL. 34 PLAT NO. 102

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS



SCALE 1 INCH = 300 FEET



NOTE

- o = IRON PIN SET
- x = IRON PIN FOUND
- * = R.R. SPIKE FOUND
- = STONE FOUND

BRGS. ARE IN ACCORDANCE
WITH L.S. VOL. 31, PG. 51




Daniel D. Turner

SURVEY OF 121.974 ACRES FOR			
RAY SCHAAF HUBER HEIGHTS, OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE JULY-1986	DRAWN BY	D.T.	SHEET NO.
FILE NO. 370686	TRACED BY	D.T.	1/1
	CHECKED BY	D.T.	

Volume 34 Plat 103
Miami County Engineers
Record of Land Surveys

Deputy _____ Date _____

○ = Iron Pin Found
⊙ = Iron Pin Set



Scale ~ 1" = 100'

June, 1986

Plat " " 13 " 84


122.11 A^s - D.B. 426 Pg. 310

Locustwood Est.

Heilman Dr. (50') ~ to Scarff Road →

William A. Boyer 6/8/86
Rev. 7/24/86

WILLIAM A. BOYER & ASSOC.
7233 YORKSHIRE DR.
DAYTON, OHIO 45414
(513) 898-9071



SCALE: 1"=60'



LEGEND:

- IRON PIN OR PIPE FOUND
- IRON PIN SET
- CONCRETE CORNER POST
- △ STONE FOUND DESTROYED


REFERENCES:

VOL. 14, PG. 190 } MIAMI CO. ENGINEER'S
VOL. 24, PG. 9 } RECORD OF LAND SURVEYS.
VOL. 32, PG. 100 }

NOTICE OF REGISTRATION
This is to certify that the Miami County Planning Commission has approved this conveyance
is not required, excepting as otherwise provided by law, Chapter 721.001, R.C.
Notices given to all parties:
No additional funding is to be created by this survey, and no structure
may be erected or placed on the premises except in accordance with
other applicable laws and regulations, including the zoning regulations
of Miami County.

Robert A. Millhouse
Secretary
Miami County Planning Commission

SURVEY OF 1.000 ACRES FOR
ROBERT & BETTY KRUEGER



Michael W. Cozatt 6-28-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 06386

BROWN
TOWNSHIP



30-S.W.QTR
SECTION

2
TOWN

11
RANGE

VOLUME 34 PLAT 105
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.


DATED: 28 JUL. 86




- LEGEND -
- o = IRON PIN SET
 - = IRON PIN FOUND
 - x = RAILROAD SPIKE SET
 - x = RAILROAD SPIKE FOUND
 - o = CAPPED PIPE FOUND

-REFERENCE -
LOT SURVEY VOL. 9, P. 40
LOT SURVEY VOL. 9, P. 41

SURVEY OF 5.010 ACRE TRACT IN
BROWN TOWNSHIP FOR LORETTA
J. MARCHESKI.



Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331



County
Miami


Township
Newberry

Section
SW 1/4-5

Town
8N

Range
5E

Volume 34 Plat 106
Miami County Engineers
Record of Land Surveys



Miami County Engineer

Deputy

Date



Scale - 1" = 200'

June, 1986

- - RR Spike Found
- - RR Spike Set
- - Iron Pin Found
- - Iron Pin Set
- - Post

Survey Reference:
Land Survey Vol. 33 Plat 173

Plat of Survey for:
Jackie L. Heffner
140 A= - DB 466 Pg. 564

This survey certified by:
William A. Boyer 6/22/86

WILLIAM A. BOYER & ASSOC.
7233 YORKSHIRE DR.
DAYTON, OHIO 45414
(513) 898-9071

BROWN
TOWNSHIP



33-S.E. QTR
SECTION

2
TOWN

12
RANGE

VOLUME 34 FLAT 107
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.


DATE: JULY 30, 1986



REFERENCE
LAND SURVEY VOLUME 3, PG. 96
LAND SURVEY VOLUME 25, PG. 54
LAND SURVEY VOLUME 25, PG. 118

LEGEND
• = IRON PIN FOUND
○ = IRON PIN SET
✕ = RAILROAD SPIKE FOUND
✕ = RAILROAD SPIKE SET

SURVEY OF A 1,000 ACRE TRACT
IN BROWN TOWNSHIP FOR
WILLIAM SULLENBERGER.



Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331

4
TOWN

6E
RANGE



4-S.W. 1/4
SECTION

CONCORD
TOWNSHIP

MIAMI
COUNTY

VOLUME 34 PAGE 108
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

HELEN UPDIKE




LEGEND:

- IRON PIN FOUND
- IRON PIN SET

REFERENCES:

VOL. 12 PG. 96 } MIAMI CO. RECORDER'S
VOL. 12, PG. 136 } PLAT RECORDS.



SURVEY OF 16.572 ACRES FOR
ROBERT AND JAMES BLACKMORE



Michael W. Cozatt 8-05-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 12586


DATE: 12 AUG 1986

9.032 ACRE SURVEY ADDED
5 DEC 1986 R.W. Klockner P.E., P.S.




SURVEY OF 14.000 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO FOR
CLYDE HERSHEY

Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331




VOLUME 34 PAGE 110
 MIAMI COUNTY ENGINEERS
 RECORD OF LAND SURVEYS
 DATED: 12 AUG. 1986



- LEGEND
- = IRON PIN SET
 - = IRON PIN FOUND
 - ✕ = RAILROAD SPIKE SET
 - ✕ = RAILROAD SPIKE FOUND
 - ★ = STEEL POST IN CONC.



SURVEY REFERENCE
 LAND SURVEY VOL. 8; PG. 24
 " " VOL. 17; PG. 190
 " " VOL. 26; PG. 186
 " " VOL. 32; PG. 39



SURVEY OF 10.001 ACRES IN
 CONCORD TOWNSHIP FOR
 MELBA ZWIEBEL.

Richard W. Klockner
 PROFESSIONAL SURVEYOR-NO. 4370
 RICHARD W. KLOCKNER & ASSOC., INC.
 CIVIL ENGINEERING & SURVEYING
 16 E. WATER ST.
 TROY, OHIO 45373
 (513) 339-5331

DATED: 22 JUNE 1986
REVISED: 11 DECEMBER 1990
REVISED: 18 APRIL 1993



- LEGEND -
● = IRON PIN FOUND
○ = IRON PIN SET
✕ = RAILROAD SPIKE FOUND
✕ = RAILROAD SPIKE SET
Q = P.K. NAIL


- SURVEY REFERENCE -
LAND SURVEY VOL. 24; PG. 131
LAND SURVEY VOL. 33; PG. 125

S.E. CORNER
S.E. QUARTER
SECTION 24

APPROVED
Subject to Zoning Approval
By *[Signature]*
Date *2/7/86*
Troy City-Miami County
Health Department

MIAMI COUNTY PLANNING COMMISSION
Sam Stuchlik Vice Chairman
Deborah A. Millhouse Secretary
DATE *August 19, 1986* NO. *2831*


CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald E. Hermann Deputy
DATE *8/4/86*



SURVEY OF DIVISION OF 63.902
ACRES IN LOSTCREEK TOWN-
SHIP FOR DONALD WATSON.

Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331

DATE: 15 AUGUST 1985



~ LEGEND ~

- = IRON PIN FOUND
- ⊕ = RAILROAD SPIKE FOUND
- ⊗ = BOAT SPIKE FOUND
- = IRON PIN IN CONCRETE FOUND
- ⊙ = IRON PIN SET
- ⊗ = RAILROAD SPIKE SET


~ REFERENCE ~

LAND SURVEY VOLUME 26 PLAT 186
(BASIS FOR BEARINGS)

SURVEY SPLITTING 0.533 Ac. & 0.243 Ac. OFF OF
AN EXISTING 1.999 ACRE TRACT IN
CONCORD TOWNSHIP FOR KENNETH E. DAVIS


MIAMI COUNTY PLANNING COMMISSION
Sam Studer Vice Chairman
Deborah A. Millhouse Secretary
DATE August 19, 1986 NO. 2830

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann Deputy
DATE 8/4/86



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 (513) 339-5331


DATE: AUGUST 15, 1986



SURVEY OF 41.605 ACRES ADDED
15 JUNE 1988.

Richard W. Klockner P.E., P.S.

SURVEY OF 23.276 ACRES IN BROWN
TOWNSHIP, MIAMI COUNTY, OHIO FOR
ROBERT D. KRESS



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

8
TOWN

5 EAST
RANGE


N.W.
QUARTER

7
SECTION

NEWBERRY
TOWNSHIP

VOLUME 34 PAGE 114
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATE: AUGUST, 1986



~ LEGEND ~

- x = RAILROAD SPIKE FOUND
- = IRON PIN FOUND
- x = MONUMENT BOX FOUND
- # = RAILROAD SPIKE SET
- o = IRON PIN SET
- # = PK NAIL SET


~ REFERENCES ~

RECORDER'S PLAT BOOK 8 PAGE 31
LAND SURVEY VOLUME 3 PAGE 272
" " " 7 " 139
" " " 14 " 130
" " " 25 " 173
" " " 27 " 65
" " " 31 " 70
" " " 32 " 132
" " " 33 " 2
LAND SURVEY VOLUME 33 PAGE 13
O.D.O.T. STATE ROUTE 185 R/W PLANS (1961)

NOTE: 13.2856 ACRE TRACT ADDED
APRIL 21, 1988



H. S. B.

SURVEY OF 7.584 ACRES IN NEWBERRY
TOWNSHIP, MIAMI COUNTY, OHIO
FOR JEFF LYLES



Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348

DATE: 13 MAY 1986



- ~ LEGEND ~
- = IRON PIN FOUND
 - ✕ = PK NAIL FOUND
 - ✕ = IRON PIN FROM VOL. 27 PG. 47
 - = STONE " " " "
 - = IRON PIN SET
 - ✕ = PK NAIL SET


~ REFERENCE ~
LAND SURVEY VOLUME 27 PAGE 47
BASIS FOR BEARINGS

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann, 8/4/86
DEPUTY DATE

APPROVED
Subject to Zoning Approval
By *Richard W. Klockner* - Sec. Com.
Date 4/15/86
Troy City-Miami County
Health Department

SURVEY SUBDIVIDING 1.056 ACRES IN
BETHEL TOWNSHIP, MIAMI COUNTY, OHIO
FOR DALLAS LAVY

MIAMI COUNTY PLANNING COMMISSION
VICE CHAIRMAN
SECRETARY
DATE August 27, 1986 NO. 2829





Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

NOTE - BASIS OF BEARINGS - SURVEY VOL. 32, PLAT 51

LEGEND

- ✕ R.R. Spike Set
- ✕ R.R. Spike Found
- I.P. Set
- I.P. Found
- Conc. Post
- Corner Stone Found



WARNER FARMS
101.31 AC.
SURV. VOL. 3 PG. 243

SEE
DETAIL


SURVEY VOL. 31 PG. 107

MERLIN BAKER
19.989 AC.
Vol. 585 Pg. 476
(PREV. SURV. VOL. 13 PG. 2)

DONALD HEISEY, et ux.
60.36 AC.



Omer C. Foley
OMER C. FOLEY, REGISTERED
SURVEYOR # 6815



SURVEY

MERLIN BAKER



Prepared By:

John W. Judge Engineering Company
1201 East David Road - Kettering, Ohio 45429

NOTE - BASIS OF BEARINGS - SURVEY VOL. 32, PLAT 51


LEGEND

- ✕ R.R. Spike Set
- ✕ R.R. Spike Found
- I.P. Set
- I.P. Found
- Conc. Post
- Corner Stone Found



WARNER FARMS
101.31 AC.
SURV. VOL. 3 PG. 243

SEE
DETAIL



MERLIN BAKER
Vol. 585 Pg. 476

AREA = 49.704 Acs.
- 9.746 Acs.
39.958 Acs. Remaining

ALLEN L. GIBBONEY
50.077 AC.
SURV. VOL. 32 PLAT 51

CURVE DATA

① R = 403.76' I = 10°11'55" A = 71.87' T = 36.03' CHD = S 71°25'02"W 71.78'	② R = 303.92' I = 9°53'43" A = 52.49' T = 26.31' CHD = S 81°27'51"W 52.43'
③ R = 60.68' I = 78°58'36" A = 83.64' T = 50.00' CHD = S 46°55'25"W 77.18'	④ R = 249.61' I = 33°27'21" A = 145.75' T = 75.02' CHD = S 24°09'48"W 143.69'



Omer C. Foley
OMER C. FOLEY, REGISTERED
SURVEYOR # 6815

CONTAINS 69.698 AC. TOTAL

SURVEY
MERLIN BAKER
Prepared By:
John W. Judge Engineering Company
1201 East David Road - Kettering, Ohio 45429

27 (FRACT.)
SECTION

CORPORATION

1
TOWN


11
RANGE

STAUNTON
TOWNSHIP

VOL. 34 PLAT NO. 117


MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET



NOTE



- = IRON PIN SET
- ⊗ = IRON PIPE FOUND
- = R.R. SPIKE SET
- ⊗ = R.R. SPIKE FOUND
- ⊙ = P.K. NAIL FOUND
- = CONC. POST FOUND



Daniel D. Turner

SURVEY OF 4.2175 AC. TRACT FOR EARL SLAUGHTER TROY, OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO • CIVIL ENGINEERING • LAND SURVEYING •			
DATE AUG.-1986	DRAWN BY	D.T.	SHEET NO. 1/1
FILE NO. 490886	TRACED BY		
	CHECKED BY	D.T.	

DATE: 9 MAY 1986



~ LEGEND ~

- = IRON PIN SET
- = IRON PIN FOUND
- ⊠ = RAILROAD SPIKE FOUND
- ⊙ = PK NAIL SET
- = STONE FOUND

~ REFERENCE ~


LAND SURVEY VOLUME 34 PAGE 64
BASIS FOR BEARINGS

APPROVED
Subject to Zoning Approval
By *J. D. Dwyer - Sec. Com.*
Date *12/6/85*
Troy City-Miami County
Health Department

MIAMI COUNTY PLANNING COMMISSION
Sam Stuchlik Vice Chairman
Deborah A. Millhouser SECRETARY
DATE *Sept. 3, 1986* NO. *2832*



CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Ronald R. Hamann 8/4/86
DEPUTY DATE

SURVEY SUBDIVING 1.946 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO
FOR DON PATTY





Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

DATE - AUGUST, 1986



SURVEY FOR
JOSEPH & DOROTHY HERSHEY

Gregg S. Brookhart
OHIO REGISTERED SURVEYOR NO. 6348



- - IRON PIN SET, 5/8" Ø x 24"
- - PK NAIL SET
- - IRON PIN FOUND
- - PK NAIL FOUND

BEARING OF WEST LINE OF SECTION 34
MADE TO AGREE WITH SURVEY IN VOLUME 11,
PAGE 53 OF MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

REFERENCES:
 VOLUME 11, PG 53 } MIAMI COUNTY ENGR'S
 VOLUME 30, PG 191 } RECORD OF LAND SURVEYS
 DEED BOOK 587, PG 479 MIAMI COUNTY
 DEED RECORDS

OWNER: WALTER A. POKINES JR. \$
PATRICIA POKINES
DB 507, PG 479

PLAT OF SURVEY
FOR
WALTER A. POKINES

SEPTEMBER 3, 1986

THOMAS WINEMILLER & ASSOCIATES, INC.
ENGINEERS — PLANNERS — SURVEYORS
34 EAST NATIONAL ROAD
VANDALIA, OHIO

T. E. Winemiller
Thomas E. Winemiller
Ohio Registered Surveyor No. 5140

SECTION

Daniel R. Turner



- = IRON PIN SET
- ⊗ = IRON PIN FOUND
- = P.K. NAIL SET
- ⊗ = P.K. NAIL FOUND

BRGS. & SEC. LINE LOCATION (± U.S.R. 36) ARE IN ACCORDANCE WITH LAND SURVEY VOL. 23, PG. 76 AND VOL. 31, PG. 60.

THE R/W OF ABANDONED PENN CENTRAL R.R. WAS
FIELD LOCATED ACCORDING TO EXIST PROPERTY
LINES. THE E-W HALF SEC. LINE WITHIN SAID R/W
IS LOCATED 15' SOUTH OF THE SOUTH TRACK (EASTBOUND)


SURVEY OF 76.707 AC. TRACT FOR			
ALICE E. PICKERING PIQUA - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE AUG.-1986	DRAWN BY	D.T.	SHEET NO.
FILE NO. 440786	TRACED BY	D.T.	1/1
	CHECKED BY		

DATE: SEPTEMBER, 1986




- ~ LEGEND ~
- = IRON PIN FOUND
 - ✱ = RAILROAD SPIKE FOUND
 - ⊕ = PK NAIL FOUND
 - = PK NAIL SET
 - ✱ = WOOD POST FOUND
 - = IRON PIN SET
 - = RAILROAD SPIKE SET

- ~ REFERENCE ~
- DEED BOOK 584 PAGE 715
 - LAND SURVEY VOLUME 21 PAGE 143
 - LAND SURVEY VOLUME 30 PAGE 152



SURVEY OF 5.0031 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO FOR
EDITH M. FELGER

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348



No.	Bearing	Distance	No.	Bearing	Distance
2	N 15°52'06" W	586.87'	43	S 86°42'24" W	82.25'
3	N 30°33'07" W	260.40'	44	N 69°24'21" W	104.56'
4	N 42°38'53" W	61.75'	45	N 43°40'16" W	80.38'
5	N 54°40'31" W	144.55'	46	N 21°40'25" W	128.73'
6	N 57°49'07" W	111.81'	47	N 16°54'12" W	422.08'
7	N 81°11'06" W	129.62'	48	N 9°09'38" W	121.77'
8	S 74°26'24" W	141.25'	49	N 0°35'31" E	114.28'
9	S 73°28'12" W	110.76'	50	N 19°05'44" W	181.13'
10	S 59°51'18" W	364.93'	51	S 19°26'29" E	46.52'
11	N 14°18'57" W	400.53'	52	N 14°41'03" W	169.25'
12	S 89°33'12" E	157.07'	53	N 36°00'58" W	51.31'
13	N 8°41'21" W	26.99'	54	S 72°41'35" W	62.94'
14	N 58°00'51" E	36.23'	55	N 27°23'18" W	222.69'
15	N 16°22'08" W	220.65'	56	S 60°35'53" W	68.69'
16	N 31°00'38" W	226.71'	57	N 46°55'09" W	70.53'
17	N 26°50'21" W	45.70'	58	S 53°59'37" W	62.02'
18	N 19°48'27" W	165.89'	59	N 57°16'26" W	166.54'
20	S 0°38'44" W	214.50'	60	S 33°07'02" W	51.24'
22	N 57°00'00" E	33.97'	61	N 67°26'26" W	140.73'
23	S 20°40'32" E	187.21'	62	S 11°06'00" E	38.07'
25	S 17°19'07" E	275.30'	63	N 35°56'01" W	24.65'
26	S 26°51'45" E	194.24'	64	N 87°04'04" W	107.71'
27	S 68°46'38" E	93.26'	65	S 2°10'31" E	42.74'
28	N 54°14'30" E	176.68'	66	S 71°50'11" W	156.73'
29	N 31°07'56" E	152.36'	67	S 24°30'37" E	34.98'
30	N 4°36'48" W	283.17'	68	S 79°45'06" W	108.94'
31	N 81°17'07" E	183.33'	69	S 61°34'12" W	126.00'
32	N 89°04'36" E	166.75'	70	S 57°45'48" W	215.98'
33	S 86°43'58" E	127.18'	71	S 71°14'44" W	52.36'
34	N 66°40'46" E	383.50'	72	N 35°42'10" E	52.57'
35	S 67°09'58" W	144.30'	73	S 89°52'45" W	40.20'
36	S 76°36'15" W	346.05'	74	N 89°27'02" W	41.98'
37	S 84°47'16" W	136.82'	75	S 0°30'09" W	29.90'
38	S 26°14'52" W	288.33'	76	S 0°30'09" W	593.60'
39	S 37°44'28" W	103.01'	77	S 0°24'47" W	1124.48'
40	S 13°39'43" W	140.00'			
40A	S 12°58'00" W	117.17'			
41	S 34°38'11" W	104.43'			
42	S 62°01'22" W	102.40'			

Leona Goode
DB. 256, Pg. 560

(SEC. 2) 6.779 Acres
(SEC. 11) 21.646 Acres
TOTAL 28.425 Acres

Clarence B. & Barbara J. Caldwell
D.B. 442, Pg. 127

SURVEYOR'S CERTIFICATE

THIS PLAT WAS PREPARED FROM THE NOTES OF AN ACTUAL FIELD SURVEY PERFORMED BY THE OFFICE OF CHIEF ENGINEER IN MARCH 1986, UNDER THE DIRECT SUPERVISION OF JOHN V. HORST, REGISTERED PROFESSIONAL SURVEYOR NUMBER 4522, IN ACCORDANCE WITH THE "MINIMUM STANDARDS FOR BOUNDARY SURVEYS IN THE STATE OF OHIO" O.R.C. 4733-37, AS SPECIFICALLY REQUESTED BY RICHARD E. MOSELEY, CHIEF OF NATURAL AREAS AND PRESERVES, OHIO DEPARTMENT OF NATURAL RESOURCES. THIS PLAT IS CERTIFIED TO SAID DEPARTMENT; SAID CERTIFICATE DOES NOT EXTEND TO ANY UNNAMED PERSONS WITHOUT THE EXPRESSED RECERTIFICATION BY THE UNDERSIGNED NAMING SAID PERSONS. THIS PLAT WAS PREPARED IN MAY 1986.

John V. Horst
JOHN V. HORST

NOTE

ALL BEARINGS ARE BASED UPON THE WEST LINE OF THE NORTHWEST QUARTER OF SECTION 11, AS BEING NORTH 0°33' EAST AS RECORDED ON PLAT 31, BOOK 8, MIAMI COUNTY ENGINEER'S ROAD RECORDS.

LEGEND

- ✕ RAILROAD SPIKE FOUND
- RE-ROD FOUND
- ✕ RAILROAD SPIKE SET
- RE-ROD SET

REFERENCES USED

CO. ENG. RECORD OF LAND SURVEYS
VOL. 28, PLAT NO. 42, 42A, 121, & 44
VOL. 20, PLAT NO. 171

CO. ENG. ROAD RECORDS
VOL. 8, PLAT NO. 30, 31, 50, & 50A

SITUATED IN SECTIONS 2 & 11,
TOWN 9 NORTH, RANGE 4 EAST,
NEWBERRY TWP., MIAMI CO., OHIO

STATE OF OHIO
OHIO DEPT. OF NATURAL RESOURCES
OFFICE OF CHIEF ENGINEER

LEONA GOODE
TO
STATE OF OHIO

Drawn by: DRA
Date: April 1986
Scale: 1" = 200'

GOODE PRAIRIE
NATURE PRESERVE

26(SW 1/4)
SECTION

2
TOWN

12
RANGE

BROWN
TOWNSHIP

VOL. 34 PLAT NO. 124

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 60 FEET

CORPORATION

SECTION




HALF SEC. LINE

L.S. VOL. 31, PG. 66

NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- = R.R. SPIKE SET
- ⊗ = R.R. SPIKE FOUND

BRGS. ARE IN ACCORDANCE WITH
LAND SURVEY VOL. 31, PG. 66



MIAMI COUNTY PLANNING COMMISSION


George R. Mote CHAIRMAN

Debra A. Millhouse SECRETARY

DATE Sept. 16, 1986 NO. 2834


CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 9/8/86
DEPUTY DATE

APPROVED
Subject to Zoning Approval
By J.D. Anglin - Sen. Com.
Date 5/12/86
Troy City-Miami County
Health Department




Daniel D. Turner

SURVEY OF 2,000 AC. TRACT FOR JAMES CRUSE PIQUA - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO • CIVIL ENGINEERING • LAND SURVEYING •			
DATE AUG. - 1986	DRAWN BY D.T.	SHEET NO. 1/1	
FILE NO. 480886	TRACED BY D.T.	CHECKED BY D.T.	




U.S. VOL. 12, PG. 117





TRACTS "A", "B" & "C" ARE TO BE TRANSFERRED TO ADJACENT PROPERTY OWNERS, NOT TO BE USED AS INDIVIDUAL RESIDENTIAL BUILDING SITES.

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 9/11/86
DEPUTY DATE



SURVEY OF 12.844 ACRES FOR JOHN MUSSER AND CONSOLIDATED RAIL CORPORATION		
DANIEL D. TURNER & ASSOC. TROY, OHIO • CIVIL ENGINEERING • LAND SURVEYING •		
DATE AUG. -1986 FILE NO. 350686	DRAWN BY TRACED BY CHECKED BY	SHEET NO. 1/1

Daniel D. Turner




LEGEND

- IRON PIN OR PIPE FOUND
- ✱ P.K. NAIL FOUND

REFERENCES

DEED BOOK	VOLUME 501, PAGE 540
LAND SURVEY	" " 163
" "	" " 128
" "	" " 191

SURVEY OF 12.930 ACRES
FOR JACK WILLIAMSON



Michael W. Cozatt 8-30-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 12686

7
TOWN

4E
RANGE

SE 1/4 - 10
SW 1/4 - 11
SECTION

UNION
TOWNSHIP

VOLUME 34 PAGE 127
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS



SCALE 1" = 100'
0 10 25 50 75 100 150 200

BASIS OF BEARINGS -
LAND VOL. 31, PG. 78


LEGEND:

- IRON PIN FOUND
- IRON PIN SET
- ✕ R.R. SPIKE FOUND
- ✕ R.R. SPIKE SET
- ✕ P.K. NAIL FOUND


SURVEY REFERENCES:


VOLUME 28 PAGE 193 } MIAMI CO. ENGINEER'S
VOLUME 31 PAGE 78 } RECORD OF LAND SURVEYS
VOLUME 32 PAGE 78 }
D.B. 224, PG. 84 { MIAMI CO. RECORDER'S
DEED RECORDS.

SURVEY OF A 24.257 ACRE TRACT FOR
WALTER DITMER LAURA, OHIO



Michael W. Cozatt 8-08-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 09486






LEGEND

- IRON PIPE FOUND
- ✕ R.R. SPIKE FOUND
- ⊙ CONCRETE MONUMENT FOUND
- IRON PIN SET
- ♂ P.K. NAIL SET


REFERENCES



DEED BOOK	VOL. 294,	PAGE 297
" "	" 261,	" 213
LAND SURVEY	VOL. 7,	PAGE 26
" "	" 28,	" 8
" "	" 31,	" 39

SURVEY OF 0.665 ACRES
FOR ELBERT FELTNER



Michael W. Cozatt 9-22-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1006 GRANT ST. TROY, OHIO
JOB NO. 14186





LEGEND

- IRON PIN OR PIPE FOUND
- IRON PIN SET

REFERENCES

- VOL. 5, PG. 64 MIAMI CO. RECORDER'S PLAT RECORDS.
- VOL. 13, PG. 31 } MIAMI CO. ENGINEER'S
VOL. 10, PG. 90 } RECORD OF LAND SURVEYS.
VOL. 20, PG. 111 }


① NOTE:

ROBERT E. & PATRICIA L. WILLIAMS' DEED, D.B.K. 565, PG. 723, CONVEYS 68.95' BY PARALLEL LINES OFF THE NORTH SIDE OF LOT 21, WHILE TIMOTHY R. & LINDA J. KREIDER'S DEED, D.B.K. 569, PG. 819 CONVEYS 68.94' BY PARALLEL LINES OFF THE SOUTH SIDE OF LOT 21. AN OVERLAP OCCURS ALONG THEIR COMMON LINE BECAUSE THE NORTH AND SOUTH LINES OF LOT 21 ARE NOT PARALLEL. DEED RECORDS INDICATE THAT SENIOR RIGHTS WERE GRANTED TO WALTER A. COMPTON FOR THE SOUTH PART OF LOT 21 BY D.B.K. 393, PG. 237, WHILE THE NORTH PART WAS FIRST DEEDED IN D.B.K. 452, PG. 528. THIS SURVEY REFLECTS THE SENIOR RIGHTS OF THE SOUTH PART OF LOT 21.

② NOTE:



PLAT BK. 5, PG. 64 DESCRIBES THE WEST LINE OF MEADOW DRIVE AS A CURVE WITH RADIUS = 313.02 FT. BEARINGS AND DISTANCES SHOWN ON ADJOINING LOTS AND PLAT BOUNDARY LINES DO NOT MATHEMATICALLY CLOSE WITH THE 313.02 FT. RADIUS CURVE IF TANGENT LINES ARE HELD AT 90° TO THE CURVE CENTERLINE POINT. I HAVE HELD THE RADIUS OF 313.02 FT. WITH THE PLATTED LOT DISTANCES RESULTING IN A BROKEN BACK CURVE ALONG THE WEST LINE OF MEADOW DRIVE. THE PLATTED LOT DISTANCES AND BEARINGS WERE CHECKED TO THE PLAT BOUNDARIES AND WERE FOUND TO BE ACCURATE.

SURVEY OF NORTH PART LOT 21 FOR
ROBERT E. & PATRICIA L. WILLIAMS.



Michael W. Cozatt 7-22-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 09186

OCTOBER 1986



REFERENCES:

DEED BOOK 543 PAGE 747
DEED BOOK 543 PAGE 749
LAND SURVEY VOL. 29 PAGE 195
ROAD RECORD BOOK 10 PAGE 88

LEGEND:

- IP FOUND
- PI SET
- ▲ RRS FOUND
- △ RRS SET
- STONE FOUND

NOTE: FOR ALIGNMENT OF FENNER ROAD AND RIGHT
OF WAY SEE ROAD BOOK 8, PAGE 74.

THE BEARINGS USED IN THE PLAT ARE TAKEN
FROM THOSE USED IN THE PLAT RECORDED IN
SURVEY VOLUME 29, PAGE 195 OF THE MIAMI
COUNTY ENGINEER'S RECORD OF LAND SURVEYS
MIAMI COUNTY, OHIO. THE BEARINGS ARE
USED FOR ANGULAR REFERENCE ONLY AND ARE
NOT TRUE NORTH.



SURVEY FOR
STEVEN W. NEWELL AND VAN JACKSON

OCTOBER 1986

BRUCE E. DAVIDSON

Bruce E. Davidson
OHIO REGISTERED SURVEYOR NO. 5670

DATE: OCTOBER 1986



BEARINGS ASSUMED FROM LAND SURVEY VOLUME 27 PAGE 172


~LEGEND~

- = IRON PIN FOUND
- = RAILROAD SPIKE FOUND
- = CORNER STONE FOUND
- ⊕ = IRON PIN SET
- ✕ = RAILROAD SPIKE SET
- ✱ = FENCE POST FOUND


~REFERENCE~

LAND SURVEY VOLUME 27 PAGE 172


SURVEY SUBDIVIDING 80.008 ACRES INTO
40.004 ACRES, 30.003 ACRES & 10.001 ACRES
IN STAUNTON TOWNSHIP, MIAMI CO., OHIO
FOR GLADYS JEAN WHITMER



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331



P.K. OVER PIN
N.E. CORNER
N.E. QUARTER
SECTION 25




LEGEND

- P.K. NAIL SET
- IRON PIN SET
- IRON PIN FOUND
- STONE FOUND
- CONC. HIGHWAY MONUMENT FOUND

REFERENCES

DEED BK.	VOL. 278, PG. 422
" "	" 279, " 388
" "	" 587, " 619
LAND SURVEY VOL. 7, PAGE 131	
" "	" 11, " 152
" "	" 12, " 81
" "	" 13, " 29
" "	" 16, " 26
" "	" 7, " 150
" "	" 22, " 147

SURVEY OF 15.328 ACRES
FOR AGNES B. HEINTZ



Michael W. Cozatt 10-17-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 16386

DATED: 6 OCT 1986



APPROVED
Subject to Zoning Approval
By L. Dwyer
Date 10/7/86
Troy City-Miami County
Health Department
Must use central
water & sewer.



0 25 50 100
SCALE: 1"=50'

MIAMI COUNTY PLANNING COMMISSION
George R. Mote CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE Oct. 21, 1986 NO. 2037

LEGEND
° = IRON PIN SET (5/8" φ × 30")
• = IRON PIN FOUND
x = RAILROAD SPIKE SET
x = RAILROAD SPIKE FOUND

SURVEY REFERENCE
LAND SURVEY VOL. 23; PG. 69
" " VOL. 33; PG. 103
FOR BEARING ORIENTATION

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
Douglas Christian
MIAMI COUNTY ENGINEER
Gregory S. Brookhart 10-7-86
DEPUTY DATE



SURVEY OF DIVISION OF 5.103 AC.
INTO 3 TRACTS FOR KENNETH &
KATHLEEN MILLER...

Richard W. Klockner
PROFESSIONAL SURVEYOR-NO. 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. ~ TROY, OHIO
513-339-5331



NW QTR, 31
SECTION

4
TOWN.

6 EAST
RANGE

MONROE
TOWNSHIP

Volume No. 34 Plat No. 134
Miami County Engineer's
Record of Land Surveys



0' 50' 100' 150' 200'

- - IRON PIN SET
- ⊗ - RAILROAD SPIKE SET
- - IRON PIN FOUND
- ⊗ - RAILROAD SPIKE FOUND

BEARING OF GINGHAMSBURG - FREDERICK
ROAD MADE TO AGREE WITH SURVEY IN
VOL 31, PG 138 OF THE MIAMI COUNTY
ENGINEER'S RECORD OF LAND SURVEYS.

OWNER: ROBERT C. & CAROLIN M. THURMAN
DB 349 PG 676

SURVEY REFERENCES:
LAND SURVEY, VOL 31, PG 138
LAND SURVEY, VOL 34, PG 87
PLAT VOLUME 14, PG 6

PLAT OF SURVEY
FOR
ROBERT C. THURMAN

MONROE TOWNSHIP
MIAMI COUNTY, OHIO

MIAMI COUNTY PLANNING COMMISSION

George R. Mote CHAIRMAN

Deborah A. Millhouse SECRETARY

DATE Oct. 21, 1986 NO. 2839

JUNE 17, 1986

APPROVED

Subject to Zoning Approval

By T. E. Winemiller - Sec. Com.

Date 5/2/86

Troy City-Miami County
Health Department



T. E. Winemiller
Thomas E. Winemiller
Ohio Registered Surveyor No. 5140

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 196/86
DEPUTY DATE


THOMAS WINEMILLER & ASSOCIATES, INC.

ENGINEERS — PLANNERS — SURVEYORS

34 EAST NATIONAL ROAD

VANDALIA, OHIO

23 JULY 86



2
TOWN

9 M.R.S.
RANGE

S. E.
QUARTER

6
SECTION



BETHEL
TOWNSHIP

CORPORATION

LOT NO.

VOLUME NO. 34 PLAT NO. 136
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATE - OCTOBER, 1986
SCALE - 1 INCH = 100 FEET




LEGEND

- * RAILROAD SPIKE FOUND
- * 1/8" IRON PIN FOUND
- RAILROAD SPIKE SET
- o 1/8" CAPPED IRON PIN SET
- Δ P.K. NAIL 2' UP ON SOUTH SIDE OF TREE SET
- BRIDGE SPIKE SET OVER IRON PIN IN MONUMENT BOX

REFERENCES

DEED BOOK NO. 253 PAGE NO. 522
LAND SURVEY VOL. 10 PLAT NO. 120
" " 7 " " 148
" " 25 " " 181
" " 33 " " 143

SURVEY OF AN EXISTING TRACT.



SURVEY OF
3.1322 ACRES
FOR
ARNOLD L. POLAND
MICHAEL H. TREON TROY, OHIO
Michael H. Treon
OHIO REGISTERED SURVEYOR NO. 5621

OVERAGES IN BOTH DIRECTIONS
BASED ON ESTABLISHED STREETS
AND ALLEY ARE SHOWN WITH
ACTUAL FIELD DIMENSIONS ON LOTS
90, 91 & 92.

LOST CREEK
TOWNSHIP

2
TOWN

10 MRS
RANGE



N.W. Q.R. ~ 30
SECTION

CASSTOWN
VILLAGE

90-91-92
IN LOTS

VOLUME 34, PAGE 137
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATED: 1 NOV. 1986



SURVEY OF 7.324 ACRES AND
IN LOTS 90, 91 AND 92 IN CASSTOWN
FOR RUTH I. BUCHMAN.

Richard W. Klockner
PROFESSIONAL SURVEYOR - NO. 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. ~ TROY, OHIO 45373
(513) 339-5331

BETHEL
TOWNSHIP


S.W. QTR. ~ 14
SECTION

2
TOWN

9 M.R.S.
RANGE

VOLUME 34 PLAT 138
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 29 MAY 1986



LEGEND

- o = IRON PIN SET
- = IRON PIN FOUND
- x = IRON PIPE FOUND
- ⊕ = P-K NAIL SET
- ⊗ = P-K NAIL FOUND
- = STONE FOUND

SURVEY REFERENCE
LAND SURVEY VOL. 27, PLAT 47
LAND SURVEY VOL. 24, PLAT 122

MIAMI COUNTY PLANNING COMMISSION

George R. Muto CHAIRMAN


Deborah A. Millhorne SECRETARY

DATE *November 7, 1986* NO. *2835*

I HEREBY CERTIFY THIS SURVEY
TO BE CORRECT AS SHOWN HEREON
THERE ARE NO ENCROACHMENTS
ON THIS PROPERTY.

SURVEY OF A 0.727 ACRE TRACT IN
BETHEL TOWNSHIP FOR A.J. SCARP.

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 9/16/86
DEPUTY FOR 0.727 AC TRACT ONLY DATE



Richard W. Klockner
PROFESSIONAL SURVEYOR # 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373 (513) 339-5331
AP

20 (SE 1/4)
29 (NE 1/4)
SECTION

8
TOWN

5
RANGE

NEWBERRY
TOWNSHIP


VOL. 34 PLAT NO. 139

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION


SECTION



NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- * = R.R. SPIKE FOUND
- Q = HINGE NAIL SET

BRGS. ARE IN ACCORDANCE WITH
LAND SURVEY VOL. 28, PG. 62.



Daniel D. Turner

SURVEY OF 4.525 AC. TRACT FOR			
ROGER CLARK COVINGTON - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE OCT.-1986	DRAWN BY D.T.	SHEET NO. 1/1	
FILE NO. 560986	TRACED BY D.T.	CHECKED BY D.T.	

SW QTR, 31
SECTION

4
TOWN



6 EAST
RANGE

MONROE
TOWNSHIP

Volume No. 34 Plat No. 140

Miami County Engineer's

Record of Land Surveys



0 50 100 150 200

- - IRON PIN SET
- - RAILROAD SPIKE SET
- - IRON PIN FOUND
- - RAILROAD SPIKE FOUND

BEARING OF GINGHAMSBURG - FREDERICK
ROAD MADE TO AGREE WITH SURVEY IN
VOL 31, PG 138 OF THE MIAMI COUNTY
ENGINEER'S RECORD OF LAND SURVEYS.

OWNER: ROBERT C. & CAROLYN M. THURMAN
DB 300 PG 43

SURVEY REFERENCES:
LAND SURVEY, VOL 31, PG 138
LAND SURVEY, VOL 34, PG 27
PLAT VOLUME 14, PG 6

PLAT OF SURVEY
FOR
ROBERT C. THURMAN

MONROE TOWNSHIP
MIAMI COUNTY, OHIO

JUNE 17, 1986


APPROVED
Subject to Zoning Approval
By R. D. Davis - Sec. Com.
Date 10/10/86
Troy City-Miami County
Health Department

T. E. Winemiller
Thomas E. Winemiller
Ohio Registered Surveyor No. 5140



THOMAS WINEMILLER & ASSOCIATES, INC.
ENGINEERS — PLANNERS — SURVEYORS
34 EAST NATIONAL ROAD
VANDALIA, OHIO

DATE: 11 NOVEMBER 1986




BEARING ON ELDEAN ROAD ASSUMED FROM
1979 RIGHT-OF-WAY PLANS FOR COUNTY ROAD 25-A

~ REFERENCES ~
LAND SURVEY VOLUME 26 PAGE 76
" " " 30 " 119
LAND SURVEY VOLUME 30 PAGE 144
COUNTY ROAD 25-A R/W PLANS


LEGEND
X CANAL MONUMENT FOUND
● IRON PIN FOUND
X PK NAIL FOUND
X HIGHWAY MONUMENT FOUND
○ IRON PIN SET
X RAILROAD SPIKE SET

*LAND SURVEY VOLUME 30 PAGE 144 (BY R. W. KLOCKNER) SHOWS THIS DIMENSION TO BE 684.72'. CHECKING CLOSURE VERIFIES 684.72 IS CORRECT & NOT 884.72'.
-Don Hamann Jr. 10/8/02
DEPUTY COUNTY ENGINEER

SURVEY OF 5.833 ACRES & 30.266 ACRES
IN CONCORD TOWNSHIP, MIAMI COUNTY, OHIO
FOR MARK KNOOP



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331



~ LEGEND ~

- ❌ CANAL MONUMENT FOUND
- IRON PIN FOUND
- ✕ PK NAIL FOUND
- HIGHWAY MONUMENT FOUND
- IRON PIN SET
- ♂ RAILROAD SPIKE SET

~ REFERENCES ~

COUNTY ROAD 25-A RIGHT-OF-WAY PLANS (1979)
 RECORDER'S PLAT BOOK 12 PAGE 79A
 LAND SURVEY VOLUME 26 PAGE 76
 " " " 20 " 145
 " " " 27 " 45
 " " " 30 " 119
 LAND SURVEY VOLUME 30 PAGE 144


MIAMI COUNTY PLANNING COMMISSION

George R. Moti CHAIRMAN
Deborah A. Millhorne SECRETARY

DATE January 20, 1987 NO. 2847

CERTIFIED TO CONFORM WITH
MINNEAPOLIS COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MINNEAPOLIS COUNTY ENGINEER
Donald R. Hamann 1/20/87
DEPUTY DATE

SURVEY OF 3 TRACTS TOTALING 3.505 ACRES
IN CONCORD TOWNSHIP, MIAMI COUNTY, OHIO
FOR MARK KNOOP



Richard W. Klockner
 PROFESSIONAL SURVEYOR NO. 4370
 RICHARD W. KLOCKNER & ASSOCIATES, INC.
 CIVIL ENGINEERING ~ LAND SURVEYING
 16 EAST WATER STREET
 TROY, OHIO 45373
 (513) 339-5331

S.W. QTR. - 8
SECTION



2
TOWN

9
RANGE

BETHEL
TOWNSHIP

VOLUME 34 PLAT 142
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 5 MAY 86




~ LEGEND ~

- o = IRON PIN SET
- = IRON PIN FOUND
- ⋈ = P-K NAIL SET
- ⋈ = P-K NAIL FOUND
- x = RAILROAD SPIKE FOUND

APPROVED
Subject to Zoning Approval
By *[Signature]*
Date *5/5/86*
Troy City-Miami County
Health Department

SURVEY OF 2.351 ACRE TRACT
IN BETHEL TOWNSHIP FOR
HELEN MANN.

Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST.
TROY, OHIO 45373 (513) 339-5331



MIAMI COUNTY PLANNING COMMISSION
Sam Stuchlik VICE-CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE *Nov. 12, 1986* NO. 2840

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Haman 8/4/86
DEPUTY DATE

6
TOWN

5-EAST
RANGE

31
SECTION


N.W.
QUARTER

UNION
TOWNSHIP

VOLUME NO. 34 PLAT NO. 143
MIAMI COUNTY ENGINEERS
RECORD OF LAND SURVEYS.

NOVEMBER, 1986

SCALE 1" = 60'



CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
D.L. CHRISTIAN
MIAMI COUNTY ENGINEER
11-13-86
DEPUTY DATE


LEGEND

- ✕ 5/8" IRON PIN FOUND
- 5/8" CAPPED IRON PIN SET
- RAILROAD SPIKE FOUND

REFERENCES


DEED BOOK NO. 459 PAGE 599
LAND SURVEY VOL. 15 PLAT 156
" " " 22 " 54

MIAMI COUNTY PLANNING COMMISSION
VICE-CHAIRMAN
SECRETARY
DATE Nov. 12, 1986 NO. 2842



THE PURPOSE OF THIS SURVEY IS
TO DIVIDE 1.6691 ACRES INTO
TRACTS 7A, 6A, 5A, AND 3A.
EACH TRACT IS TO BE COMBINED
WITH ITS LIKE NUMBERED TRACT.
NO ADDITIONAL RESIDENTIAL BUILDING SITES
ARE BEING CREATED.

SURVEY FOR HOWARD J. LUGABHL, JR.	
MICHAEL H. TREON	TROY, OHIO
<u>Michael H. Treon</u> OHIO REGISTRATION NO. 5621	




LEGEND

- IRON PIN FOUND
- ✕ R.R. SPIKE FOUND
- IRON PIN SET
- ✕ R.R. SPIKE SET


REFERENCES

DEED BOOK VOL. 514, PAGE 8
 353, " 264
 577, " 335
 564, " 651
 LAND SURVEY VOL. 26, PAGE 72
 7, " 46
 11, " 34
 11, " 183

SURVEY OF 0.869 ACRES FOR
 CUSTER & ELIZABETH WILLIAMS



Michael W. Cozatt 10-29-86
 COZATT ENGINEERING COMPANY
 CIVIL ENGINEER LAND SURVEYOR
 1008 GRANT ST. TROY, OHIO
 JOB NO. 14386



DATED: 31 OCT 1986

REVISED 28 SEP 1987
TO CORRECT PREVIOUS
ERRORS FOUND IN SURVEY
VOL. 15 PAGE 139 WHICH
WERE USED IN ALL SUBSEQUENT
SURVEYS.

R.W. Klockner



0 50 100 200
SCALE: 1" = 100'

LEGEND
• IRON PIN SET 5/8" x 30"
• IRON PIN FOUND
* RAILROAD SPIKE FOUND


SURVEY REFERENCE
LAND SURVEY VOL. 15; PG. 139
" " VOL. 25; PG. 7
" " VOL. 29; PG. 126
BASIS OF BEARINGS

CERTIFICATION OF REGISTRATION
This is to certify that Planning Commission Approval of this conveyance
is not required, as being exempt under O.R.C., 711.001.
Notice is given to all parties:
No additional building site is created by this conveyance; no structure
may be erected or maintained on the premises herein conveyed without
further compliance with all Zoning, Building, and Planning Regulations
of Miami County.


Neva Hufford 10/19/87
ACTING Secretary
Miami County Planning Commission
FOR 0.195 AC. TRACT

MIAMI COUNTY PLANNING COMMISSION
Sam Stuchlik VICE-CHAIRMAN
Robert A. Millhouse SECRETARY
DATE Nov. 18, 1986 NO. 2841

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
Douglas C. Christian
MIAMI COUNTY ENGINEER
Donald K. Hamann 11/6/86
DEPUTY DATE



SURVEY OF 1.544 ACRES TO BE
COMBINED WITH EXISTING 0.86
ACRE TRACT FOR W. HOBLIT
Richard W. Klockner
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
PROFESSIONAL SURVEYOR-4370
16 E. WATER ST.-TROY, OHIO
(513) 339-5331



3(SW 1/4)
SECTION

2
TOWN

10
RANGE

ELIZABETH
TOWNSHIP


VOL. 34 PLAT NO. 146

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION


SECTION



NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- ⊗ = R.R. SPIKE FOUND

BRGS. AND SEC. COR. TIE ARE IN ACCORDANCE
WITH LAND SURVEY VOL. 24, PG. 157





Daniel D. Turner

SURVEY OF 5.0015 AC. TRACT FOR			
IRA J. MOHLER TROY, OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE NOV. - 1986	DRAWN BY	D.T.	SHEET NO.
FILE NO. 601086	TRACED BY	D.T.	1/1
	CHECKED BY	D.T.	


7 TOWN	5E RANGE	33-S.W.1/4 SECTION	NEWTON TOWNSHIP
6 TOWN	5E RANGE	4-N.W.1/4 SECTION	UNION TOWNSHIP
6 TOWN	5E RANGE	5-N.E.1/4 SECTION	UNION TOWNSHIP

VOLUME 34 PAGE 147
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




- LEGEND:**
- △ MIAMI CONS. I.PIN FOUND
 - 1" φ I.PIN FOUND
 - 3/8" φ CAPPED PIN SET
 - ✱ R.R. SPIKE FOUND
 - ✱ R.R. SPIKE SET

- REFERENCES:**
- VOL. 16, PG. 12 } MIAMI CO. ENGINEER'S
 - VOL. 33, PG. 135 } RECORD OF LAND SURVEYS.
 - PLAT BK. 11, PG. 139
 - DEED BK. 247, PG. 185 } MIAMI CO. RECORDER'S
 - DEED BK. 584, PG. 388 } PLAT & DEED RECORDS.





SURVEY OF 35.000 ACRES
FOR CHARLES E. BOITNOTT



Michael W. Cozatt 11-15-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 20786

35.000 ACRE TRACT DIVIDED INTO
10.057 AC. & 24.943 AC. 7-08-87 MC

3 OCT. 1986



LEGEND

- ✱ = RAILROAD SPIKE FOUND
- ✱ = RAILROAD SPIKE SET
- = IRON PIN FOUND
- = IRON PIN SET

REFERENCE
LAND SURVEY VOL. 24, PG. 107

FOR 1.6183 ACRES TRACT
CERTIFICATION OF REGISTRATION

This is to certify that Planning Commission Approval of this conveyance is not required, as being exempt under O.C.G., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure may be erected or maintained on the premises herein conveyed without further compliance with all Zoning, Building, and Planning Regulations of Miami County.


Robert A. Hillman
Secretary
Miami County Planning Commission

SURVEY OF 1.6183 ACRES IN
MONROE TOWNSHIP FOR
ROBERT HABER.

Philip C. Brumbaugh
PHILIP C. BRUMBAUGH
REGISTERED SURVEYOR # 5057
PYRAMID ENGINEERING
362 N. MIAMI ST.
WEST MILTON, OHIO 45383

CORPORATION

SECTION


**NOTE**

- = IRON PIN SET
- = R.R. SPIKE SET
- ✕ = R.R. SPIKE FOUND
- ⊙ = R.R. NAIL FOUND



BRGS. ARE IN ACCORDANCE WITH LAND SURVEY VOL. 34, PG. 97.

SEC. COR. TIE CALCULATED FROM LAND SURVEY VOL. 34, PG. 97.

0.500 AC. TRACT IS SHOWN & INCLUDED HEREON TO CORRECT ERRORS IN PREVIOUS SURVEY AND TO PROVIDE DESCRIPTION FOR ENTIRE 2.440 AC. PARCEL.

*Daniel D. Turner*


SURVEY OF TWO TRACTS			
CONOVER EXCHANGE, INC.			
CONOVER, OHIO			
DANIEL D. TURNER & ASSOC.			
TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE	DRAWN BY	D.T.	SHEET NO.
NOV. - 1986	TRACED BY		1/1
FILE NO.	CHECKED BY	D.T.	
300686			



- LEGEND:
- STONE FOUND
 - ⊗ P.K. SET OVER SPIKE FOUND
 - ✱ NAIL FOUND
 - 1. PIN FOUND
 - 5/8" ⌀ CAPPED IRON PIN SET

- REFERENCES:
- VOL. 9, PG. 169
 - VOL. 10, PG. 19
 - VOL. 21, PG. 45
 - VOL. 21, PG. 87
- MIAMI CO. ENGINEER'S
RECORD OF LAND SURVEYS.

SURVEY OF 44.751 ACRES
FOR BERTHA J. HATCHER



Michael W. Cozatt 11-20-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 21386

3(NW & SW 1/4's)
SECTION

CORPORATION

2
TOWN


11
RANGE

LOSTCREEK
TOWNSHIP

VOL. 34 PLAT NO. 151

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS


SCALE 1 INCH = 100 FEET



NOTE

- = IRON PIN SET
- = IRON PIN FOUND
- = R.R. SPIKE SET
- = R.R. SPIKE FOUND
- = STONE FOUND



BRGS. AND SEC. COR. TIE ARE IN ACCORDANCE
WITH LAND SURVEY VOL. 28, PG 78.



Daniel D. Turner


SURVEY OF 5.001 ACRE TRACT FOR		
JOHN BROCKMAN CASSTOWN - OHIO		
DANIEL D. TURNER & ASSOC. TROY, OHIO		
• CIVIL ENGINEERING • LAND SURVEYING •		
DATE NOV. - 1986	DRAWN BY	D.T.
FILE NO. 510886	TRACED BY	D.T.
	CHECKED BY	D.T.
		SHEET NO. 1/1

DATED: 1 DEC. 1986



SCALE: 1"=100'
BEARINGS: L AND SURVEY
VOLUME 28; PAGE 104

LEGEND
 ○=IRON PIN SET 5/8" x 30"
 ●=IRON PIN FOUND
 ✕=P.K. NAIL SET
 ✕=P.K. NAIL FOUND
 ✕=RAILROAD SPIKE FOUND



SURVEY OF 3 TRACTS OF 5.021;
5.021 & 5.011 ACRES FOR
WILLIAM & CONNIE STROBEL

Richard W. Klockner
 PROFESSIONAL SURVEYOR-4370
 RICHARD W. KLOCKNER & ASSOC., INC.
 CIVIL ENGINEERING & SURVEYING
 16 E. WATER ST.-TROY, OHIO
 (513) 339-5331




S.E. QR, ~ SEC. 2
N.E. QR. ~ SEC. 11

DATED: 28 NOV. 1986
REVISED: 19 NOV. 1991 E.W.K.

THIS SURVEY CERTIFIED AS TO CORRECTNESS
TO THE PENN CENTRAL CORPORATION AND
THE TITLE INSURANCE COMPANY INSURING
THEIR INTERESTS IN THE PREMISES.

28 NOVEMBER 1986

Richard W. Lockman P.E. P.S.



APPROVED
Subject to Zoning Approval
By J. Dugan - Sec. Com.
Date 12/21/84
Troy City-Miami County
Health Department

1.632 ACRES ~ S.E. QR ~ SEC. 2
5.363 ACRES ~ N.E. QR ~ SEC. 11
6.995 ACRES TOTAL

LEGEND

- o = IRON PIN SET 5/8" ϕ x 30"
- = IRON PIN FOUND
- ✂ = P.K. NAIL SET
- ✂ = P.K. NAIL FOUND
- ✂ = RAILROAD SPIKE FOUND

SURVEY REFERENCES
LAND SURVEY VOL. 17; PAGE 78
" " VOL. 25; PAGE 186
" " VOL. 28; PAGE 60
" " VOL. 29; PAGE 101
" " VOL. 30; PAGE 29
" " VOL. 31; PAGE 7
" " VOL. 34; PAGE 17
OHIO DEPT. OF TRANSPORTATION
PENN CENTRAL RAILROAD MAP

*SURVEY OF 6.995 ACRES OF ABANDONED
PENN-CENTRAL RAILROAD RIGHT-OF-WAY IN
UNION TOWNSHIP, MIAMI COUNTY, OHIO
FOR MARVIN PACE*


APPROVED

Miami County Planning Commission

Date 12-3-91 For 3.8122 ac. tract

Secretary: *Nan Bondaric*

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Dennis A. Vent 11/20/91
DEPUTY DATE



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

UNION
TOWNSHIP

6
TOWN

5-EAST
RANGE

N.W. Q.R. ~ 32
SECTION

VOLUME 34 PAGE 154
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DATED: 4 DEC. 1986

N.W. CORNER
N.W. QUARTER
SECTION 32

FREDERICK-GARLAND ROAD
588°40'50"E

E.N. LINE SEC. 32
1479.65
588°40'50"E

1209.52
1610.20

30' LANE

N2°37'E

S2°37'W

S87°23'E

470.00

400.00

N2°37'E

N87°23'W

500.00

5.425 ACRES
INCLUDING 30' LANE

"EXISTING RESIDENCE
AND FARM BUILDINGS"

N

0 50 100 200

SCALE: 1"=100'


BEARINGS: ASSUMED

LEGEND

- ° = IRON PIN SET 5/8" ϕ x 30"
- x = P-K NAIL SET
- * = RAILROAD SPIKE FOUND

SURVEY REFERENCE
LAND SURVEY VOL. 3; PAGE 320
" " VOL. 31; PAGE 48
" " VOL. 31; PAGE 80

SURVEY OF 5.425 ACRES INCLU-
DING EXISTING RESIDENCE AND
FARM BUILDINGS FOR -
DOLORES R. KRAMER



Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. ~ TROY, OHIO 45373
(513) 339-5331

7
TOWN

5 EAST
RANGE


12 & 13
SECTION

S.E. & N.W. N.E.
QUARTERS

CONCORD
TOWNSHIP

VOLUME NO. 34 PLAT NO. 155
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.
NOVEMBER, 1986

SCALE 1" = 300 FEET



REFERENCES

DEED BOOK 509 PAGE 436
LAND SURVEY VOL. 4 PLAT 7
" " " 4 " 12
" " " 4 " 138
" " " 18 " 182
" " " 25 " 84
" " " 25 " 127
" " " 29 " 40
" " " 33 " 154

LEGEND

- CORNER STONE FOUND
- ✕ RAILROAD SPIKE FOUND
- ✕ IRON PIN FOUND - 5/8"
- △ P.K. NAIL OVER PIPE FOUND
- 5/8" CAPPED IRON PIN SET

ACREAGE RECAP


78.995 Ac 53.935 Ac
+ 22.745 Ac + 47.805 Ac

101.740 Ac = 101.740 Ac
- 12.3776 Ac + 12.3776 Ac

89.3624 Ac. 114.1176 Ac as Revised.

REVISED 16 MARCH 1988 TO COMBINE THE
12.3776 ACRES WITH THE 53.935 ACRE
TRACT.

Michael H. Treon
No. 5621



SURVEY FOR	
GOLDIE RHOADES	
MICHAEL H. TREON	TROY, OHIO
Michael H. Treon REGISTERED SURVEYOR NO. 5621	


BROWN
TOWNSHIP

2
TOWN

12 - MRS
RANGE

S.E. & S.W. - Q2-3
SECTION

VOLUME 34 PAGE 156
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS
DATED: 7 DECEMBER 1986



BEARINGS: LAND SURVEY
VOL. 3; PG. 354

LEGEND
• = IRON PIN SET 5/8" x 30"
• = IRON PIN FOUND
x = RAILROAD SPIKE SET
x = RAILROAD SPIKE FOUND
x = P-K NAIL SET
□ = CORNER STONE FOUND


SURVEY REFERENCE
LAND SURVEY VOL. 3; PG. 354
" " VOL. 19; PG. 163
" " VOL. 24; PG. 24
" " VOL. 34; PG. 21
DEED BOOK 513; PAGE 713 (C.T.)

143.5236 ACRES
(S.W. QUARTER - SECTION 3)

TOTAL AREA: 156.6341 ACRES

13.1105 ACRES
(S.E. QUAR. SEC 3)

S.W. CORNER
S.W. QUARTER
SECTION 3



SURVEY OF 156.6341 ACRES
FOR MARY L. McDONALD

Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. - TROY, OHIO
(513) 339-5331

MONROE
TOWNSHIP


6
TOWN

5
RANGE

N.W. & N.E. QTRS. - 24
SECTION

VOLUME 34 PLAT 157
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 1 - DEC. 86



- LEGEND
- o = IRON PIN SET
 - = IRON PIN FOUND
 - x = RAILROAD SPIKE SET
 - x = RAILROAD SPIKE FOUND
 - ⊙ = R/W MONUMENT
 - = CORNER STONE
 - ⋈ = P.K. NAIL SET



REFERENCES

LAND SURVEY VOL. 10; PLATS 16 & 175

" " " 15; PLAT 40

" " " 4; PLATS 92 & 388

" " " 19; PLAT 156



DIVISION OF A 69.037 TRACT
IN MONROE TOWNSHIP FOR
ROBERT PRICE.

Richard W. Klockner
PROFESSIONAL SURVEYOR #4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331

TOWN
2

RANGE
12 M.R.S.



S.W. 1/4 SECTION
25

BROWN
TOWNSHIP

PT. O.L. 1
FLETCHER

VOLUME 34 PAGE 158
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.


7 DECEMBER 86



SURVEY REFERENCE
LAND SURVEY VOL. 33, PLAT 189
" " " 29, " 194
" " " 26, " 154
" " " 26, " 61
NOTE: BEARINGS AS PER LAND
SURVEY VOL. 26, PLAT 154

DEED REFERENCE
DEED BOOK 585, PAGE 546

LEGEND
o = 5/8" IRON PIN SET
• = 5/8" IRON PIN FOUND
p = RAILROAD SPIKE SET
x = RAILROAD SPIKE FOUND



SURVEY OF 115.097 ACRES
FOR C. JEAN SAMPSON.


Paul E. Johnson
PAUL E. JOHNSON
REGISTERED SURVEYOR NO. 6030
WEST MILTON, OHIO

6 TOWN 6E RANGE 31 NW/4 SECTION WASHINGTON TOWNSHIP

N. SIDE SECTION 31
N 2° 46' 30" W
1346.67'

VOLUME NO. 34 PLAT NO. 159
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS


SCALE: 1 INCH = 100 FEET



DEED REFERENCE
DEED BOOK 563 PG 281

SURVEY REFERENCE
LAND SURVEY VOL. 25 PLAT 28
" " 28 " 178



LEGEND
● RAILROAD SPIKE FOUND
○ RAILROAD SPIKE SET
● IRON PIN FOUND
○ IRON PIN SET
✕ PK NAIL SET



SURVEY PREPARED BY
THOMAS R. ZECHMAN
OHIO REGISTERED SURVEYOR
NO. 7077

Thomas R Zechman

SURVEY OF 30.750 ACRES
FOR
CARTWRIGHT PROPERTY
12/13/86




LEGEND

- IRON PIN FOUND
- △ STONE FOUND
- × RR SPIKE SET
- IRON PIN SET
- (xx) DEED CALL DIMENSION

REFERENCES

DEED BOOK	VOLUME	562,	PAGE	1046
	"	588,	"	369
LAND SURVEY	VOL.	8	PAGE	145
	"	8	"	155
	"	10	"	134
	"	24	"	55


SURVEY OF 4.509 ACRES
FOR PATRICIA MANNIX



Michael W. Cozatt 12-05-06
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 18786

VOLUME NO. 34 PLAT NO. 161
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DECEMBER, 1986
REVISED JAN. 23, 1991
ADDED TRACT "C"



SURVEY OF 10.4865 ACRES
FOR
JACK L. McDONALD

Paul E. Johnson
PAUL E. JOHNSON
REGISTERED SURVEYOR NO. 6030
WEST MILTON, OHIO


<u>8</u>	<u>4E</u>	<u>SW 1/4 22</u>	<u>Newton</u>	<u>Miami</u>
Town	Range	Section	Township	County

Volume 34 Plat# 162
Miami County Engineers
Record of Land Surveys
Sept. 20, 1986



Scale ~ 1" = 50'
 O = Iron Pin Found
 O = Iron Pin Set
 • = 22. Spike Found
 • = 22. Spike Set

Survey Ref.:
Vol. 28 Plat# 70



Survey of 1.751A± for
Terry Warner

MIAMI COUNTY PLANNING COMMISSION
Richard H. Bunn ACTING CHAIRMAN
Deborah A. Millhouse SECRETARY
 DATE Dec. 17, 1986 NO. 2843

CERTIFIED TO CONFORM WITH
 MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
 MIAMI COUNTY ENGINEER
Donald R. Hamann 11/17/86
 DEPUTY DATE

APPROVED
 Subject to Zoning Approval
 By *J. Dorn*
 Date 10/21/86
 Troy City-Miami County
 Health Department

This survey certified by:
William A. Boyer 9/21/86

1
TOWN




12-BTM
RANGE

PT. S.W. QTR.-19
SECTION

SPRINGCREEK
TOWNSHIP

VOLUME 34 PAGE 163
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

SEPTEMBER 4, 1986



LEGEND

- ✱ R.R. SPIKE FOUND
- IRON PIN FOUND
- IRON PIN SET

MIAMI COUNTY PLANNING COMMISSION
Richard H. Burn ACTING CHAIRMAN
Deborah A. Millhouse SECRETARY
DATE *Dec. 16, 1986* NO. *2846*

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
Douglas L. Christian
MIAMI COUNTY ENGINEER
Donald A. Haman 12/16/86
DEPUTY DATE

SURVEY OF 9.389 ACRES
FOR SAM JACKSON



REFERENCES

VOLUME 30 PLAT 47
VOLUME 19 PLAT 65
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

Michael W. Cozatt 1-10-86
MICHAEL W. COZATT S-6001
COZATT ENGINEERING COMPANY
CIVIL ENGINEER—LAND SURVEYOR
1008 GRANT ST. TROY, OHIO

JOB NO. 08285

30 (SE 1/4)
SECTION

5
TOWN

6
RANGE

CONCORD
TOWNSHIP


VOL. 34 PLAT NO. 164

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION


SECTION



NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- = R.R. SPIKE SET
- * = R.R. SPIKE FOUND

BRGS. ARE IN ACCORDANCE WITH LAND SURVEY VOL. 23, PG. 79.



Daniel D. Turner

SURVEY OF TWO TRACTS FOR			
MR. & MRS. GEORGE WINTRISS			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE DEC. - 1986	DRAWN BY TRACED BY CHECKED BY	D.T. D.T. D.T.	SHEET NO. 1/1

4 - S.E. QTR.
SECTION


4
TOWN

6
RANGE

CONCORD
TOWNSHIP

VOLUME 34 PLAT 165
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS.

DATED: 7 DEC. 86




LEGEND
* = RAILROAD SPIKE FOUND
o = IRON PIN SET
x = P-K NAIL SET

REFERENCE
LAND SUR. VOL. 32; PLAT 61
LAND SUR. VOL. 30; PLAT 141
LAND SUR. VOL. 19; PLAT 66

MIAMI COUNTY PLANNING COMMISSION
Richard H. Burn ACTING CHAIRMAN
Robert A. Millhouse SECRETARY
DATE Dec. 16, 1986 NO. 2845

CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 12/15/86
DEPUTY DATE



APPROVED
Subject to Zoning Approval
By *J. D. ...*
Date 12/12/86
Troy City-Miami County
Health Department



SURVEY OF A 0.089 ACRE TRACT IN
CONCORD TOWNSHIP FOR THE
GENERAL TELEPHONE CO.

Richard W. Klockner
PROFESSIONAL SURVEYOR - 4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 EAST WATER ST.
TROY, OHIO 45373 (513) 339-5331

DATED: 17 DECEMBER 1986




SCALE: 1"=50'
BEARINGS FROM LAND
SURVEY VOL. 32; PG. 3


LEGEND
○=IRON PIN SET
●=IRON PIN FOUND
✕=RAILROAD SPIKE FOUND

SURVEY REFERENCE
LAND SURVEY VOL. 10; PG. 184
" " VOL. 27; PG. 123
" " VOL. 32; PG. 3

SURVEY OF 0.989 ACRE EXISTING
PARCEL FOR HAZEL WEIKERT



Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC. INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST.-TROY, OHIO
(513) 339-5331




10.316 ACRES
(INCLUDING HIGHWAY R/W)
(NET AREA = 9.832 ACRES)


LEGEND
 ○ = IRON PIN SET 5/8" x 30"
 ● = IRON PIN FOUND
 ✕ = RAILROAD SPIKE FOUND
 # = P-K NAIL SET

SURVEY REFERENCE

SURVEY OF 10.316 ACRES FOR
SPRINGHILL NURSERIES



Richard W. Klockner
 PROFESSIONAL SURVEYOR-4370
 RICHARD W. KLOCKNER & ASSOC., INC.
 CIVIL ENGINEERING & SURVEYING
 16 E. WATER ST.-TROY, OHIO
 (513) 339-5331




REFERENCES


VOL. 8, PG. 27 } MI. CO. RECORDER'S
VOL. 14, PG. 3 } PLAT RECORDS.
VOL. 17, PG. 69 } MI. CO. ENGINEER'S
RECORD OF LOT SURVEYS.
VOL. 29, PG. 146 } MI. CO. ENGINEER'S
VOL. 33, PG. 138 } RECORD OF LAND SURVEYS.

LEGEND:

• P.K. NAIL SET
● IRON PIN FOUND
○ 3/8" CAPPED PIN SET
✕ RAILROAD SPIKE FOUND




SURVEY OF 23.490 ACRES
FOR LEO FAVORITE, JEAN REDINBO
AND THELMA HARTSTEIN



Michael W. Cozatt 12-17-06
MICHAEL W. COZATT P.S. #6001

COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1006 GRANT ST. TROY, OHIO
JOB NO. 23186

DATED: 19 DECEMBER 1986




0 50 100 200
SCALE: 1" = 100'

LEGEND
○ = IRON PIN SET 5/8" x 30"
● = IRON PIN FOUND
x = P-K NAIL SET
x = P-K NAIL FOUND


SURVEY REFERENCE
LAND SURVEY VOL. 33; PG. 162

SURVEY OF 4.707 ACRES
FOR ALICE JENKINS

Richard W. Klockner
PROFESSIONAL SURVEYOR-4370
RICHARD W. KLOCKNER & ASSOC., INC.
CIVIL ENGINEERING & SURVEYING
16 E. WATER ST. - TROY, OHIO
(513) 339-5331



DECEMBER, 1986



SURVEY OF TRACTS "A" & "B"
FOR

RUTH M. SHANNON

Paul E. Johnson

PAUL E. JOHNSON
OHIO REGISTERED SURVEYOR #6030
WEST MILTON, OHIO

8
TOWN

5-EAST
RANGE

31 & 32
SECTION

NE. & NW.
QUARTER

NEWBERRY
TOWNSHIP

VOLUME NO. 34 PLAT NO. 171
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

DECEMBER, 1986

SCALE: 1" = 50'





LEGEND

- ✕ P.K. NAIL FOUND - REPLACED WITH 60d SPIKE
- △ P.K. NAIL SET
- ✕ 1/2" IRON PIPE FOUND
- 3/4" IRON PIPE FOUND
- ⊙ CONCRETE HIGHWAY MONUMENT
- ✕ 5/8" IRON PIN FOUND
- CORNER STONE FOUND - 5"x7"
- ✕ CROSS ON CONCRETE DRIVE FOUND
- 5/8" CAPPED IRON PIN SET

REFERENCES

DEED BOOK NO. 534, PAGE NO. 510
LOT SURVEY BOOK NO. 12 PLAT NO. 115
LAND SURVEY BOOK NO. 7 PLAT NO. 59
" " " " 21 " " 191
" " " " 28 " " 198

SURVEY OF EXISTING TRACT
WITH MULTI-FAMILY DWELLING.




SURVEY FOR	
GLENN MUSGRAVE	
MICHAEL H. TREON	TROY, OHIO
<i>Michael H. Treon</i>	
REGISTERED SURVEYOR NO. 5621	



SURVEY REFERENCE
LAND SURVEY VOL. 31, PAGE 107
LAND SURVEY VOL. 29, PAGE 4
LAND SURVEY VOL. 16, PAGE 59

DEED REFERENCE
DEED BOOK 249, PAGE 260
DEED BOOK 335, PAGE 335


NOTE: BEARINGS AS PER LAND SURVEY VOL. 31, PAGE 107





SURVEY OF 43.0213 ACRES
FOR
LEO E. RASOR

Paul E. Johnson

 PAUL E. JOHNSON
 OHIO REGISTERED SURVEYOR #6030
 WEST MILTON, OHIO






LEGEND

- ◎ CONC. HIGHWAY MONUMENT FOUND
- IRON PIN FOUND
- ✱ P.K. NAIL FOUND
- IRON PIN SET
- ✱ P.K. NAIL SET

REFERENCES


O.D.O.T. HIGHWAY MAPS
DEED BOOK VOL. 550, PAGE 527
LAND SURVEY VOL. 13, PAGE 170
" 31, " 180

SURVEY OF 2.706 ACRES FOR
WAYNE NEWMAN




Michael W. Cozatt 12-19-86
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 14586

DATE: 23 DECEMBER 1986



SURVEY OF 34.766 ACRES IN ELIZABETH
TOWNSHIP, MIAMI COUNTY, OHIO FOR
IOLA BOYER SPAYD



Richard W. Klockner
 PROFESSIONAL SURVEYOR NO. 4370
 RICHARD W. KLOCKNER & ASSOCIATES, INC.
 CIVIL ENGINEERING - LAND SURVEYING
 16 EAST WATER STREET
 TROY, OHIO 45373
 (513) 339-5331

34(NW 1/4)
SECTION

7
TOWN

4
RANGE

UNION
TOWNSHIP

VOL. 34 PLAT NO. 176

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 200 FEET

L.S. VOL. 20, PG. 65
L.S. VOL. 22, PG. 158



(I.P. SET BY O.D.O.T.)

SECTION LINE S 89° 18' 00" E 1334.09

N.W. COR. OF SEC. 34

FREDERICK - GARLAND ROAD NO. 48

S 89° 04' 00" E 1324.44

N.E. COR. OF N.W.
QR. OF SEC. 34

SECTION LINE

HALF SEC. LINE

STATE ROUTE NO. 721

L.S. VOL. 32, PG. 136

NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- = R.R. SPIKE SET
- X = R.R. SPIKE FOUND
- = STONE FOUND

BRGS. ARE IN ACCORDANCE WITH LAND
SURVEY VOL. 32, PG. 136.

137.822 AC.

2358.05

N 0° 24' 30" E

SECTION LINE

996.35
N 89° 29' 00" W

L.S. VOL. 17, PG. 195

329.43
N 89° 33' 20" W

195.85
S 0° 49' 00" E

N 89° 47' 15" W 1352.13

(30.00)

60' R/W

534.00
S 0° 00' 00" W




HALF SEC. LINE
(I.P. SET BY O.D.O.T.)



Daniel D. Turner


SURVEY OF 137.822 AC. TRACT FOR			
NOLAN MEYER BROOKVILLE - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE DEC - 1986	DRAWN BY TRACED BY CHECKED BY	D.T. D.T. D.T.	SHEET NO. 1/1

DATE: NOVEMBER, 1986



SURVEY OF 115.037 ACRES IN LOSTCREEK
TOWNSHIP, MIAMI COUNTY, OHIO FOR
THE ESTATE OF LANETA B. MINNICH
DAVIS.

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348



BEARING ON CENTERLINE OF
ALCONY-CONOVER ROAD ASSUMED

~ LEGEND ~

- o RAILROAD SPIKE FOUND
- x PK NAIL FOUND
- x PK NAIL IN WOOD POST FOUND
- IRON PIN SET
- o RAILROAD SPIKE SET


~REFERENCES~


DEED BOOK 560, PAGE 805
DEED BOOK 560, PAGE 839
RECORD BOOK 11, PLAT 12
LAND SUR. VOL. 25, PAGE 71
LAND SUR. VOL. 27, PAGE 53
LAND SUR. VOL. 30, PAGE 13
LAND SUR. VOL. 33, PAGE 25

*SURVEY OF 19.969 ACRES IN LOSTCREEK
TOWNSHIP, MIAMI COUNTY, OHIO
FOR THE ESTATE OF LANETA B.
MINNICH DAVIS.*

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR NO. 6348

DECEMBER, 1986





LEGEND

- ✱ = RAILROAD SPIKE FOUND
- ✱ = NAIL FOUND
- = IRON PIN FOUND
- = IRON PIN SET

SURVEY OF 5.001 ACRES IN SPRING-
CREEK TOWNSHIP, MIAMI COUNTY,
OHIO FOR WINSLOW D. SIEDEL.

Gregg S. Brookhart
GREGG S. BROOKHART
OHIO REGISTERED SURVEYOR #6348




1
TOWN

11 BTM
RANGE

FR. 19 - ^{N.E. 1/4}
^{S.E. 1/4}
SECTION

STAUNTON
TOWNSHIP

VOLUME 34 PAGE 181
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS




REFERENCES:


VOL. 4, PG. 189 }
5, PG. 187 } MIAMI CO. ENGINEER'S
8, PG. 06 } RECORD OF LAND SURVEYS.
9, PG. 30 }
34, PG. 42 }
D.B. 556, PG. 247 } MIAMI CO. RECORDER'S
583, PG. 831 } DEED RECORDS.

LEGEND:

✕ NAIL FOUND
✕ P.K. NAIL SET
✕ R.R. SPIKE FOUND
● IRON PIN FOUND
○ IRON PIN SET



SURVEY OF 11.404 ACRE TRACT FOR
MARTHA A. DETRICK TROY



S.E. CORNER
S.E. QUARTER
SECTION 19

Michael W. Cozatt 1-05-87
COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 13086 13086

6 (SW 1/4)
SECTION

6
TOWN

5
RANGE

UNION
TOWNSHIP

VOL. 34 PLAT NO. 182

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS


SCALE 1 INCH = 50 FEET

CORPORATION

SECTION

L.S. VOL. 18, PG. 38

L.S. VOL. 18, PG. 157



2.855 AC.
- 0.853 AC.
2.002 AC. (Remainder)

0.853 Ac.

NOTE

Original 2.855 Ac. tract split 10-4-93 for purposes of clarification of title. New 0.853 Ac. tract is to be transferred to owner adjacent south by quit claim deed and is not to be used as an individual building site.



CERTIFICATION OF RECORD
This is to certify that Planning Commission Approval of this conveyance is not required, as being exempt under O.C., 711.001.

No additional buildings or structures may be erected on this land without further compliance with the zoning regulations of Miami County.

Don Brandewie G.H.G.
Secretary

Miami County Planning Commission


CERTIFIED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Dennis Christian 10-6-93
DEPUTY DATE

NOTE

- O = IRON PIN SET
- X = IRON PIN FOUND
- ⊗ = R.R. SPIKE FOUND

Brgs. for this survey are in accordance with all ref. surveys shown hereon.

Section corner tie taken from Land Survey Vol. 18, Pg. 38.




Daniel D. Turner

SURVEY OF 2.855 ACRES FOR			
EARL DODSON WEST MILTON - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE JAN., - 1987	DRAWN BY	D.T.	SHEET NO.
FILE NO. 631286	TRACED BY		1/1
	CHECKED BY	D.T.	



9 JANUARY 1987
REV. 13 FEB 1987 *RWB*

N

SCALE: 1"=100'
BEARINGS BASED
ON M.&E. CANAL
MAP SHEET 182



30 Ac. ±



LEGEND

- Iron Pin Set
- Iron Pin Found
- P.K. Nail Set
- ⊙ Concrete R/W Monument

Survey References

Land Survey Vol. 10, Pg. 60
D.B. 266, Pg. 526
D.B. 337, Pg. 96

APPROVED
Subject to Review & Approval
By J. D. O'Connell - Sur. Enr.
Date 10/10/87
Troy City - Miami County
Health Department



CLERKED TO CONFORM WITH
MIAMI COUNTY SURVEY REQUIREMENTS
DOUGLAS L. CHRISTIAN
MIAMI COUNTY ENGINEER
Donald R. Hamann 1/9/87
DEPUTY DATE

Survey of:
0.118 Ac. & 1.533 Ac. For Josephine M. Busse
0.567 Ac. For Paul A. & Frances J. Nartker

MIAMI COUNTY PLANNING COMMISSION
George R. Note CHAIRMAN
Robert A. Willhorne SECRETARY
DATE January 20, 1987 NO. 2848

Paul R. Nartker 1/8/87
Registered Surveyor No. 6619
1538 Spruce Ave.
Sidney, Ohio 45365
513-492-1357

19 JANUARY, 1987




NOTE: BEARINGS AS PER OHIO DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY PLANS.

SURVEY REFERENCE
MIAMI CO. ENG. RECORD OF LAND SUR. VOL. 3, PG. 10
" " " " " " " " 24, " 68
" " " " " " " " 29, " 135
" " " " " " " " 31, " 26
" " " " " " " " 32, " 68
" " " " " " " " 33, " 52
OHIO DEPT. OF TRANS. RIGHT-OF-WAY PLANS

DEED REFERENCE
MIA. CO. RECORDER'S DEED REC. BOOK 455, PG. 668
" " " " " " " " 443, " 56
DAYTON, POWER & LIGHT CO. EASEMENT
DEED BOOK 423, PG. 355
MIAMI VALLEY PIPELINE CO. EASEMENT
MISC. BOOK 9, PG. 514

LEGEND
□ = 5/8" IRON PIN FOUND OVER STONE
■ = STONE FOUND
● = RAILROAD SPIKE FOUND
○ = 5/8" IRON PIN FOUND
⊙ = RAILROAD SPIKE SET
⊙ = 5/8" IRON PIN SET
— = CENTERLINE



SURVEY OF 78.4733 ACRE TRACT
AND 10.0021 ACRE TRACT FOR THE
STACY A. NOLL ESTATE.

Paul E. Johnson
PAUL E. JOHNSON
REGISTERED SURVEYOR NO. 6030
WEST MILTON, OHIO

1 (NE 1/4)
SECTION

8
TOWN


4
RANGE

NEWTON
TOWNSHIP

VOL. 34 PLAT NO. 186

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS


SCALE 1 INCH = 200 FEET



NOTE

- o = IRON PIN SET
- x = IRON PIN FOUND
- = R.R. SPIKE SET
- x = R.R. SPIKE FOUND
- o = P.K. NAIL SET

BRGS. ARE IN ACCORDANCE WITH L.S. VOL. 26, PG. 145 AND L.S. VOL. 30, PG. 149



Daniel D. Turner

SURVEY OF 41,439 AC. TRACT FOR			
CLARENCE MILLHOUSE COVINGTON - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE JAN - 1987	DRAWN BY TRACED BY FILE NO. 681286	D.T. D.T. D.T.	SHEET NO. 1/1

29 (NW, NE, SE & SW 1/4's)
SECTION

5
TOWN

6
RANGE

CONCORD
TOWNSHIP

VOL. 34 PLAT NO. 187

MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 200 FEET

CORPORATION

SECTION

SECTION LINE

N.E. COR. OF N.W.
QR. OF SEC. 29

L.S. VOL. 29, PG. 146

N.W. COR. OF N.E.
QR. OF SEC. 29

L.S. VOL. 14, PG. 105

LOT 6081

L.S. VOL. 28, PG. 190

S 86°33'40"W
34.32

L.S. VOL. 11, PG. 99

31.239 AC. TOTAL
- 8.170 AC. (R 75)
23.069 AC. NET

24.113 AC.

ROUTE 75

INTERSTATE

HALF SEC. LINE

CORPORATION

PRESENT

CITY OF TROY

LOT 6077


NOTE

- o = IRON PIN SET
- x = IRON PIN FOUND
- = R.R. SPIKE SET
- x = R.R. SPIKE FOUND
- = STONE FOUND
- * = P.K. NAIL SET

BRGS. ARE IN ACCORDANCE WITH PLAT OF
ANNEXATION TO CITY OF TROY, P.B. 10, PG. 12C.

SEC. COR. TIE TAKEN FROM L.S. VOL. 14, PG. 105

L.S. VOL. 16, PG. 60



Daniel D. Turner

SURVEY OF 55,352 ACRES TOTAL FOR			
NOLA H. KUIESLY & FIRST NAT'L BANK & TRUST CO.			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE DEC. - 1986	DRAWN BY	D.T.	SHEET NO. 1/1
FILE NO. 280686	TRACED BY	D.T.	
	CHECKED BY		

24 (SW 1/4)
25 (NW 1/4 NE 1/4 S)
SECTION

9
TOWN


4
RANGE

NEWBERRY
TOWNSHIP

VOL. 34 PLAT NO. 188


MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 200 FEET



APPROVED
Subject To Zoning Approval
By [Signature]
Date 1-2-03
Miami County Health District


APPROVED
Miami County Planning Commission
Date 1-2-03
Secretary Dan Brandt
2.677 AC. TRACT



Daniel D. Turner

REVISED 12-6-02 D.T.

SURVEY OF 15.955 ACRES FOR			
MAX SUPINGER AND CONSOLIDATED RAIL CORPORATION			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE SEPT. - 1986	DRAWN BY	D.T.	SHEET NO. 1/1
FILE NO. 390686	TRACED BY	D.T.	
	CHECKED BY		



7
TOWN



5 E
RANGE

17-SE 1/4
SECTION

NEWTON
TOWNSHIP

MIAMI
COUNTY

VOLUME 34 PAGE 190
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS



LEGEND

- FENCE POST
- IRON PIN SET
- IRON PIN FOUND

REFERENCES

DEED BOOK	VOL. 155, PAGE 96
"	385, " 196
VOL. 10,	PAGE 897
" 12,	" 73
" 7,	" 104
" 19,	" 165
" 16,	" 149
VOL. 3,	PG. 223

MI. CO. REC'S.
PLAT RECORDS.
MI. CO. ENGR'S
RECORD OF
LAND SURVEYS.



SURVEY OF 15.157 ACRES FOR
NEWTON TOWNSHIP BD. OF EDUCATION



Michael W. Cozatt 2-02-87
MICHAEL W. COZATT R.S. 6001

COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 00887

DATED: 6 FEB. 1987



Richard W. Klockner
 PROFESSIONAL SURVEYOR NO. 4370
 RICHARD W. KLOCKNER & ASSOCIATES, INC.
 CIVIL ENGINEERING ~ LAND SURVEYING
 16 EAST WATER STREET
 TROY, OHIO 45373
 (513) 339-5331

2
TOWN

10 M.R.S.
RANGE


9
SECTION

N.W. & S.W.
QUARTER



ELIZABETH
TOWNSHIP

VOLUME NO. 34 PLAT NO. 192
MIAMI COUNTY ENGINEERS
RECORD OF LAND SURVEYS.

JANUARY, 1987



DATE: 23 FEBRUARY 1987




~ LEGEND ~

- o = IRON PIN FOUND
- x = RAILROAD SPIKE FOUND
- = IRON PIN SET
- α = PK NAIL SET

~ REFERENCE ~

LAND SURVEY VOLUME 18 PAGE 100
LAND SURVEY VOLUME 24 PAGE 175

SURVEY OF 78.189 ACRES IN LOSTCREEK
TOWNSHIP, MIAMI COUNTY, OHIO FOR
LENA CURTIS



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING - LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45337
(513) 339-5331

TOWN
4

RANGE
6E

SECTION
SW 1/4 33

TOWNSHIP
MONROE

VOLUME No. 34


PLAT No. 194

MIAMI COUNTY ENGINEERS

RECORD OF LAND SURVEYS

DATE: FEB. - 1987

SCALE: 1" = 200'



DEED REFERENCE

DEED BOOK	PAGE	TO	FROM	REFERENCE
2090	2797	350	350	MONTGOMERY CO.
"	"	586	381	MIAMI CO.
"	"	482	463	"
"	"	518	204	"
"	"	582	190	"

SURVEY REFERENCE

- VOLUME No. 27, PLAT No. 48 (BASIS OF BEARING)
- DEDICATION PLAN FOR LIGHTNER ROAD DWG. No. 2A-137 66 C.O.D. (R.L. WOOLPERT 1966) F.B. No. 1088 PG. 1
- VOLUME No. 33, PG. 152, MIAMI COUNTY
- VOLUME No. 28, PG. 100, MIAMI COUNTY
- ROAD RECORD VOLUME 8, PG. 51, MIAMI COUNTY
- VOLUME No. 24, PLAT No. 126 DWG. No. C.O.D. 13A14667, MIAMI CO.
- C.O.D. FIELD NOTES B14663
- CONSTRUCTION PLAN LIGHTNER ROAD C.O.D. No. 5B-13562

LEGEND

- R.R. SPIKE FOUND
- IRON PIPE FOUND
- CONCRETE MONUMENT FOUND WITH "X"
- IRON PIN FOUND
- IRON PIN SET WITH CITY OF DAYTON I.D. CAP

SURVEY OF 49.91Z ACRES
FOR CITY OF DAYTON, OHIO

Wesley H. Summers
WESLEY H. SUMMERS
REGISTERED SURVEYOR # 6956
DAYTON, OHIO

24(SW 1/4)
SECTION

8
TOWN

4
RANGE

NEWTON
TOWNSHIP

VOL. 34 PLAT NO. 195


MIAMI CO. ENGRS. RECORD OF LAND SURVEYS

SCALE 1 INCH = 100 FEET

CORPORATION

SECTION


LAND SURVEY VOL. 21, PG. 159



NOTE

- O = IRON PIN SET
- = R.R. SPIKE SET
- = R.R. SPIKE FOUND
- = 5" X 5" CONC. POST

BEGS. ARE IN ACCORDANCE WITH LAND SURVEY VOL. 21, PG. 159.



Daniel D. Turner

SURVEY OF 5.001 AC. TRACT FOR			
RICHARD WETZEL LAURA - OHIO			
DANIEL D. TURNER & ASSOC. TROY, OHIO			
• CIVIL ENGINEERING • LAND SURVEYING •			
DATE	DRAWN BY	D.T.	SHEET NO.
MAR. - 1987	TRACED BY		1/1
FILE NO.	CHECKED BY	D.T.	
050287			

7
TOWN

5 E
RANGE

7-S.E. 1/4
SECTION

NEWTON
TOWNSHIP

MIAMI
COUNTY

VOLUME 34 PAGE 196
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

N.W. CORNER
S.E. QUARTER
SECTION 7

N 89° 04' 40" E 1329.93
SUGAR GROVE CIRCLE HILL ROAD

TRACT #2
6.05 Ac.
TALMADGE K. & PATSY W. WHITING

SUR. VOL. 17, P. 97

TRACT #1
3.94 Ac.
JAMES R. & BELRA J. GREG

N 89° 04' 40" E 1319.60

66.837 Ac.

OWEN RD. #76
30' R/W
1811.87
N 00° 53' 40" W 290.42
N 00° 39' 20" W

S 89° 21' 15" W 659.76

BARRY NIESLEY
SUR. VOL. 23, PAGE 77
3.144 Ac.

N 00° 53' 40" W 207.02
N 00° 39' 20" W 1525.00

S 89° 18' 27" W 655.31

SOUTH LINE SECTION 7

500° 35' 35" E 2315.14
EAST LINE SECTION 7

S.E. CORNER
S.E. QUARTER
SECTION 7



SCALE: 1" = 200'
0 100 200 300 400


LEGEND

- IRON PIN FOUND
- * P.H. SET OVER SPIKE FOUND
- IRON PIN SET

REFERENCES

DEED BOOK 504, PAGE 470
" " 505, " 504
LAND SURVEY VOL. 17, PAGE 97 (BEARING BASIS)
" " " 23, " 9
" " " 23, " 77
" " " 28, " 52
" " " 31, " 112


SURVEY OF 66.837 ACRES FOR
BETTY NIESLEY



Michael W. Cozatt 2-11-87
MICHAEL W. COZATT P.S. #6001

COZATT ENGINEERING COMPANY
CIVIL ENGINEER LAND SURVEYOR
1008 GRANT ST. TROY, OHIO
JOB NO. 01487

DATE: 30 JANUARY 1987




~ LEGEND ~

- RAILROAD SPIKE FOUND
- ✕ IRON PIN FOUND
- IRON PIN SET
- ✕ PK NAIL SET

~ REFERENCE ~


LAND SURVEY VOLUME 11 PAGE 114
LAND SURVEY VOLUME 31 PAGE 112



GRAPHIC SCALE IN FEET
1 INCH = 200 FEET

BEARINGS ASSUMED FROM LAND
SURVEY VOLUME 31 PAGE 112

SURVEY OF 45.808 ACRES IN NEWTON
TOWNSHIP, MIAMI COUNTY, OHIO FOR
STACY NOLL



Richard W. Klockner
PROFESSIONAL SURVEYOR NO. 4370
RICHARD W. KLOCKNER & ASSOCIATES, INC.
CIVIL ENGINEERING ~ LAND SURVEYING
16 EAST WATER STREET
TROY, OHIO 45373
(513) 339-5331

Bethel
Township

NE 1/4 8
Section

2
Town

9
Range

Volume 34 Page 198
Miami County Engineers
Record of Land Surveys
Date: 9 Feb. 1987

Legend

- ⌘ R.R. Spike Found
- ⌘ R.R. Spike Set
- Iron Pin Found
- Iron Pin Set
- Stone

References
Land Survey Volume 15 Page 36
" " " 31 " 22
" " " 31 " 47


Deed Book 548 Page 122
" " 558 " 304
" " 589 " 208

It is to certify that Planning Commission Approval of this conveyance
is not required, as being exempt under O. R. C., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure
may be erected or maintained on the premises herein conveyed without
further compliance with all Zoning, Building, and Planning Regulations
of Miami County.


Robert A. McDonald
Secretary
Miami County Planning Commission



60 40 20 0 30 60
Scale: 1" = 60'

Survey of 0.018 Acres in Bethel Township,
Miami County, Ohio, for Lizzie E. Johnson.

Ray G. McDonald
Ray G. McDonald Reg. Surveyor No. 6893
6106 Cheri Lynne Dr.
Dayton, Ohio 45415
(513) 454 0220



7
TOWN

5-EAST
RANGE

7
SECTION

S. E.
QUARTER

NEWTON
TOWNSHIP

VOLUME NO. 34 PLAT NO. 200
MIAMI COUNTY ENGINEER'S
RECORD OF LAND SURVEYS

MARCH, 1987

SCALE - 1 INCH = 200 FEET



REFERENCES

DEED BOOK NO. 482, PAGE NO. 804

LAND SURVEY VOLUME	34	PLAT	196
"	"	31	" 112
"	"	23	" 9
"	"	17	" 97

LEGEND

- ✱ FOUND P.K. NAIL SET OVER RAILROAD SPIKE
- ✱ 5/8" IRON PIN FOUND
- RAILROAD SPIKE SET
- 5/8" CAPPED IRON PIN SET
- ^ 2"x 2" ANGLE IRON CORNER POST

NOTE:

8.0002 ACRE TRACT HAS A RESIDENCE
AND FARM BUILDINGS AND POND.

* NOTE: 13 JULY 1987

THE 2.0000 ACRE TRACT IS TO BE
COMBINED WITH THE 8.0002 ACRE
TRACT. THE 2.0000 ACRE TRACT IS
NOT TO BE AN INDIVIDUAL BUILDING
SITE.

Michael H. Treon

FOR 2.000 ACRE TRACT
CERTIFICATION OF REGISTRATION

This is to certify that Planning Commission Approval of this conveyance
is not required, as being exempt under O.R.C., 711.001.

Notice is given to all parties:

No additional building site is created by this conveyance; no structure
may be erected or maintained on the premises herein conveyed without
further compliance with all Zoning, Building, and Planning Regulations
of Miami County.

Nancy Hafford

ACTIVE Secretary
Miami County Planning Commission

SURVEY FOR

EARL & JUDY FERGUSON

MICHAEL H TREON

TROY, OHIO

Michael H. Treon
REGISTERED SURVEYOR NO. 5621

NOTE:

5.0747 AND 5.0688 ACRE TRACTS
ADDED 12/5/88

Gregory S. Brookhart

