


PLAT OF IN-LOTS 934 & 935 TROY OHIO

CANAL STREET 66' WIDE



I certify the above plat to be a correct survey
of In Lots No. 934 and 935 in Troy Miami Co. Ohio.
and made by order of the Miami Co. Common Pleas Court
in Case No. 19618. Charles E. Briggs et al vs. The Star Storm Front Co.
Survey made Dec. 20 1915-

J. W. Dooler, Dep. C. Surveyor

J. E. Dooler } chain
J. W. Dooler } sworn

PLAT OF MENDENHALLS SUB. DIV.
OF OUTLOT NO 205 IN PIQUA O.

Scale 50' = 1"

MIAMI CO. 3/13 1915

I certify this Plat to be correct with dimensions of lots and Alleys

March 15 - 1915

L.P. Knapp County Surveyor
Miami Co.

I approve this plat as City Engineer of City of Piqua

City Engineer
of City of Piqua

This Plat approved by City Council of City of Piqua O

March 1915

Clerk of Council

We hereby acknowledge the foregoing Plat to be our
Voluntary act and we donate the alleys to the City
of Piqua for the Public use.



Personally appeared before me and acknowledge the
Signing of this Plat to be their Voluntary act and deed


March 15 - 1915

Notary Public

Transferred and numbered by County Auditor of Miami Co.

Recorded March 1915





REPLAT
 OF INLOTS # 851, # 852 & # 853.
 AND
 OUTLOTS # 207 & # 208
 PIQUA-OHIO.

New numbers being - OL # 207 & 208
 & Inlots # 4684, 4685, 4686, 4687 & 4688


I certify this plat to be correct with
 dimensions of lots and alleys
 Mch. 18th 1916

Wm. R. Funder
 Dep. Co. Surv. Miami Co.
 NEW

Scale: 1 in = 50 ft.

OUT LOT # 207

OUT LOT # 208




at A, B, E found iron pipe
 at D, F, G, H shown iron pipes
 at C cast metal in side wall

The object of the survey was to
 divide the land owned by Christ Lauffer
 that lay in-lot 104 into two equal
 parts

I certify the above plat to be
 a correct report of a survey made
 by me Aug. 28, 1916
 J. M. Donahoe, S. L. M.

J. E. Fowler }
 J. M. Donahoe } Surveyors



The object of the survey was to locate the line between lots 3 & 4

I certify the above plat to be correct


Wm. C. Bandy
County Surveyor

Oct 26, 1917

Wm. C. Bandy
County Surveyor

M. F. Caldwell

TIPP CITY



a. front plane of 2. sec. line 73-8-5' and 73-8-5'
 b. front plane of 2. sec. line 73-8-5' and 73-8-5'
 c. front plane of 2. sec. line 73-8-5' and 73-8-5'
 d. front plane of 2. sec. line 73-8-5' and 73-8-5'
 e. front plane of 2. sec. line 73-8-5' and 73-8-5'
 f. front plane of 2. sec. line 73-8-5' and 73-8-5'
 g. front plane of 2. sec. line 73-8-5' and 73-8-5'
 h. front plane of 2. sec. line 73-8-5' and 73-8-5'
 i. front plane of 2. sec. line 73-8-5' and 73-8-5'
 j. front plane of 2. sec. line 73-8-5' and 73-8-5'
 k. front plane of 2. sec. line 73-8-5' and 73-8-5'
 l. front plane of 2. sec. line 73-8-5' and 73-8-5'
 m. front plane of 2. sec. line 73-8-5' and 73-8-5'
 n. front plane of 2. sec. line 73-8-5' and 73-8-5'
 o. front plane of 2. sec. line 73-8-5' and 73-8-5'
 p. front plane of 2. sec. line 73-8-5' and 73-8-5'
 q. front plane of 2. sec. line 73-8-5' and 73-8-5'
 r. front plane of 2. sec. line 73-8-5' and 73-8-5'
 s. front plane of 2. sec. line 73-8-5' and 73-8-5'
 t. front plane of 2. sec. line 73-8-5' and 73-8-5'
 u. front plane of 2. sec. line 73-8-5' and 73-8-5'
 v. front plane of 2. sec. line 73-8-5' and 73-8-5'
 w. front plane of 2. sec. line 73-8-5' and 73-8-5'
 x. front plane of 2. sec. line 73-8-5' and 73-8-5'
 y. front plane of 2. sec. line 73-8-5' and 73-8-5'
 z. front plane of 2. sec. line 73-8-5' and 73-8-5'

The strip of the survey was located by A.D. Rowden
 in the west part of O.L. 141, Pigeon 8.
 Surveyed Nov 15-1914
 J. D. Rowden

LAY ST. 60'

PLAT SHOWING PROPERTY OF THE FIDELITY COAL CO.

BEING PARTS OF O.L.S. NO 136 & 137 IN TROY O. Scale 20'-1"

MADISON ST. 25'

INN LOT #1813

SIMPSON

ST.

CITY OF TROY 7A

THE FIDELITY COAL CO.

RAILROAD

ST. 125'

ALLEY

EAST RAIL OF SPUR 58'

212.5'

91'

O.L. #137

O.L. #136

O.L. LINE

121.5'

121.5'

70'

77'

OF TRACKS

48'

70.2'

70'

55.3'

Fence

55'

140'

10'

Records and Deed Distances taken from Auditors City and Court Records Surveyed by L.P. Knoop March 29 1918. O.K. M.A. Gandy County Surveyor Miami Co O. Troy O April 2-1918

IRON PIN 25'

30.16'

15'

50'

50'

50'

50'

50'

50'

50'

50'

AUDITORS PLAT OF SUBDIVISION OF PART OF
 OUT LOT 193 IN Piqua O.

L. P. HINDORF CO. SURVEYOR
 6/19-15


50	17 Lot # 4657	150	50
	H. Kunkelberg	149.2	
40.93	Evered Johnson	148.5	40.75
	#4658		
40.93	Frank Johnson	147.8	40.75
	#4659		
40.93	Elva Johnson	147.1	40.75
	#4660		
40.93	Clark Johnson	146.4	40.75
	#4661		
40.93	Grace Selging	145.7	40.75
	#4662		
40.93	Stella Slack	145.	40.75
	#4663		

Alley
15'

Inside of Walk


Inside Walk Line 145.

Troy Ohio.



Survey of lots 345 and 344 to locate corner. The lot shown on plat between Simpson St and Rapier St was measured and the surplus ground divided between the lots. Surplus was divided at 60' and another in back of side made 14' east of corner at 67'. Verify the above plat to be correct on ground by me April 13 1918
 J. M. Pennington & Son
 4110 Belmont Ave
 Cincinnati Ohio

Part OL-05 14815 Bradford Ohio.



The object of the survey was to reestablish the corner marked as to S. E. All parties were notified and were present at a signing. Dem. file was drawn at as to S. and a wooden stake set.


The ditch north on Moodie Ave. was now improved by cutting 10 feet wide on the east side of abut and Pearl Street is 10 1/2 ft wide and well defined by iron pipe corner. The line was established over the line N. E. which the survey was made to establish.

It is about 20 ft wide on each side of the section line between Sec. 22 and Sec 23, Town 9 Range 4 E.

Seeing that the above plat is a correct report of an survey made by me March 20 1918.

J. W. D. Denton S. S. Surveyor.

Plot of O.L. 1-65-2 94830
 @ Milton,
 Miami Co. Ohio.



The object of the survey was to find
 the amount of acres in the summed
Arnold tract now known as summed
tract in O.L. No. 29 Milton.


Proving that the summed Arnold tract
 in O.L. 29, Milton O. contains 2.475 A.
 and the summed tract of the same is cont
 as surveyed by me June 20 1918
 George W. Hill
 of Milton Ohio
 J.W. Douglas
 of Milton O.

Lots 68, 69, 70 & 71 Covington
Surv. By L.P. Knoop May 3-1919


PLAT OF LOTS NO. 68-69-70-71. IN COVINGTON O.

WRIGHT ST 49 1/2'

PEARL ST 49 1/2'



Business
Buttcher Add
Show distance
of 328' North & South
as present Property
Lines and Laid off
from same Stone
328' is Distance from
to Lots 68 to 71 Inc.



Walnut St was not platted until 1892 when
Thompsons + Kesslers add was layed off. Vol 20 Page 227
Record of Deeds and the 7.8' was lost off Lot 68 by taking
the Side Walk off Lot.

When Bartmess and Buttcher adds were layed off
Walnut St was established and Distance North + South
of 328' Comes to Property Line Mark 'A' which is 98 1/4'
North of original South Line of Lot 68

The Stone Marked B on Original Plot was found
and this Survey was made from same

- 1. A Stone was found at S.W. Corner of Church Lot
Residents say was planted by J.W. Dowler
- 2. Deed distance was given on Simes Lot as 60'
but 2' was taken off by Auditor leaving 58' frontage
Tax is now being paid on.

Church Lot is 6' short from Deeds
M.J. Maier - 0K
Cassel - ..
O. Donnel - 2'

This Survey Made by L.P. Knoop May 3 '19
Notes above are correct

L.P. Knoop
Dep Co Surveyor
Miami Co.


Reference: See Lot Survey Record
No 2 Page 10

REPLACING OF LOTS
#619 #620 #3879 #3880

PIQUA Q

230 Aug 5th 18
Aug 5th 8
3
21813 Asher
85
Feb 1 92


HARRISON ST.




I certify this plat to be correct.
July 24-1918

J. P. Knott
Deputy Co. Suror
Miami Co. O.
Witnessed 7/29/1918
G. H. M. L. Grant
Co. Suror
G. H. & Willis R. G. H.

PLAT OF LOT NO 105 IN RIVERSIDE
 WASHINGTON TWP MIAMI CO. O
 Scale 50' = 1"




L.P. Kroop Dep Co Surveyor
 Sep 15 - 18



HORTON AVENUE

SIDEWALK CURB & GUTTER




approved sep 26-18 Surveyed & Platted by
M. G. Gault
 CO Surveyor Miami Co.

J.W. Dowley Dep Co'Sur
 Troy, O for Surveys

Plat of
 HORTON AVENUE
 LOTS
 TIPPECANOE CITY O
 Scale 48' to 1"

West Chaulatlan C.

Quaternary Deposits



The object of the survey was to establish the limits of the school property and obtain a description of the same.

Found stone at 'a' on the half section line in Dec 27 from 2 Range 9 N.R. 8. Established by the County Surveyor, Domingo Rosal, Book 4 Page 55. on Chaulatlan north west corner and the West East corner of West Chaulatlan. At 'b' located stone 14 ft east of a stone that I found located on north line. At 'c' located stone at N.W. corner plot 30 as now located by improvement the frame and fence, although the lot contained 82 ft instead of 75 ft to that of 'd' located stone. This 8 stone lot appears by the deeds for adjacent farm land to be recognized as a part of West Chaulatlan although the term plot does not show it.

Starting the above plot to the southwest corner of the school

property as surveyed by me Nov. 18 1918.

M.M. Havemann, Surveyor

J.W. Dyer, Sup. S.L.M.

C.R. M. & Co. Surveyors
County Surveyors

AUDITORS PLAT OF SUBDIVISION OF PART OF
 OUT LOT 193 in Piqua O


LPHNOOP Co Surveyor
 6/19-15

50	193	H boundary	193.2	193	50
		1st Lot # 4657			
40.93	198.5	Amanda Johnson	198.5	40.75	
		#4658			
40.93	197.8	Frank Johnson	197.8	40.75	
		#4659			
40.93	197.1	Ello Johnson	197.1	40.75	Alley 15
		#4660			
40.93	196.4	Clark Johnson	196.4	40.75	
		#4661			
40.93	195.7	Grace Seligson	195.7	40.75	
		#4662			
40.93	195	Stella Slack	195	40.75	
		#4663			


Width of walk

TRAILER WALK LINE 195

PLAT OF INN LOTS - 51-52-53-60-61-62
 IN PIQUA O. Made from County Auditor's Records April 14 1915
 L.P. Knaep Co. Sur.




24



PLAT SHOWING PROPERTY OF
 THE DAYTON POWER+LIGHT CO.
 IN PIQUA O. BEING PARTS OF INN LOTS
 NO. 42-43-44-69-70-71

Scale 40' = 1" SYCAMORE STREET



Dotted lines are lot lines Shaded line THE DAYTON POWER+LIGHT CO'S LAND

Note 1 The S Zollinger Co actually occupy this amount of ground

2 Deed distance is 23' but occupy 26.6"

3 " " " 116 but over run 1' which is divided

4 " " " 70 " occupants & former owners have occupied for 21 yrs

5 Distances enclosed \bigcirc are Deed Distance and not measured

Jan 27-1917 Miami Co Surveyors Office

I Certify this plat to be correct

L. P. Kuepfer Co Surveyor

Record City Book 41 Page 32 Miami Co Surveyors Records


AUDITORS PLAT OF SUBDIVISION OF INN LOT #1108 PIQUA O.

I certify this plat to be correct

E. P. Knoop

April 17 1915


Co. Surveyor




Plat of Part of Lot 428
in Tippecanoe City

7/25-14

I certify this plat to be correct
L.P. Kroop
Co. Surveyor
Miami Co






REPLATING OF INN LOTS 196-197-198-199-200-201
 IN TROY OHIO MIAMI CO.

COUNTY SURVEYORS OFFICE
 MAY 1914 L. Rhinop Co. Surv.

Lot BK 1 - 40



REPLAT OF INLOTS
 605 & 606

TROY, O.




Inlot 607

I hereby certify the above plat to be correct as measured by me on January 25, 1919, for the landowners of Inlots 605 & 606.

J. M. Deane
 County Surveyor

J. M. Deane S. A. C. Sur.

METZ ADDITION TO TROY O.



Metz Addition to Troy O. consists of Parts of O.L. 113 & 236. Surveyed by John W Dowler Dep Co Sur. on Nov 26 1918 and certified by him that size of lots with that Streets alleys are correctly shown and that Iron Pipe are planted at all lot corners

The owner Reuben Metz dedicates the streets and alleys to the City of Troy for the public use forever and signs plat on Feb 17 - 1919

The owner also appears before Chas. F. Faust Notary Public for said County who acknowledged the Making and signing of Plat and for the uses of alleys and Streets by City


I certify this to be a correct copy of Plat Made by John Dowler. Made from Original March 7. 1919.
Scale of this Plat 100' = 1"
L. P. Knapp
Original Plat 50' = 1"

original plat ok. by
John W. Dowler
Dep Co Sur.
and L. P. Knapp
City Engr of Troy O.

44-45

EX # 19 43


PLAT OF OUTLOT 236 and Part of A.L. 113 TROY, O.



The object of this survey was to compute the area and establish corners of that part of the original outlot lying West of the Dixie Highway.

I hereby certify the above Plat to be correct.

Wm. D. Gordon
 Wm. D. Gordon
 Surveyor
 Apr. 13-1919




Plat of Inlots No. 1432, 1433 & 1434 Troy, Ohio.
 Surveyed for J. H. Gorman, April 23, 1919.
 I certify the above plat to be correct.




M. C. Bantz
 County Surveyor.

PLAT OF VANZANTS SUB-DIV.
OF NORTH PT. OF O.L. 23.
FLETCHER O.

Scale 50' = 1"




PIQUA AND URBANA I.C.H. No 190



THIS Sub-Div. Surveyed and Restaked May 24 '19
Recorded in Lot Book # 1 Page 48 Miami Co Surveyors Records
D. F. Knapp
Dep. Co. Surveyor
Miami Co.

Numbers marked for marking purposes only
Original Numbers to be used for Deeds

PLAT OF PT. OF O.L. 137 TROY O. Sold by City of Troy to The HOBART Co.




June 27-19.
L. P. Knapp City Eng'r

—: PLAT :—
 OF
 NORTH PART LOT N^o539
 TROY, O.
 Showing relation of survey
 to the tobacco warehouse of
 The ALLEN & WHEELER
 COMPANY.
 Surveyed June 25th 1919.


W. R. KINDERCE

MULBERRY ST.




AS


PLAT OF ULLERY'S SUB-DIVISION OF
 INN LOT NO. 649 IN COVINGTON OHIO
 MIAMI CO.



SURVEYED AND PLATTED JULY 12 1919 BY R.P. Knapp De Leo Surveyor of Miami Co.
 IRON PINS DROVE AT ALL CORNERS RECORDED IN SURVEYORS PLAT BOOK # 1 Page
 Old Lot 649 is Now 705 to 711 Inclusive





PLAT OF Chas Blinn's
Ad. To PIQUA, O.



Deed References

Book	Page	Description
159	300	Abelouis to The Gerkins Oil Co
168	187	Oil of Lot 1687, + Right of way on 20' Alley
167	440	20' off N End of 1688 and Right of way
		Gruncert to The Gerkins Oil Co.



PLAT OF FINN LOTS NO'S 1687
688 AND PART OF O.L. #19
IN HQUA OHIO
PROPERTY OF THE GERKINS OIL
CO.
Scale 20' = 1"
Surveyed by L.P. Kroop Dep. Co. Surveyor
Aug 6-1921
Recorded in Surveyors Plat. Book City #1 Page 39

PLAT OF SUB.DIV. OF LOT 382 IN TROY O.

**CANAL
ST
66'**
12' Side walk



MULBERRY ST 66'
12' Side Walk


This lot was deeded as layed off untill J.P. Barron sells the South Part To F.J. Barron as recorded in Book 107 Page 378 and was deeded as follows * Beginning at a point 90' South of N.W. Corner of Lot 382 measuring from Curb Line on Canal St and ranging South on Mulberry St 82' to Mill Race more or less The North Part was described as follows Being that part of Lot 382 except 82' of off the S. pt. of Lot as deeded as above

These lots are deeded as above in Book 135 Page 450
 " 140 " 29
 " 167 " 430
 " 111 " 205
 Recorded in Surveyors Plat Book #1 Page 58

Surveyed by L.P. Knapp Dep. Co Surveyor
 Aug 16-19

This survey was made by measuring 90' from curb on Canal St and leaves 82' for Westlake

PLAT OF SUB-DIV. OF InnLot³³
BRADFORD MIAMI CO. O




Surveyed and Platted by
G. P. Knapp Dep Co, Surveyor
of Miami CO. O Sep 6-1919
Recorded in Surveyors Record
Book # 1 Page 60.

MIAMI ST 55'

MAIN ST. 55' USED AS STREET
Platted as 45' "

**PLAT OF THAT PART OF OUT-LOT
 Nº 113 LYING WEST OF THE DIXIE-
 HIGHWAY.**



The object of this survey was to establish corners and compute the area of that part of O.L. 113 west of the Dixie Highway.


I hereby certify the above plat to be correct.

J. C. Freshour
 Surveyor

Aug. 6-1919. Approved *M. A. Bowls*
 County Surveyor

GREEN ST. 66'

DOWNING ST 66'



ASH ST 66'

PLAT OF LOTS-87-88-89 PIQUA O.

Rogers Deeds to Associate Reform Church all of Lot "206
 Old No. New No. 88 Book 32 Page 628
 Lot 89 was Deeded as bounded on North by Church
 Property Book 45 Page 239



LOT "88 was Platted 99' front + Rear but Church and
 Parsonage actually occupy the 108' front + 106' Rear
 and Lot 87 + 89 have original dimensions Except for
 Part used in Rear as Alley which was not on original
 Plat in Book 1 Page 1.

Recorded in
 Oct 1919 Book 1 Page 62
 Surveyors Lot Book

L. P. Knapp Dep Co. Surv.

PLAT SHOWING SURVEY OF LOT 57
IN TIPPECANOE CITY O.

DOW ST 50'



SECOND ST 66'

BROADWAY.

70' CURB + CURB
2-15' SIDEWORKS

Deed Records

Staley's Deed to Lot 57 Book 132 - Page 303 For 52'

Rollen	"	55	"	139	"	387	"	52'
Kendall	"	52	"	121	"	486	"	52
Bennett	"	57	"	161	"	186 and 57-218	for 62'	
Murphy	"	58	"	106	"	509	for 95'	
Copcock	"	59	"	108	"	265	"	49

Surveyed Oct 4-1919 by L.P. Kraap
 DEPT. SURVEYOR
 MIAMI CO

Recorded Surveyors Plot Book #1
 Page 63

PLAT OF O.L. #49 TIPPECANOE CITY, O

ELM ST 50'

FRONT ST.

443'

Iron pin

191'

Iron pin

O.L. # 49 AMERICAN STRAWBOARD CO.

537'
CANAL ROAD

452'

Iron pin

66'

952'

Iron pin

S Wilhelm ST.


THIRD ST 66'

Woodward

44	#558	44	44
44	560	44	44
43.5	562	44	44
43	564	43	43
43	567	43	43
43	568	43	43
43	569	43	43
43	570	43	43
43	571	43	43
43	572	43	43
43	573	43	43
43	574	43	43
43	575	43	43
43	576	43	43
43	577	43	43
40	951	40	40

Surveyed & platted by L.P. Kroop & P.C. Osureyor
 Miami Co O
 Nov 8 1919
 Recorded Surveyors Plat Book City #1 Page 64

PLAT OF LOTS 168-169-170
 IN COVINGTON O.
 THOMPSON ST 49.5'



BRIDGE ST 49.5'

WALL ST 49.5'




Surveyed and plotted by
 A. P. Kump, Peple Surveyor No. 22
 1919. Recorded City Book No. 1 Page 65

Name	Book	Page
Reichmans Deed	157	159
Giffins	151	95
Hoffinger	151	15
Geo. Hoffinger	138	78
Roeth	122	502

2' Deed which was afterward sold
 as if no deed was ever given
 1911 66 Page 244

108
845
40
2245

Subdivision of Part of Inlot # 101



Recorded in Book # (Lot) page 67
Miami County Surveyors office,
Scale 1" = 40'

Surveyed 4/2/1920 by M.C. Bond
Approved 4/1
M.C. Bond
County Surveyor

Revised

69

Plat of Inlot No. 142, Troy, O.

Water Street 66'

115.5

115.5

139

138

169.42

old established fence line
115.5

Adams Street 66'


41'

141

142

128.42


Main Street 99'



Recorded Lot Book page 69, surveyors Records.

Surveyed July, 21, 1920. M. G. Scott, C.E.
Approved Tully, 1920. *M. G. Scott*
County Surveyor

Plat showing parts of Inlot 409 and Outlot 29 owned by Hope Weis, West Milton, O.



The land owned by Hope Weis is marked by Iron pipe at A, B, C, D, E, F, G and H and a cross in the sidewalk at B.

The object of the survey was to find the parts of Inlot 409 and Outlot 29 in West Milton, Miami County, Ohio, and owned by Hope Weis.
 Surveyed August, 1920. M. A. Gault, C.E.
 Approved, Aug., 1920. W. R. Kinder, Surveyor


72 Luker

PLAT OF SUB.DIV. OF PARTS OF O.L. LYING WEST OF DIXIE HIGHWAY NO. 113 AND 236 TROY MIAMI CO. OHIO

Scale 100' = 1"

Distances in Feet and Inches

Original Survey by J.W. Dowler
Recorded in City Book #1 Page 45
Sub. Div. Surveyed by A.J. Thompson Dec 6, 1907
Recorded City Book #1 Page 72



Shaw


1/1/41

Never filed

See file of Forwarded Surveys

MRP

PLAT OF LOTS 29-30-188-189 IN FLETCHER OHIO



Deed Records

Book	Page
66	425
124	190
155	291
129	580
152	348


Surveyed & Platted by L.P. Knoop Dep'ty Surveyor
Sep 4-20

Note 1. A 12 ft strip at one time went delinquent and is now used as Alley.

Recorded in City Book #1 Page 77.
County Surveyor's Records


2000

Plat showing that part of Inlot 966 and Out-lot 39 owned by Jeff. Armstrong, Tippecanoe City, O



Recorded in Miami County Surveyors Lot Book page 95

The object of the survey was to lay out tracts "A" and "B" in one lot and tracts "C", "D" and "E" into another lot as shown above
 Surveyed Sept 21, 1920. M. A. Guth, C.E.
 Approved Oct. 29 1920. M. R. Kinder, county Surveyor.



Being parts of Inlots number 513 and 528 in the City of Troy, Miami County, Ohio, bounded and described as follows: Beginning at an iron pipe on the S. property of May St. and which is 197 ft. east of the east property line of Grant St. and assuming May St. to be due E. and W.; thence S. 5° 10' W., 134.4 feet to an iron pipe; thence S. 31° 34' W., 25.63 feet to an iron pipe; thence S. 6° 13' W., 13.5 feet to a railroad spike on the north property line of a 10 foot alley; thence due W., following the alley line 2.9 feet; thence N. 10° 5' E., 175.4 following the old line between Thompson and Baker to the place of beginning and containing 1032 sq. ft.

Description:

Mrs. W. H. Baker
 Bolt driven on line
 # 528
 Iron pin driven on line
 137.4
 12.5
 74.25
 15.5
 Iron Pipe
 Assumed May St. due E & W
 60.5
 60.5
 0.55 from back of sidewalk
 60.5
 171.75
 Mrs. Henry Thompson
 # 513
 1032.50 sq. ft.
 S. 5° 10' W.
 N. 10° 5' E.
 175.4
 13.5
 25.63
 13.5
 10 foot alley
 12 foot alley
 Telephone pole on line both ways
 48.4 due W
 45.5
 Railroad Spike


May Street
 60 ft. wide
 Grant Street
 60 ft. wide
 5 Sidewalk
 5 Sidewalk
 10' Alley
 12' Alley

Recorded in the Miami County Surveyors Lot Book page.
 Surveyed Feb. 26, 1921, W. A. Bond & Co.
 Approved March, 1921, W. R. Ludden
 County Surveyor.

PLAT OF LOT NO 257, TIPPECANOE CITY MIAMI COUNTY OHIO

PLUM ST 50'

30' Curb to Curb
10' Side Walks



E.H. Kerr sells to W.H. Gibson March 23-1908 Book 137 Page 56
 W.H. Gibson sells " Kate Greenwalt April 16 1905 " 133 " 262 50' S. End
 " " " Frank Judd et al, March 23 1909 " 136 " 36 47' 5 3/4 " Mid Pt
 W.H. Gibson " " Lida B. Hosier Oct 10-1910 " Balance of that time
 Surveyed and Platted May 21-1921 by R.P. Knapp Dep. Co. Surveyor
 of Miami Co Ohio
 Recorded City Book No. 1 Page 77 Miami Co Surveyors Records

I certify this Plat to be correct
 R.P. Knapp
 Dep. Co. Surveyor

PLAT OF LOTS 77-78

IN ROSSVILLE
SPRINGCREEK TWP


MIAMICO, O

Surveyed July 2-21


L. P. Knapp

Dep. Cosurveyor
Miami Co. O

Recorded Book 1 Page 80



PLAT OF LOT NO. 85 PIQUA O. GREEN ST. 66'




Lot #85 over Runs 45' or 5 1/2 inches and Murray's Deed being a positive Deed for 35 ft the 5 1/2" goes to balance of Lot

Surveyed by L.P. Knepp Dep. Co. Surveyor
June 9 - 1921

Recorded in Surveyors office City Book 7 Page 82

PLAT OF INLOT 257




The object of the survey was to locate the corners on Inlot No. 257.

Recorded in Miami County Surveyors Lot Book page 83. Sherman Ave.

Scale 1" = 60'

Surveyed June 25, 1921, M. G. Gang, C.E.
Approved, 1921, W. O. Fisher, County Surveyor.

PLAT OF INLOT 1905




The object of the survey was to locate the corners of Inlot 1905 and to locate the 8 ft. driveway between the houses and at the rear of said lot as shown so that the deeds may be corrected.

Scale 1" = 50'

Recorded in Miami County Surveyors' Lot Book page 84.


Surveyed July 24, 1921, M.A. Gantz, C.E.
 Approved, 25 1921. *M.P. Knicker*
 County Surveyor

PLAT OF LOTS 980-981
PIQUA OHIO




Surveyed by L.P. Knorr Dep Co. Surveyor
 July 30 1921 Miami Co
 Recorded City Book #1 Page 85
 Co Surveyors Records

Taken for Tungminian Light Plant location




Landed to
City Engineers
Office
D. H. S. M.



Taken for highest level Education


862

PLAT OF N. PT. OF LOT NO 160 IN TROY O.




This lot was sold off of Lot # 160
 Surveyed by L.P. Knapp Dep. Co. Surveyor of Miami Co. O.
 August 27 - 1921
 Recorded in City Book # 1 Page # 87
 Miami Co. Surveyors Records

PLAT OF INLOTS 737, 738, 739, 740.



SURVEYED, Aug. 29, 1921 M.A. GANTZ, C.E.
 APPROVED, SEPT. 2, 1921 *Wm. P. Tucker*
 COUNTY SURVEYOR.


PLAT OF LOTS # 672 # 673 Tippecanoe City OHIO



Surveyed Oct 1st 1921

Recorded City Book No. 1 by L.P. Knapp Dep. Co. Surv.
Page 90 Miami Co Surv. Records

PLAT OF LOTS #370-371-126-PTS. OF 125 & OUT LOT #30
TIPPECANOE CITY OHIO




Surveyed Oct 1st 1921
by L.P. Knapp Dep. Co. Surv.
Recorded City Book No 1 Page 91
Miami Co. Surveys Records

PLAT OF INLOT 38
TROY OHIO.

Lot 1-92

MAIN ST.



Tract "A" - Being a part of the west one-half of Inlot #38 in the City of Troy, Miami County, Ohio and more particularly described as follows:-
Commencing at the North-west corner of said Inlot # 38 & the intersection of Main and Oxford streets; thence easterly following the South property line of Main Street 58.17 feet to the center of said Inlot # 38; thence in a southerly direction parallel with Oxford Street 72 feet to an iron pipe; thence in a westerly direction parallel with Main Street 58.17 feet to the east property line of Oxford Street; thence northerly following the east property line of Oxford Street 72 feet to the place of beginning.
Said tract being designated as Tract "A" on a plat recorded in the Miami County Surveyor's Lot Book on page, 91.

Tract "B" - Being a part of the west one-half of Inlot # 38 in the City of Troy, Miami County, Ohio and more particularly described as follows:-
Commencing on the east property line of Oxford Street at a point which is 72 feet south of the intersection of Main and Oxford streets; thence in an easterly direction parallel with Main Street 58.17 feet to an iron pipe; thence in a southerly direction parallel with Oxford Street 36 feet to an iron pipe; thence in a westerly direction parallel with Main Street 58.17 feet to the east property line of Oxford Street; thence northerly following the east property line of Oxford Street 58 feet to the place of beginning.
Said tract being designated as Tract "B" on a plat recorded in the Miami County Surveyor's Lot Book on page 92.


OXFORD ST.

OXFORD ST.

of Book Page 92

PLAT OF LOT NO 1442 PIAVA O.

10' Alley By Decree of Court 5' Taken off Lots



Deed References
 Book 141 P. 544
 89 - 35
 86 - 486
 140 - 1
 123 - 360

Surveyed Feb 22 - 1922
 Recorded City Book - 1 Page 34
 L.P. KREPP Dep. Co. Surv.

WATER ST. 66' WIDE
 41' GUTB to CURB
 125' SIDEWALKS

CHESNUT ST
 23' CURB
 to CURB
 8 1/2' W


Survey of this
 lot was made by
 City Engrs and
 Pins placed
 Which were
 Recognized

95 - *Alben* *map*

Note: - See page 75 for survey in lot #916 & Pt. O.L. #39 marked as filed on Pg. 95 but indexed and filed on Pg. 75

SURVEY OF THE WEST HALF OF LOTS 2644 and 2645, Figure, Ohio.

204




Recorded in the Miami County Surveyors Lot Book on page 95.

Surveyed by M. A. Gantz, C. E. Approved May, 1922.

M. A. Gantz
County Surveyor.


7209
96
7 5/8 on

SURVEY OF LOTS 524 and 535, Troy, Ohio.



McClung Street. 50' wide

Mulberry Street. 66' wide




Lafayette Street. 50' wide

Recorded in Miami County Surveyors Lot Book page 96. County Surveyor.

Surveyed by M. A. Gantz, C.E.
Approved on May, 1922, *M. A. Gantz*

PLAT OF INLOTS 94, 1903 & 1904.



Description for Inlot 1903.
Beginning at an iron pipe on the south property line of Water street and at the corner of Inlots 1903 and 1904; thence southerly 160 feet following the west line of inlot 1903 to an iron pipe on the north property line of an alley between inlots 1903 and 1905; thence easterly 33 feet following the north line of said alley to an iron pipe at the corner of inlots 1902 and 1903; thence northerly 160 feet following the line between inlots 1902 and 1903 to an iron pipe on the south property line of Water street; thence westerly 33 feet following the south property line of Water street to the place of beginning. This description being taken from a plat filed in the Miami County Surveyor's Lot Book on page 98.

Description for Inlot No. 94.
Beginning at an iron pipe on the south property line of Water street and between inlots 93 and 94; thence 158.9 feet southerly following the west line of inlot 94 to an iron pipe on the north property line of an alley between inlots 94 and 95; thence easterly 65.4 feet along the north line of said alley to an iron pipe at the corner of inlots 94 and 1904; thence northerly 160 feet following the line between inlots 94 and 1904 to an iron pipe on the south property line of Water street; thence westerly 50.8 feet following the south property line of Water street to the place of beginning. This description being taken from a plat filed in the Miami County Surveyor's Lot Book on page 98.

Description for Inlot No. 1904.
Beginning at an iron pipe on the south property line of Water street and at the corner of inlots 94 and 1904; thence southerly 160 feet following the line between inlots 94 and 1904 to an iron pipe on the north property line of an alley between inlots 1904 and 1905; thence easterly 43 feet following the north line of said alley to an iron pipe at the corner of inlots 1903 and 1904; thence northerly 160 feet following the line between inlots 1903 and 1904 to an iron pipe on the south property line of Water street; thence westerly 43 feet following the south property line of Water street to the place of beginning. This description being taken from a plat filed in the Miami County Surveyor's Lot Book on page 98.

Surveyed August 31, 1923. M. A. Canty

PLAT OF LOT N^o 95 PIQUA O.

Surveyed by *L.P. Kwoop* Dep. Co. Sur.
 sep. 1922

Deed Ref.


Book	144	Page	428
"	143	"	436
"	135	"	388
"	115	"	147
"	107	"	373
"	94	"	429

Recorded in Miami Co. Surveyors
 Record Book City #1 Page 100.

**DOWNING
 ST.**

LOT N^o 95

WATER ST.



PLAT OF LOT #4635 PIQUA O.

VINE ST 50

Cut in SW.

51.6

Cut in S.W.

BROADWAY
60'

Oil Sta.

Susie Davidson

59.7

Iron
Pin
+ Post

32

Iron
Pin

40

12.6"
Iron Pin

Post

Deed Records

Book 172 Page 378

" 175 " 253

Surveyors Record

City Book #1 Page 161


L. P. Kuep Dep. Co. Surveyor

PLAT OF LOT No 22 TIPPECANOE CITY, O.

Scale 30' = 1"




MAIN ST.



Surveyed + Platted Dec 2 1922
Recorded Surveyors Plat Book
City #1 Page 103
L. P. Kraepf Dep. Co. Sur.
of Miami Co. Ohio

PLAT OF EAST PT. OF O.L. 219. PLOVA
 MIAMI CO. OHIO SEC. 18. T. 6. R. 6.

Scale 60' = 1"




Deed Ref.

Book	Page	593 Clerk to structure
156	170	
97	494	
83	529	
82	496	
78	455	

Recorded City Book # / Page 104
 Miami Co Surveyors Records
 Surveyed Feb 24 - 1923
 J. P. Kuester Dep. Co. Sur.
 Miami Co.

1024
 1024



Surveyed 3-17-23
 Recorded City Book L.R. Knopp
 No. 1 Page 105
 Dep. Co. Sur. Troy, O.

DEED REF.

Book	Page
155	252
159	300
168	187
167	440
120	388
108	522
89	616


105

Thomson
Cupua
Post



REPLAT OF LOTS 238 TO 244 INC. IN COVINGTON OHIO
 ALSO N.P.T. OF O.L. # 11 Scale 40' = 1"

5353

107



STATE HIGHWAY
 PLANS FOR STREET



Recorded

Clerk of Council

April 10th 1923

April 10th 1923

April 10th 1923

April 10th 1923

Notary Public

Personally appeared before me and
 Acknowledge the signing of this plat
 to be our voluntary act

We the owners acknowledge this plat to be our voluntary act

Plat Approved by Council of Village of Covington Ohio


I certify this Plat to be correct with corners marked
 with Iron Pins as surveyed by me April 7 1923

Deputy Co. Surveyor Miami Co.

J.P. Knapp

Transferred April 14, 1923

PLAT OF PART OF OUT-LOTS
 N^o. 227 & 72
 TROY
 OHIO



PT. O.L. 227
 1.02 A.

PT. O.L. 227 1.02 A.
 Pt. O.L. 72 0.29 A.
 Total 1.31 Acres.

PT. O.L. 72
 0.29 A.


Surveyed by E. A. Bayford,
 Dep. Co. Surveyor
 April 7, 1923.

Recorded in back of City
 Surveys, page 108

109
10/1/23

PLAT OF LOTS #840-841-842-843 PIQUA OHIO


MIAMI ST



Survey Made as per
agreement
Surveyed April 12-1923
E. P. Kroop Dep. Co. Surveyor
Recorded City Book #1
Page 109 Surveyors
Records


Dotted Lines Original
Lot Line PLAT Book
NO-1. Page 37-38
Gordons ad. to Piqua

**PLAT SHOWING PROPERTY
OF TROY SUN SHADE CO.
FORMERLY TROY LUMBER CO'S
SIMPSON ST**



Recorded CITY BOOK # 1 Page 110
 MIAMI CO. SURVEYORS RECORD
 Surveyed May 5 1923
 by E.P. Knapp Dep. Co. Surveyor

PLAT OF PT OF O.L. 20
 COVINGTON OHIO
 Scale 40' = 1"




Surveyed May 26 - 1923
 L. P. Kroop
 Dep Co. Surveyor
 Miami Co.
 Recorded page 111 Co. Surv. Records

COPY OF PLAT FILED WITH LEASE
ON RECORD IN AUDITORS OFFICE

Made By J.W. Dowley Aug 25 1905

Copy By L.P. Knoop July 11 - 1923


Colored Part
Property of O.L. 13
County



PLAT OF GRAVEL PIT IN COVINGTON O.
PT OF O.L. 13 + CITY PARK

PLAT OF INNLOT #318 IN COVINGTON OHIO


Scale 40' = 1"



Surveyed July 21-1923 by
 J.P. Kueper Dep. Co. Surveyor
 of Miami Co. O.
 Recorded City Book #1 Page 113




PLAT OF LOT No 465
PIQUA OHIO MIAMI CO.
N.W. COR. OF HIGH + BROADWAY



RECORDED in City Book #1 Page 114
 MIAMI CO. Surveyors Record
 original Survey by Albert Schroeder City Engr
 Resurveyed and pins Relocated by
 L.P. Knoop Dep. Co. Surveyor of Miami Co. O
 Oct 17- 1923


Plat of Inlot 227

115
 1st Ave East



Recorded in Miami County Surveyor's Lot Book, Page 115.

Surveyed August, 1923.
 M. A. Bantz, C.E.
 Recorded Nov. 16, 1923
 M. A. Bantz, County Surveyor



Recorded Pg. 116 Surveyors Lot Book Miami County

Approved: M. G. Gentry Co. Surveyor

I certify the above to be correct plat of a survey made Dec. 18, 1925 M. G. Gentry C.E.

Note:-
 Comparisons of various plats show a slight discrepancy between MAY ST & RACE ST. therefore measurements were carried North from & WAYNE ST.
 Found stone @ @ and iron pins @ @ @.
 Set stakes at corners of Lot #1932.




BIND-1 BIND-2
14 0-111 PRODUCE
1411-4,211,105 1411-4,211,105

1411-4,211,105
1411-4,211,105


119
Taken
from
5-10

PLAT OF LOTS NO 5 AND 6 IN TROY O.
SHOWING PTS Sold by Penn to Pearson
& Briggs
Scale 50' = 1"



L. F. Kuroop
Der Co. Surveyor
Troy 4-10-1924

PLAT OF INN LOTS No 21-22 CASSTOWN O.



MAIN ST


Deed Ref.

Book Page
 A. McDaniel to J.C. Kroop 56 - 174
 A. Long to R.R. 120 - 489
 J.C. Kroop to R.R. 120 - 477
 J.C. Kroop to Cloe Smith 125 - 618
 James to S. Kroop 94 - 557
 James to Geo Book 97 - 165

Surveyed May 31 1929

By J. P. Knepp Dep. & Sur.
 Minn. Co. Ohio


Recorded in Co. Surveyors
 Records City Book No 1
 Page - 120



Original Plat

PLAT OF LOTS No. 346 & 347 P. 04 A D.
 Showing the property of
 GREEN ST. M.E. CHURCH

GREENE ST



Note: - Dotted line B-E shows line of property decided by Green St M.E. Church by John Anderson.

The tract bounded by lines A-C, G, B was after ward deeded back to Anderson by the church and the tract bounded by lines G-E, F, D was deeded the church as payment for the same.


Surveyed: - July 11th 1930
 Wm P. Hendler C.E.

Recorded: - Vol No. 1. Pg. 121 Miami Co. Surveyors Lot Book.

—: PLAT :—
 SHOWING SURVEY
 OF
 OL N^o 80 & OL N^o 85.
 TROY OHIO

Scale: 1 in = 200 ft.
 W. R. Kinder, C.E.
 July 25th 1924.

I hereby certify this to be a true and correct plat of a survey of these lots made July 25th 1924.
 Approved: *M. A. Grantz*
 M. A. Grantz
 Co. Surveyor
 Aug 1st 1924.



Figures in circles added from my original survey.
 M. A. Grantz
 County Surveyor


- A = Iron pipe found.
- B = " " driven.
- C = " " " witness to C - 463 ft.
- D = " " " found.
- E = " " " driven.
- F = " " " driven.
- G = " " " driven.
- H = " " " driven.
- I = Stone found.
- J = Iron pipe driven.
- K = Stone reset. (Found dug out)
- L = " " found.
- M = Iron pipe found.
- N = N. Line McKaig Ave.
- O = Iron pipe. (Found by Grantz)

Recorded in Miami Co. Surveyors Lot Book Page 122

Recorded in Miami County Surveys Lot Book page 124

M.A. Bandy County Surveyor
1911/25

Scale 1" = 20'



(N. Main Street) Figure and Sidney Road #237 Sec. F

PLAT
Showing West Part of Lot No. 78
 and defining G.B. Mortimer's Corners

Rosville

Rosville

109



—: PLAT :—


OF
PT. OF South Center Pt.
OF
O.L. 236
TROY OHIO

Scale, 1 in = 20 ft. W.R. Kinder,
Mch. 6th. 1925 City Engr.

I, W.R. Kinder hereby certify this plat
to be a true and correct plat of
survey as made Mch. 6th. 1925.

W.R. Kinder,
C.E.


Recorded, Vol. No. 1, Pg. 125 Miami Co. Surveyors Lot Book.



—: PLAT :—

OF
NORTH PT. LOT 873
TROY-OHIO

Scale, 1 in = 20 ft. W.R. Kinder
City Engr.



This, is to certify that the above plat is a true and correct plat of a survey of the North Part of Lot. No. 873 made Mch. 7th. 1925.


W.R. Kinder
City Engr.

Recorded Vol. No. 1. Pg. 126 Miami Co. Surveyors. Lot. Book.

127

BROADWAY - 100ft.

204 ST. - 66ft



(Recorded Vol. 1, Pg. 127 Miami Co. Surveyors Lot. Book.)

M. G. Gandy
Co. Surveyor

Approved: Apr. 21, 1925.

NOTES:-
 The favorite property consists of 9ft. off N. side of Lot No. 60 & 44' off the S. side of Lot No. 61 (Tax Duplicates) or 4ft. 5in. by deed (Bills, Pg. 79) On measuring on the ground I found the closed distance correct, the favorite piece being the last sub division made and all ground accounted for. Therefore I laid out the lots as per plat. Marked by chisel on walk in front and by iron pipes in rear.

I, Wm. R. Kinder, a Civil Engineer, hereby certify this plat to be a true and correct plat of a survey of lots 60 & 61 as made Apr. 11, 1925. The object of same being to establish the corners of the favorite property.
 Wm. R. Kinder C.E.

Scale 1in = 50ft.
 W.R. Kinder C.E.
 Apr. 20, 1925.

TIPPECANOE CITY O.

LOTS 60 & 61

OF
-: PLAT: -




PLAT
SHOWING
CORNERS

Lots 234 & 235

MIAMI CO. OHIO

SCALE 1 in = 100 ft. W.R. Kinder - C.E.
Apr. 20, 1925.



Approved: - April 21, 1925.
M. C. Stewart
Co. Surveyor


I, Wm R Kinder, a
Civil Engineer, hereby certify
that this plat to be a true and correct
plat of a survey made by me on,
Apr. 10th, 1925.
The object of said survey was
to establish the line between Lots 234 &
235 and the other corners on Lot 235
Wm R Kinder, C.E.

NOTES:-

- (1) A plat of the area occupied by lots No. 231, 232, 233, 234, 235, 236, & 237 was filed June 3, 1927. (PLAT BOOK NO. 17, 1928)
- (2) We find deeds for lots No. 234 & 235 to be carrying the old lot descriptions used before the plat was filed, hence these descriptions, other than the reference to the lot numbers, are superfluous, and very misleading.
- (3) Previous to the filing of said plat, lot No. 235 was described as 120 ft. off the west end of a tract described as comprising all of the lots 231, 232, 233, 234, 235, & 236, excepting 90 ft. off the west end of some of 120-90-50 ft. (Deed for lot 235 in Deed Book 142, pg. 218.)
- (4) Previous to the filing of said plat, lot No. 234 was described by metes and bounds and lying next to and parallel with the east line of lot 235 and also being 50 ft wide. (B131 B, 534)
- (5) Therefore both lots being described as 50 ft wide, it is evident that a shortage must have been discovered and both placed on record as 49 1/2 ft. on said plat.
- (6) Front corners (E+D) were set from an iron pin, marking the corner of an 8 ft. strip off of lot 233.
- (7) Rear corners (F+G) were set by measurement from (E) a post on an undisputed line the same claimed to have been set to correspond with a survey made by J.W. Dowler, June 4, 1910. (The notes of said survey being in my possession and referred to as to above survey. W.R.K.)
- (8) Old records of lot 231 being in error and the description of tract, as in Item (3), shows the lines were not parallel to E-D, F-C, & G-D this post is the only existing evidence and is held to be correct in this survey.


(Recorded Vol. 1. Page 188 Miami Co. Surveyor's Lot Book)

PLAT OF LOT 293 AND PT. OF LOT 294 PIAUA OHIO




I certify this Plat to be
Correct.

L. P. Knapp
 Dep. Co. Surveyor
 Miami Co. Ohio
 Recorded City Book # 1
 Page # 129
 Co. Surveyors Records



ORIGINAL PLAT



W. ASH STREET


N. WAYNE STREET


N. MAIN STREET

OLD LOT NO. 60

OLD LOT NO. 53

A SURVEY OF
 PORTIONS OF LOTS 53 AND 60
 PIQUA, OHIO
 Scale; 1" = 40' June 14, 1928
 CHARLES HERRICK, C.E.





PLAT OF
 LOTS # 141, # 142,
 PIQUA, O.
 JULY - 20th 1925.
 Albert Schroeder,
 CITY ENGINEER.

In lots 141 & 142
 Piqua, Schroeder July 1925

collected between 1805-31/11 1914
beg on a pt in the S. line of Run 81 65' NW
of S.E. cor of 142. The run is 8 W by the south on
within angle of 54° 36' north the S. line of
Run 81 65' 36'

It is a W by North mark on 417 & of 50° 10' 00"
with quadrant line from center with a line
which is 1/2 mi in and 1/4 E of N line of 142.

All N will be said the what is 1/4 from W line
to the center with a line which looks on the
W line of 142. 13' N. of S. W. cor of 142 bearing 85° 15'

E. 1/4 N 85° 00' E 127' - good
the N 35° 12' E to S. line of Run 81
the on a S. Ely to small Run 81 to 1/4 pt
veg.

eastern to Brunell 187-202 1914
found on N of a line which is determined on the following
by a cor of Run 81 under 34' N. W. of 81 65' 36' SE on

of lot 142. The NW. along line of 126' 81 59' 20"
the run & 99-96 491 59 20 81 & 501 59 20
under & determine the N. Ely of the to be there.

the E line by side ~~on~~ a line 70' E of 7 points
the W line of 141 142
the S. line the on a line 5' N. of road Paul to S. line

of 141
the on 1/4 by a run on 1/4 E of Paul to W. Ely of 142
the on 1/4 by a run on 1/4 E of Paul to W. Ely of 141

the on 1/4 by a run on 1/4 E of Paul to W. Ely of 141
the on 1/4 by a run on 1/4 E of Paul to W. Ely of 141
the on 1/4 by a run on 1/4 E of Paul to W. Ely of 141
the on 1/4 by a run on 1/4 E of Paul to W. Ely of 141

PLAT OF LOTS 326-452-453-454 PIQUA OHIO


I certify this plat to be correct

E. P. Kinsch

NORTH ST 66

Deputy County Surveyor

Aug 2, 1935



Deed References

Book 24	Page 507		
"	26	"	59
"	25	"	349
"	26	"	332
"	31	"	788
"	32	"	632
"	38	"	237
"	174	"	88

Recorded in City
Book 1 Page 133
Co. Surveyors Records

PLAT OF WEST PT. OF Q.L. 66
PIQUA OHIO



N
A
E

Surveyed Aug 15-25
by E. P. Kautz D.C.P. Co. SUR.
Record City Book #, Page 134
Co. SUR. Records

Note:-


The building line is 14 ft. from the curb line, but as the street has been widened from 60 ft. to 80 ft. and also probably straightened this may not be an encroachment, or if so be less than the 2 ft. apparent encroachment as shown. The records are not clear on this point.

—: PLAT :—

OF EAST PT. OF LOT No. 34 TIPPECANOE CITY OHIO.

SHOWING ITS LOCATION IN RELATION TO ADJOINING PROPERTY SURVEYED Aug. 19, 1925 W.R. KINDER C.E. SCALE: 1 in = 30 ft.

I, hereby certify this plat to be a true and correct plat of a survey of same as made Aug. 19th. 1925. W.R. Kinder, C.E.



Recorded Vol. No. 1. Page 135. of Miami Co. Surveyors Lot. Survey Book.

PLAT OF O.L. 122 AND PART OF SECTION 27 R. 6 T. 5

Scale - Inch - 50 ft

This Part approved and filed June 14, 1919


M.A. Bank
Lot Book
Page 50

County Surveyor

This Part approved and filed August 1918

L.P. Knapp
Deputy County Surveyor

Lot Book
Page 137



Rettig's E. 1/2 Sm. bed of A. given by but should be 58,750' but should be 58,750'

West Port of Inlot 229
And East Port of Inlot 230
COVINGTON, O

Surveyed by E. C. Freshwater
OCT 5 1922

Alley

Ephraim D Trambly

L H Coate
229

E. F. & Pearl
Rudy

Grubb
to
Gill & Trambly


Grubb to
Gill & Trambly
To
Helman

230

ROCK AVE.

HIGH

ST



The owner of this land Ella Thomas dedicates the streets and alleys to the City of Piqua O. for the Public use forever

Signed
Personally appeared before me Ella Thomas and signs and acknowledges this Plat. This being her voluntary act and deed
Notary Public


I certify this plat to be correct and Iron Pins placed at corners and stakes at lot lines
E. P. Knapp Deputy Co. Surveyor of Miami Co. O.

Approved by the Council of the City of Piqua 1922
Clerk of Council

I accept this Plat for the City of Piqua
Service Director of City of Piqua O.

Transferred
Received by County Recorder
Recorded

PLAT OF SUB-DIV. OF WEST PT. OF O.L. 271 IN PIQUA OHIO



916

138


Ordinance 30 March 1930

-2377

REPLACING OF LOTS
#619 #620 #5879 #5880
PIQUA 0

Received Aug 5 1918
At 220 O'clock
Recorded Aug 5 1918
In Old Record
Book 3 Page 85
Carroll
Recorder Miami County, O.
Aug 12

HARRISON ST.



I certify this plat to be correct
July 24-1918

J. P. Kuehn
Deputy Co. Surveyor
Miami Co. O.


Examined 7/29/1918
O. J. O'Brien, Recorder
J. S. Smith, Dep.

W. M. A. Grant
Co. Surveyor

PUBLIC SQUARE

Deed Records

Book	Page	Vol.
170	212	1
170	212	2
170	212	3
170	212	4
170	212	5
170	212	6
170	212	7
170	212	8
170	212	9
170	212	10
170	212	11
170	212	12
170	212	13
170	212	14
170	212	15
170	212	16
170	212	17
170	212	18
170	212	19
170	212	20
170	212	21
170	212	22
170	212	23
170	212	24
170	212	25
170	212	26
170	212	27
170	212	28
170	212	29
170	212	30
170	212	31
170	212	32
170	212	33
170	212	34
170	212	35
170	212	36
170	212	37
170	212	38
170	212	39
170	212	40
170	212	41
170	212	42
170	212	43
170	212	44
170	212	45
170	212	46
170	212	47
170	212	48
170	212	49
170	212	50
170	212	51
170	212	52
170	212	53
170	212	54
170	212	55
170	212	56
170	212	57
170	212	58
170	212	59
170	212	60
170	212	61
170	212	62
170	212	63
170	212	64
170	212	65
170	212	66
170	212	67
170	212	68
170	212	69
170	212	70
170	212	71
170	212	72
170	212	73
170	212	74
170	212	75
170	212	76
170	212	77
170	212	78
170	212	79
170	212	80
170	212	81
170	212	82
170	212	83
170	212	84
170	212	85
170	212	86
170	212	87
170	212	88
170	212	89
170	212	90
170	212	91
170	212	92
170	212	93
170	212	94
170	212	95
170	212	96
170	212	97
170	212	98
170	212	99
170	212	100



PLAT SHOWING PROPERTY OF FISHER + SMITH IN CITY OF PIQUA OHIO BEING PART OF LOTS # 36 + 21

Surveyed + Platted by G.P. Krump, Dep. Co. Surveyor of Miami Co. O. April 27, 1920
Scale 20' = 1"
SUN. CITY PLAT B/L 1 - P. 114




MAIN ST.

WATER ST. 60'

1-21

1472



Tracy, E. D. Ward - Jr.
PLAN P.E. 1472


Survey of Outlot 1A

Village of Laura

Oct 31, 1925

J. C. Anderson
Surveyor

Scale, 1" = 50'




The purpose of this survey was to establish the width of a strip of land described in deed from Hunt to Wick, of May 23, 1908, and recorded in Vol. 133, Page 529, as being "5 feet more or less" lying between Lot 29 & 14 being intended) - on the East and a 16 ft Alley on the West. The same to be added and hereafter included in 0.714 by order of Auditor



Recorded Surveyors Lot Book
Page 143

PLAT
SHOWING SUB-DIVISION
OF

LOTS 2069 & 2070 IN TROY, O.
SURVEYED SEP 26, 1925. SCALE 1IN. = 30FT.
W. R. KINDER, C. E.

95.66' = Original lot dimensions.
Sub Division dimensions = All others. Shown.
SURVEY RECORDED VOL. #1, Pg. 144 MIAMI Co. SUR. LOT BOOK.
⊙ = Iron Pipes.





Deed References

Book	Page	What part of Lot #61	Year
1	115	all of 61	1811
2	448	" "	1815
5	379	N. Pt 49 1/2 ft	1825
26	470	S 1/2	1851
35	222	10' S. Side alley	1860
35	606	10' S side alley	1860
35	606	10' E End 5 1/2 alley	1860
36	265	S 1/2	1859
40	386	39 1/2 ft S. pt	1863
42	9	S 1/2	1865
42	512	Pt 3 1/2	1865
72	628	S 1/2	1888
72	628	S 1/2	1888
90	333	25 of E. Pt of S 1/2	1890
105	172	10' 5" x 10' E side alley	1897
106	545	10' 5" x 10' E side for Alley	1898
132	556	Pt 5 1/2	1914
161	56	S 1/2	1917

Sells 121' 9" E + W. and 39 1/2 N + S. and " The Grantor to have use of Jail Bldg. on said premises for one year from date hereof with privilege of removing all fittings there in which fittings are excepted from this conveyance and are to remain property of grantor" of City of Piqua

The above is in deed of City of Piqua to Flesch Book 152 page 556

Central Union Reciever to Central Union Tel. Co in April 1919 B161 P473

Nearly all deeds for Lot #61 since 1859 have the right of use of a 10' alley on South + East Side of Lpt

**PLAT OF PT. OF LOT 61
PROPERTY OF
THE OHIO BELL TELEPHONE
CO.
PIQUA MIAMI CO. OHIO**

Recorded in Co. Surv Plat Book
City Book No. 1 Page 146

SURVEYED BY **L.P. Knoop**
DEP. CO. SURVEYOR
OF MIAMI CO. OHIO
Feb 16 - 1926


COUNTY AUDITORS PLAT
OF LOTS 60-61-62

Scale
1 inch = 40 ft

147



L. P. Knapp
April 8, 1919.



AVE.

PENNSYLVANIA

Plat of Inlot #1712
City of Troy, Ohio.

Reopened - Surveyors Lot Book No. 1 Page 148

WHEELER

ST.

ST.

MADISON

RACE

ST.


Survey by T.C. Freshour
& L.C. Essex
10-10-27

~~Amount of money~~
~~money~~

Released as money
not made

150

MIAMI ST.



KESLER PLAT IN WEST MILTON
 AND IN UNION TWP MIAMI CO. O.
 MADE FROM MIAMI CO RECORDS
 by C. P. Knapp, DEP. CO. Surveyor
 Scale 100' = 1"

This 1.23 Acres was Surveyed on Jun 31-1928
 and is Recorded in City Book No. 1 Page 150
 Miami Co Surveyors Record.
 I Certify this plat to be correct.
 J. P. Knapp
 Dep. Co. Surveyor
 of Miami Co

O.L. 32
 2.75A

O.L. 33
 8.91A.

O.L. 34
 2.70A

CEMETERY

STILLWATER RIVER

CEM. RD.

PLAT
SHOWING
RELATION OF STATE PROPERTY LINE
TO
LOT No 158 IN TROY OHIO.


SURVEYED FEB 4, 1928 BY W. R. KINDER, C.E.
Jep. Co. Sur.

Scale 1 in = 6 Ft.



Recorded Page 151 in Vol 1 of
MIAMI Co. Sur. Lot Book.

Note:-

The State Property
Line shown is parallel to, and
76 ft. from, the base line of the
State survey as marked by
iron pins @ Sta. 826/1202 and
826/9 of said survey.



PLAT OF LOT 421 IN TROY O
PROPERTY OF JOHN EDGAR



Deed References

Deed	To	FL Dye Book	45	Page	67-	1867
Mad Dye to	FL Dye	Book	45	Page	67-	1867
F. L. Dye	W. Oblinger		55		579-	1875
W. Oblinger	J. W. Oblinger		59		421-	1878
J. W. Oblinger	Charles Lidel		61		229-	1879
R. A. New Adm.	Ellen Bowers		70		178-	1882
Wm Lidel	R. W. Bryland		94		75	1892
Bretland	T. K. Stanley		153		51-	1918
offd	"		164		6	1918
Stanley	J. R. Marshall		165		137-	1918
Marshall	Stanley					1920
Stanley	Jensen					1922
Jensen	Suter					1922
Suter	E. E. Edgar					1922
E. E. Edgar	John Edgar					1917

Lot 421 was Lot #4 in M. Dyes Addition and from 1853 to 1863 Lot frontage was carried on Auditor's Duplicate as 96' Lot frontage was 58' on Aud. Dup.

I certify this plat to be correct from
Survey made Feb. 3, 1928

L. P. Knapp Dep. Co. Sur.
of Miami Co. O.


Recorded in Miami Co. Surveyors Plat Book
City Book #1 Page 153

PLAT OF M. DYES SUB DIV.
OF OLS. 12-13 Recorder's plat
Book #1 Page 22 July 1853

Copy of Plat
Made by J. W. Cowles
and held by Herbert Bruce
of lot 140 and 0.66
Tray, O.

"The line a-b-c is my
agreement line between the land
owner and was settled by me
under the deacons and by the
court in June 1817.
Signed J. W. Cowles
Judge 8-1817.

This copy made and recorded
by T. C. Johnson
Apr 15-1928



MAIN ST
57

231°
Old Town Line

State Land

JACKSON STREET

STREET


WATER

Lot 140
sub plat

Recorded in Lot Book 1 Page 196
County Surveyors Office.

SURVEY OF PART OF
INLOT 450 & 451, TROY, O
April 3, 1928 By T.C. Freshour,
City Eng.


CANAL STREET




SURVEY OF INLOTS 658 & 659
TROY O.

April 5, 1920
By T. C. Freshour, city Eng.


Recorded in Lot Book #1, Page 157
in county surveyors office.



158



I HEREBY CERTIFY THIS PLAT TO BE CORRECT
 CITY ENGINEER *[Signature]*



MOREHEAD ST.

Original Prop. Line
 Area Dedicated to City of Troy, Ohio for street
 New Prop Line



Showing a strip of land deeded to the City of Troy off the West side of out lot #120 by Myrtle and R.A. Hawthorne, for the purpose of widening Morehead street to 49 ft.
 Date of deed May 25, 1928.
 Date of transfer June 1928.
 Deed Recorded in Vol 1 Page
 Plat Recorded in Vol 1 Page
 County Recorder Also
 in Lot Book, Page
 Office of County
 Surveyor

Out Lot 120

PLAT

PLAT SHOWING SUB-DIVISION
OF PT. OUT LOT NO.34
IN TIPPECANOE CITY O.

MIAMI COUNTY
SURVEYED BY L.P. Klopp
JUNE 11-1928 DEPUTY CO SUR.
RECORD CITY BOOK NO 1
PAGE 160 CO. SUR RECORDS




SIXTH ST. 50' WIDE

160

BROADWAY

SEVENTH ST
60'



SIXTH ST
63'

PLAT OF INN LOT #300
TIPPECANOE CITY O.

Deed References


Book 161 Page 425 3/8-19
" 161 " 514 6/23-19
66' x 120' Each by Trowbridge
Book 161 Page 175
" 135 " 416
" 86 " 322

Surveyed by L.P. Knoop
Dep. Co. SUR.


June 23 - 1928

Recorded City Book #1 Page 161

PLAT SHOWING 1.50 ACRES OFF OUT LOT 262
 IN THE CITY OF TROY PURCHASED BY THE
 DEPARTMENT OF HIGHWAYS, STATE OF OHIO,
 FROM MELL C. GABRIEL.




PLOTS 2063 & 2064
T201, OHIO.
As surveyed by
J. C. Jackson, City Engr.
December 22, 1928.




PAGE 51

Recorded in Surveyors Lot Survey Record Page 165
County Surveyors Office.

SURVEY OF OUTLOT 88
 WEST MILTON, O.
 By Chas. Herrick, C.E.
 Sept. 7, 1928



169



PLAT
 OF
 LOTS No. 165 & 166.
 TROY - OHIO
 SURVEYED MAY 4, 1920.
 W.R. KINDER C.E.
 Scale 1 in = 200 Ft.


Recorded in Vol. 1, Pg. 169 of MIAMI
 COUNTY SURVEYOR'S LOT BOOK.

LOT 165

LOT
 166

OXFORD STREET

CANAL STREET



PLAT
OF
PART OF OLD D.T. & C. RIGHT OF WAY
LYING IN REAR OF
LOTS No. 143, 144 & 145
WEST MILTON, OHIO
SURVEYED JUNE 1st 1920.
SCALE, 1 IN. = 30 FT.
W.R. KINDER, C.E.
D.R. Co. SURVEYOR.

Recorded in Vol. No. 1, Pg. 170 of Miami Co. Sur
Record of Lot Surveys

PLAT OF
PART OF OLD D.T.&C. RIGHT OF WAY
LYING IN REAR OF O.L. No. 90.


WEST MILTON OHIO

SURVEYED JUNE 1ST 1920.

W.R. KINDER, C.E.
Dep. Co. Sur.

Scale 1 in = 30 FT.

Recorded Vol. 1, Pg 171, Miami Co. Sur. Rec.
of Lot Surveys.






SURVEY OF
 LOTS No. 412 & 413
 IN
 TIPPECANOE CITY
 Surveyed Jul. 27 & Aug. 3, 1929
 By W. R. KINDER C.E.
 Dep. Co. Sur.

I hereby certify this to be
 a correct plat of this
 survey and that same
 is recorded in Vol. No. 1
 Pg. 172 of Lot Surveys in
 the Miami Co. Surveyors
 office.


W. R. Kinder C.E.

Furlong Deed Vol. 182 Pg. 595 = 50' off N. End Lot 413 except 10' for alley.
 (Alley is off Lot 414 and Furlong evidently entitled to 40')
 Altie Deed Vol. 184 Pg. 215 = 32 1/2' off S. Side Lot 413 & 32 1/2' off N. Side Lot 412.
 (This would leave gap of 10' between Furlong & Altie.)
 Baker Deed Vol. 161 Pg. 542 = 50' off South Side Lot 412.
 (The South Line of Lot 412 is out in the street so this laps over 10' on
 the Altie Description.)
 Baker Deed Vol. 192 Pg. 666 = 10 ft ± off the North side of Lot 411
 (This strip is entirely out in the street.)


Therefore, the descriptions in all deeds being in error, and it being
 evidently intended to convey to Furlong 40', Altie 65' and Baker 50', I
 measured the entire distance from Plum St to Walnut St and found it
 fell short 2.6 ft., and as no authentic marks were to be found, this
 shortage was divided up in this block and boundaries marked as
 per the plat below.



172



Survey of Part of Out-lot 214, Piqua, Ohio.
 Scale 1" = 60'



I. M. A. Gantz, certify the above plat to be true and correct as surveyed Sept. 4, 1930.
 M. G. Gandy, Civil Engineer

Approved Sept. 8, 1930.
 C. H. Bogford, County Surveyor

Recorded in Miami County Surveyors Lot Book page 175

521

171

Recorded in Miami County Surveyor's Lot Book page 177

Approved Oct. 23, 1930.
E. H. Bayford
County Surveyor


Main Street 76' wide

I, M. A. Gantz, certify the above plat to be true and correct as surveyed Oct. 21, 1930.
M. A. Gantz, Civil Engineer



Survey of Inlets 617, 620, 621, 622 and 623 in Tippencanoe City, Ohio.
Scale 1" = 40'

Plat of Part of Out-lot 39 in Tippecanoe City, Miami County, Ohio.
Scale 1" = 60'




All bearings assumed and figured from angles.

I, M.A. Gantz, C.E., certify the above plat to be true and correct as surveyed Dec. 12, 1930.
 m.a. Gantz, Civil Engineer.
 Approved Dec. 15, 1930.
 C.H. Bagford, County Surveyor.

Recorded in Miami County Surveyor's Lot Book on page 178

Survey of Inlot No. 931, Troy, Ohio.
 Scale 1" = 20'




12 Public Alley. See Lease No. 8289 in Lease Record Book No. 6 page 224

Pure Oil Co. I, M.A. Gantz, C.E., certify the above plat to be true and correct as surveyed Feb. 14 & 16, 1931.
 m. a. Gantz, Civil Engineer.

Recorded in Miami County Surveyor's Lot Book on page 179.

179

Survey of Inlot No. 2272, Troy, Ohio.
Scale 1" = 40'



Recorded in Miami County Surveyor's Lot Book on Page 180

I, M.A. Gantz, C.E., certify the above plat to be true and correct as surveyed April 4, 1931.
M. A. Gantz, Civil Engineer.

Counts Street 40'

Oak Street 40'

East Franklin Street 66'

Inlot 667
105'

12' Alley

Scott Street 60'

10' Alley

Line O.K.

4 sidewalk

Found Iron Pipe 2271

159.76

2272

159.76

2273

2274

2275

2276


2277

Found Iron Pipe 2278

2279

2280

Survey of Inlot No. 2361 in the City of Troy, Miami County, Ohio.




Scale 1" = 20'

I, M.A. Grantz, C.E., certify the above plat to be true and correct.

M.A. Grantz, Civil Engineer.

Recorded in Miami County Surveyor's Lot Book on page 181.

PLAT OF INLOTS 65, 66, 67, 68 AND SURVEY OF THE EAST END OF INLOT 69
 Part of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio.
 Scale 1" = 60'



DESCRIPTIONS OF TRACTS;

TRACT (1) -
 Being all of Inlots number sixty-five (65) and sixty-six of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio, except fifty-two (52) feet off of the east end of said lots as shown on a plat recorded in the Miami County Surveyor's Lot Book on page 182.

TRACT (2) :-
 Being all of Inlot number sixty-seven (67) of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio.

TRACT (3) :-
 Being all of Inlot number sixty-eight (68) of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio.

TRACT (4) :-
 Being the east end of Inlot number sixty-nine (69) of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio, more particularly described as follows;
 Beginning at a 1/2 inch iron pipe at the south-west corner of Chestnut and First Streets; thence running westerly along the south line of First Street one hundred and sixty-five (165) feet to a 1/2 inch iron pipe; thence southerly following the east line of Lucas Alley extended, one hundred and fifty-one and seven-tenths (151.7) feet to a 1/2 inch iron pin on the C.C.C. & St. L. RR. right of way line; thence easterly following the above mentioned right of way line one hundred and sixty-five and one-tenth (165.1) feet to a 1/2 inch iron pin on the west property line of Chestnut Street; thence northerly following the west line of Chestnut Street one hundred and fifty-two and five-tenths (152.5) feet to the place of beginning.


Recorded in Miami County Surveyor's Lot Book on Page 182

Surveyor's Fee - \$21.85

I, M.A. Gantz, C.E., certify the above plat to be true and correct as surveyed Oct. 2, 1931.
 M.A. Gantz, Civil Engineer.

PLAT OF INLOT 73

Part of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio.
Scale 1" = 60'




DESCRIPTION OF THAT PORTION OF INLOT 73 BELONGING TO CARL C. AND FLORENCE L. HAWK.

Beginning at the north-east corner of Inlot number 73 of Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio, which is also the south-west corner of the intersection of Main and Second Streets in said Village; thence southerly following the west property line of Main Street a distance of twenty-four and five-tenths (24.5) feet; thence westerly parallel with the south line of said lot a distance of forty-eight (48) feet; thence southerly parallel with the west property line of Main Street a distance of thirty-three and twenty-five-one hundredths (33.25) feet to the south line of said lot; thence westerly along the south line of said lot a distance of one hundred and seventeen (117) feet to Brown Alley; thence north along the east side of Brown Alley a distance of fifty-seven and seventy-five-one hundredths (57.75) feet to the south property line of Second Street; thence easterly following the south property line of Second Street a distance of one hundred and sixty-five (165) feet to the place of beginning.

OBJECT: - The object of this plat was to obtain a description of that portion of Inlot number 73 in Corner and Olwin's Addition to the Village of Laura, Miami County, Ohio, belonging to Carl C. and Florence L. Hawk. For a record of the portions of Inlot number 73 heretofore sold see deed from George Mote to Roger S. Miles dated December 28, 1906 and recorded in Volume 131 on page 385 of Miami County Record of Deeds and also a deed from W.L. Martindale to Roger S. Miles dated May 24, 1913 and recorded in Volume 149 on page 526 of Miami County Record of Deeds.

The above plat was made from figures taken from the original plat of Corner and Olwin's Addition on file in the Miami County Recorder's Office and from the figures and dimensions given in the deeds referred to above.

M. A. Gaulty Civil Engineer.



Asphalt/black pavement 36'-0" wide
 50'-0" wide
 56'-0" wide
 10'-0" wide
 15'-0" wide
 20'-0" wide
 25'-0" wide
 30'-0" wide
 35'-0" wide
 40'-0" wide
 45'-0" wide
 50'-0" wide
 55'-0" wide
 60'-0" wide
 65'-0" wide
 70'-0" wide
 75'-0" wide
 80'-0" wide
 85'-0" wide
 90'-0" wide
 95'-0" wide
 100'-0" wide
 105'-0" wide
 110'-0" wide
 115'-0" wide
 120'-0" wide
 125'-0" wide
 130'-0" wide
 135'-0" wide
 140'-0" wide
 145'-0" wide
 150'-0" wide
 155'-0" wide
 160'-0" wide
 165'-0" wide
 170'-0" wide
 175'-0" wide
 180'-0" wide
 185'-0" wide
 190'-0" wide
 195'-0" wide
 200'-0" wide
 205'-0" wide
 210'-0" wide
 215'-0" wide
 220'-0" wide
 225'-0" wide
 230'-0" wide
 235'-0" wide
 240'-0" wide
 245'-0" wide
 250'-0" wide
 255'-0" wide
 260'-0" wide
 265'-0" wide
 270'-0" wide
 275'-0" wide
 280'-0" wide
 285'-0" wide
 290'-0" wide
 295'-0" wide
 300'-0" wide
 305'-0" wide
 310'-0" wide
 315'-0" wide
 320'-0" wide
 325'-0" wide
 330'-0" wide
 335'-0" wide
 340'-0" wide
 345'-0" wide
 350'-0" wide
 355'-0" wide
 360'-0" wide
 365'-0" wide
 370'-0" wide
 375'-0" wide
 380'-0" wide
 385'-0" wide
 390'-0" wide
 395'-0" wide
 400'-0" wide
 405'-0" wide
 410'-0" wide
 415'-0" wide
 420'-0" wide
 425'-0" wide
 430'-0" wide
 435'-0" wide
 440'-0" wide
 445'-0" wide
 450'-0" wide
 455'-0" wide
 460'-0" wide
 465'-0" wide
 470'-0" wide
 475'-0" wide
 480'-0" wide
 485'-0" wide
 490'-0" wide
 495'-0" wide
 500'-0" wide
 505'-0" wide
 510'-0" wide
 515'-0" wide
 520'-0" wide
 525'-0" wide
 530'-0" wide
 535'-0" wide
 540'-0" wide
 545'-0" wide
 550'-0" wide
 555'-0" wide
 560'-0" wide
 565'-0" wide
 570'-0" wide
 575'-0" wide
 580'-0" wide
 585'-0" wide
 590'-0" wide
 595'-0" wide
 600'-0" wide
 605'-0" wide
 610'-0" wide
 615'-0" wide
 620'-0" wide
 625'-0" wide
 630'-0" wide
 635'-0" wide
 640'-0" wide
 645'-0" wide
 650'-0" wide
 655'-0" wide
 660'-0" wide
 665'-0" wide
 670'-0" wide
 675'-0" wide
 680'-0" wide
 685'-0" wide
 690'-0" wide
 695'-0" wide
 700'-0" wide
 705'-0" wide
 710'-0" wide
 715'-0" wide
 720'-0" wide
 725'-0" wide
 730'-0" wide
 735'-0" wide
 740'-0" wide
 745'-0" wide
 750'-0" wide
 755'-0" wide
 760'-0" wide
 765'-0" wide
 770'-0" wide
 775'-0" wide
 780'-0" wide
 785'-0" wide
 790'-0" wide
 795'-0" wide
 800'-0" wide
 805'-0" wide
 810'-0" wide
 815'-0" wide
 820'-0" wide
 825'-0" wide
 830'-0" wide
 835'-0" wide
 840'-0" wide
 845'-0" wide
 850'-0" wide
 855'-0" wide
 860'-0" wide
 865'-0" wide
 870'-0" wide
 875'-0" wide
 880'-0" wide
 885'-0" wide
 890'-0" wide
 895'-0" wide
 900'-0" wide
 905'-0" wide
 910'-0" wide
 915'-0" wide
 920'-0" wide
 925'-0" wide
 930'-0" wide
 935'-0" wide
 940'-0" wide
 945'-0" wide
 950'-0" wide
 955'-0" wide
 960'-0" wide
 965'-0" wide
 970'-0" wide
 975'-0" wide
 980'-0" wide
 985'-0" wide
 990'-0" wide
 995'-0" wide
 1000'-0" wide

Scale 1"=40'

Note
 Alley ends here
 2440 ft. from intersection of Market St. and Race St. to depot.
 6" water main near G Walnut St.
 No gas mains, water mains, sewer lines, conduits, or overhead lines within limits of this tract except power line in alley as shown.
 Proposed site includes alley which would be closed.

Proposed Site for
 Federal Building
 Troy, Miami Co. Ohio
 Submitted by R.C. Stanley
 1950


Survey and map by
 G.C. Carpenter, C.E.
 Approved by G. H. ...
 CITY ENGINEER

PLAT OF PART OF O.L. 236 TROY O
RECORDED CITY BOOK PAGE 186 CO. SUR RECORDS

L. P. KNOOP
DEP. CO. SUR.

Center Line of
Clayford St Projected


CLAY ST.



PT. O.L. 236 TROY O.
This part sold by Trustee to Lewis

Record Book 185
Page 71

SOUTH CORP LINE OF TROY
and SOUTH LINE OF O.L. 236



PT. O.L. 236 TROY O.
This part sold by Trustee to Lewis

Record Book 185
Page 71


SOUTH CORP LINE OF TROY
and SOUTH LINE OF O.L. 236

187
Taken
Troostel's sub-div. of O.L. 236

SEE FORM DEED BOOK # PAGE 28

Note:
Check measurements have revealed the fact that there are two feet of surplus ground between Racer Street and the established line of Outlot 236. Thereby increasing the width of the last tier of lots of the Miller & Racer subdivision by that amount. In order to run Charles Street parallel with Racer Street and obtain lots with uniform shape and width it is necessary that the said North line of O.L. 236 be ignored and the row of lots adjacent to it in the Miller & Racer subdivision be replatted.

ALLEY
North Line of O.L. 236



C. E. TROOSTEL'S SUB-DIVISION
OF PART OF OUT-LOT 236 AND
REPLAT OF IN-LOTS 2136, 2150 & 2164
TROY, OHIO

LEGEND:
Original Lot Lines & Numbers
New Lot Lines & Numbers
Corporation Line
Iron Pipe, Driven
Iron Pipe, Found in Place

Scale: Length - 40 Feet
N
E
S
W

I hereby certify this plat to be a correct return of a survey completed by me December 30, 1931.
T. C. BISHOP

We, the undersigned, owners of the land shown on this plat and survey, do hereby assent to and adapt this subdivision of the same and the same was made at our request. The street and alleys as shown on this plat, we hereby dedicate to the City of Troy, Ohio, for public use.
Signed in the presence of
C. E. Troostel
C. E. Troostel
C. E. Troostel

Before me, a notary public, in and for said county, personally appeared the above named C. E. Troostel, and Bessie L. Troostel, Simeon Lewis and Luanania E. Lewis, who severally acknowledged that they did sign the foregoing instrument and that the same is their free act and deed. In testimony whereof, I have hereunto subscribed my name and affixed my official seal at Troy, Ohio this 31st day of December, 1931.
Notary Public
C. E. Troostel


At a regular meeting of the Troy City Planning and Zoning Commission, held this 31st day of December 1931, the above plat was duly approved.
President
Secretary
Notary Public
C. E. Troostel

At a regular meeting of the Council of the City of Troy, Ohio, held this day of 1932, the above plat was duly approved by Ordinance No. 1932.
Mayor
President of Council
Director of Public Service

Troy, O. Jan. 6, 1932
I hereby approve this plat and have caused the lot numbers to be placed thereon to designate the tracts shown.
Auditor, Miami Co.
City Clerk

$\frac{155}{170} = 0.9118$
 $\frac{155}{170} = 0.9118$

Prepared
 City Engineer



Total lot - 170'-8"
 $\frac{155}{170} = 0.9118$
 $\frac{150}{170} = 0.8824$

$\frac{85}{155} = 0.5484$
 $\frac{150}{170} = 0.8824$


Description

Beginning at a point in the South Line of Wood St., said point being 6.0ft. west of the East Line of O.L.#16; thence west along the South Line of Wood St. a distance of 120ft.; thence south to a point in the North Line of Miami St., said point being 2ft. west of the East Line of O.L.#16; thence east along the North Line of Miami St. a distance of 150ft.; thence north to point of beginning.

G.C. Moore

1897

190
Reserve for Troy P.O. Plat



TROY, OHIO.

Scale: 1 inch = 16 Feet, except
Monuments and their Positions which
are exaggerated for clarity.
All bearings shown are Magnetic
references therefore were measured on the
surface and elevation & temperature adjust-
ments made.

LEGEND

— Prop. Line
— Original Prop. Lines as acquired
- - - City Lot Lines
— Center Lines of Streets
□ Concrete Monument

I hereby certify this plat to be a
correct showing of the permanent monuments
as set by me and the references there to on the
site of the U.S. Post Office in Troy, Ohio.

January 5, 1933.

T. W. Beckler
City Engineer.

Recorded in Vol. 4, Page 190, Record of
City & Town Lot Surveys, in the office of
the County Surveyor, Miami County, Ohio.

To S. E. Corner of
Troy Daily News Bldg.
of E. by N. 82° 22' 03"

To W. Cor. of 1st National
Bldg. at Race St.
Corner of Mulberry St. by
E. by N. 82° 07'

RACE ST.

S MARKET ST.

PLAT OF THE
 CULBERTSON HEIGHTS AND
 NORTH RIDGE TERRITORY
 AS ANNEXED TO THE CITY OF
 TROY, OHIO,
 MARCH 14, 1932



At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.

At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.

At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.


At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.

At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.

At a meeting of the Board of Health and Sanitation held this 13th day of March 1932, the above plat was approved by a majority vote.

PLAT OF Lot No 424 WESTMILTON O.

MILTON + CARLISLE PIKE



Surveyed Mar 1919

L.P. Kuopp Dep Co Surveyor
Miami Co O

1934

127 Received
addition to pay
Monthly Home

SUB-DIVISION OF OUT-LOT No 180 TROY OHIO

\$5004

May 1-1923

May 5 1923

QAC

1/3

1/3

1/3



I certify this plat to be correct as surveyed by me April 14, 1923
 E. W. England
 Deputy to Surveyor Miami Co.

We hereby acknowledge this plat to be a voluntary act and deed and do hereby dedicate to the City of Troy the streets and alleys for public use.
 Signed, Frank Miller Ruth Adkins
 Date, April 14 1923

Personally appeared before me a Notary Public in and for Miami County the above stated individuals and acknowledged the signing and sealing of the above statement to be their voluntary act and deed for the purposes herein mentioned, this 14th day of April 1923.

Signed, Alexander R. Koster
 Notary Public Miami County Ohio

Transferred May 8 1923

W. B. Radabaugh Clerk

A. B. Little Secy


I hereby approve the numbering of the lots on this plat

Signed, W. B. Radabaugh
 County Auditor


Approved and accepted by the Council of the City of Troy

Signed, W. B. Radabaugh
 Mayor

Date, May 12 1923



PLAT SHOWING MEASUREMENTS OF SOUTH
PART OF LOT N^o 7 IN WEST-MILTON, OHIO.




Measured by E. H. Bagford, Dep. Co. Surveyor,
August, 21, 1923.

Planning nos.

B Tract	11	11	.98	A-27
A Tract	11	11	.75	A-21

B tract has .98 acres per acre
A tract has .75 acres per acre



A tract
75 includes Rd
A1

B tract
98 including Rd
B1

1.73 Total Area
 .21 Road Deduction
 1.52 Net

Sections 24 and 25